1887

A Catalogue of New, Beautiful and Rare Plants & Orchids

offered by

William Bull

New Plant Merchant,

F.L.S., F.R.G.S., F.Z.S., F.R.H.S., M.A.I., F.R.B.S., & M.S.A., *Socc. Hort. Berol. Bruxell. St. Petersburgh. et Paris et Soc. Agric. et Bot. Gandav. Socius.*

536, King's Road, Chelsea,

(and Ashburnham Park) London, S.W.

Presented to the L. H. Bailey Hortorium by the Missouri Botanical Garden, 1972.

SHOUT
SHARE
IT

MR. WILLIAM BULL'S
ESTABLISHMENT FOR NEW AND RARE PLANTS

Has been favoured with the distinguished Patronage of

HER MOST GRACIOUS MAJESTY THE QUEEN
HIS ROYAL HIGHNESS THE PRINCE OF WALES
HIS ROYAL HIGHNESS THE DUKE OF EDINBURGH
HER ROYAL HIGHNESS THE CROWN PRINCESS OF PRUSSIA
HIS SERENE HIGHNESS THE DUKE OF TECK
HIS MAJESTY THE EMPEROR OF GERMANY
HIS MAJESTY THE EMPEROR OF RUSSIA
HIS MAJESTY THE EMPEROR OF AUSTRIA
HIS MAJESTY THE KING OF SWEDEN
HIS MAJESTY THE KING OF SIAM
HIS EXCELLENCY THE LORD LIEUTENANT OF IRELAND
HIS IMPERIAL HIGHNESS THE GRAND DUKE CONSTANTINE
SON ALTESSE LE PRINCE SALM SALM

HER MAJESTY'S COMMISSIONERS OF BOARD OF WORKS AND PUBLIC BUILDINGS FOR ENGLAND
HER MAJESTY'S COMMISSIONERS OF BOARD OF WORKS AND PUBLIC BUILDINGS FOR IRELAND

His Grace the DUKE OF NORFOLK
His Grace the DUKE OF RICHMOND
His Grace the DUKE OF BEDFORD
His Grace the DUKE OF DEVONSHIRE
His Grace the DUKE OF MARLBOROUGH
His Grace the DUKE OF RUTLAND
His Grace the DUKE OF HAMILTON
His Grace the DUKE OF BUCCLEUCH
His Grace the DUKE OF ROXBURGHE
His Grace the DUKE OF PORTLAND
His Grace the DUKE OF MANCHESTER
His Grace the DUKE OF NEWCASTLE
His Grace the DUKE OF NORTHUMBERLAND
His Grace the DUKE OF WELLINGTON
His Grace the DUKE OF SUTHERLAND
His Grace the DUKE OF CLEVELAND
His Grace the DUKE OF WESTMINSTER
His Grace the DUKE OF LEINSTER
His Grace the DUKE OF ABERCORN
The Most Hon. the MARQUESS OF HUNTLY
The Most Hon. the MARQUESS OF LOTHIAN
The Most Hon. the MARQUESS OF LANSDOWNE
The Most Hon. the MARQUESS OF HERTFORD
The Most Hon. the MARQUESS OF BUTE
The Most Hon. the MARQUESS OF WATERFORD
The Most Hon. the MARQUESS OF DOWNSHIRE
The Most Hon. the MARQUESS OF DROGHEDA
The Most Hon. the MARQUESS OF ELY
The Most Hon. the MARQUESS OF HEADFORT
The Most Hon. the MARQUESS OF EXETER
The Most Hon. the MARQUESS OF NORTHAMPTON
The Most Hon. the MARQUESS OF CAMDEN
The Most Hon. the MARQUESS OF ANGLESEY
The Most Hon. the MARQUESS OF CONYNGHAM
The Most Hon. the MARQUESS OF LONDONDERRY
The Most Hon. the MARQUESS OF BRISTOL
The Most Hon. the MARQUESS OF ABERGAVENNY
The Most Hon. the MARQUESS OF TAVISTOCK
The Right Hon. the EARL PERCY
The Right Hon. the EARL OF SHREWSBURY & TALBOT
The Right Hon. the EARL OF DERBY
The Right Hon. the EARL OF PEMBROKE
The Right Hon. the EARL OF DEVON
The Right Hon. the EARL OF DENBIGH
The Right Hon. the EARL OF WESTMORLAND
The Right Hon. the EARL OF LINDSEY
The Right Hon. the EARL OF SANDWICH
The Right Hon. the EARL OF ESSEX
The Right Hon. the EARL OF JERSEY
The Right Hon. the EARL POULETT
The Right Hon. the EARL OF CRAWFORD AND BALCARRES
The Right Hon. the EARL OF EGLINTON AND WINTON
The Right Hon. the EARL OF STRATHMORE AND KINGHORNE
The Right Hon. the EARL OF MAR AND KELLIE
The Right Hon. the EARL OF GALLOWAY
The Right Hon. the EARL OF LAUDERDALE
The Right Hon. the EARL OF WEMYSS AND MARCH
The Right Hon. the EARL OF KINNOULL
The Right Hon. the EARL OF DALHOUSIE
The Right Hon. the EARL OF SEAFIELD
The Right Hon. the EARL OF ROSEBERY
The Right Hon. the EARL OF STAIR
The Right Hon. the EARL OF HOPETOUN
The Right Hon. the EARL OF DARTMOUTH
The Right Hon. the EARL FERRERS
The Right Hon. the EARL OF AYLESFORD
The Right Hon. the EARL COWPER
The Right Hon. the EARL OF MACCLESFIELD
The Right Hon. the EARL OF ASHBURNHAM
The Right Hon. the EARL OF ILCHESTER
The Right Hon. the EARL OF RADNOR
The Right Hon. the EARL SPENCER
The Right Hon. the EARL OF MANSFIELD
The Right Hon. the EARL OF MEATH
The Right Hon. the EARL FITZWILLIAM
The Right Hon. the EARL OF FIFE
The Right Hon. the EARL OF SEFTON
The Right Hon. the EARL OF ANTRIM
The Right Hon. the EARL OF ANNESLEY
The Right Hon. the EARL OF ERNE
The Right Hon. the EARL OF CARNARVON
The Right Hon. the EARL OF CLONMELL
The Right Hon. the EARL OF BANDON
The Right Hon. the EARL OF CALEDON
The Right Hon. the EARL OF WILTON
The Right Hon. the EARL OF ROSSLYN
The Right Hon. the EARL OF CLANCARTY
The Right Hon. the EARL OF POWIS
The Right Hon. the EARL GREY

LIST OF PATRONS—Continued.

The Right Hon. the EARL MANVERS
The Right Hon. the EARL OF NORMANTON
The Right Hon. the EARL OF LONSDALE
The Right Hon. the EARL OF CADOGAN
The Right Hon. the EARL OF HAREWOOD
The Right Hon. the EARL BEAUCHAMP
The Right Hon. the EARL BROWNLOW
The Right Hon. the EARL OF ST. GERMANS
The Right Hon. the EARL HOWE
The Right Hon. the EARL OF STRADBROKE
The Right Hon. the EARL OF DUNRAVEN
The Right Hon. the EARL VANE
The Right Hon. the EARL AMHERST
The Right Hon. the EARL OF CAWDOR
The Right Hon. the EARL OF CAMPERDOWN
The Right Hon. the EARL OF LICHFIELD
The Right Hon. the EARL OF DURHAM
The Right Hon. the EARL OF EFFINGHAM
The Right Hon. the EARL OF YARBOROUGH
The Right Hon. the EARL OF LEICESTER
The Right Hon. the EARL OF ZETLAND
The Right Hon. the EARL OF ELLESMERE
The Right Hon. the EARL OF COTTENHAM
The Right Hon. the EARL OF DARTREY
The Right Hon. the EARL OF FEVERSHAM
The Right Hon. the EARL OF RAVENSWORTH
The Right Hon. the EARL OF NORTHBROOK
The Right Hon. the EARL OF WHARNCLIFFE
The Right Hon. the EARL OF LATHOM
The Right Hon. the EARL SONDES
The Right Hon. the EARL OF SELBORNE
The Right Hon. the EARL OF BECTIVE
The Right Hon. LORD H. C. G. GORDON-LENNOX
The Right Hon. VISCOUNT FALMOUTH
The Right Hon. VISCOUNT DILLON
The Right Hon VISCOUNT VALENTIA
The Right Hon. VISCOUNT DOWNE
The Right Hon. VISCOUNT GAGE
The Right Hon. VISCOUNT POWERSCOURT
The Right Hon. VISCOUNT BANGOR
The Right Hon. VISCOUNT DONERAILE
The Right Hon. VISCOUNT MONCK
The Right Hon. VISCOUNT MELVILLE
The Right Hon. VISCOUNT TEMPLETOWN
The Right Hon. VISCOUNT GOUGH
The Right Hon. VISCOUNT EVERSLEY
The Right Hon. VISCOUNT HALIFAX
The Right Hon. VISCOUNT BRIDPORT
The Right Hon. VISCOUNT CRANBROOK
The Right Hon. VISCOUNT SHERBROOKE
The Right Hon. VISCOUNT NEWPORT
The Right Hon. VISCOUNT HOLMESDALE
The Right Hon. LORD BROOKE
The Right Hon. LORD KILMARNOCK
The Right Hon. LORD JAMES W. BUTLER
The Right Hon. LORD HASTINGS
The Right Hon. LORD CLINTON
The Right Hon. LORD DACRE
The Right Hon. LORD WINDSOR
The Right Hon. LORD STAFFORD
The Right Hon. LORD HERRIES
The Right Hon. LORD ELPHINSTONE
The Right Hon. LORD BALFOUR OF BURLEIGH
The Right Hon. LORD REAY
The Right Hon. LORD KINNAIRD
The Right Hon. LORD MIDDLETON
The Right Hon. LORD SCARSDALE
The Right Hon. LORD BOSTON
The Right Hon. LORD FOLEY
The Right Hon. LORD BAGOT
The Right Hon. LORD DYNEVOR
The Right Hon. LORD WALSINGHAM
The Right Hon. LORD SUFFIELD

The Right Hon. LORD KENYON
The Right Hon. LORD BRAYBROOKE
The Right Hon. LORD AUCKLAND
The Right Hon. LORD CALTHORPE
The Right Hon. LORD BOLTON
The Right Hon. LORD DUNSANY
The Right Hon. LORD CLONBROCK
The Right Hon. LORD HENNIKER
The Right Hon. LORD CLARINA
The Right Hon. LORD VENTRY
The Right Hon. LORD ELLENBOROUGH
The Right Hon. LORD CREWE
The Right Hon. LORD RENDLESHAM
The Right Hon. LORD DELAMERE
The Right Hon. LORD RAYLEIGH
The Right Hon. LORD POLTIMORE
The Right Hon. LORD CLONCURRY
The Right Hon. LORD CAREW
The Right Hon. LORD DE L'ISLE & DUDLEY
The Right Hon. LORD ASHBURTON
The Right Hon. LORD WENLOCK
The Right Hon. LORD WROTTESLEY
The Right Hon. LORD STANLEY OF ALDERLEY
The Right Hon. LORD LEIGH
The Right Hon. LORD LONDESBOROUGH
The Right Hon. LORD TRURO
The Right Hon. LORD AVELAND
The Right Hon. LORD BELPER
The Right Hon. LORD FERMOY
The Right Hon. LORD EBURY
The Right Hon. LORD CHESHAM
The Right Hon. LORD ELPHINSTONE
The Right Hon. LORD LECONFIELD
The Right Hon. LORD TREDEGAR
The Right Hon. LORD WESTBURY
The Right Hon. LORD FITZHARDINGE
The Right Hon. LORD ATHLUMNEY
The Right Hon. LORD HYLTON
The Right Hon. LORD PENRHYN
The Right Hon. LORD HOWARD OF GLOSSOP
The Right Hon. LORD WOLVERTON
The Right Hon. LORD HARLECH
The Right Hon. LORD ALINGTON
The Right Hon. LORD WIMBORNE
The Right Hon. LORD ARDILAUN
The Right Hon. LORD LAMINGTON
The Right Hon. LORD HOTHFIELD
The Right Hon. LORD HILLINGDON
The Right Hon. LORD ROTHSCHILD
The Right Hon. LORD ST. OSWALD
The Right Hon. LORD BURTON
The Right Hon. LORD BRASSEY
M. LE COMTE DE GERMINY
M. LE COMTE DE JAUCOURT
The BARON DE ROTHSCHILD
The BARON ADOLPHE DE ROTHSCHILD
The BARON ALPHONSE DE ROTHSCHILD
The ROYAL HORTICULTURAL SOCIETY, KENSINGTON
The ROYAL BOTANIC GARDENS, KEW, REGENT'S PARK, EDINBURGH, DUBLIN AND BELFAST
The ROYAL GARDENS AT HYDE & BATTERSEA PARKS
The BOTANIC GARDENS, OXFORD, MANCHESTER, LIVERPOOL AND HULL
The IMPERIAL GARDENS, ST. PETERSBURG
The ROYAL BOTANIC GARDENS, CALCUTTA AND CEYLON
The BOTANIC GARDENS, ADELAIDE, NATAL, BUITENZORG AND ZURICH
The ROYAL HORTICULTURAL SOCIETY OF SOUTH AUSTRALIA
The AGRI-HORTICULTURAL SOCIETIES, BOMBAY CALCUTTA, LAHORE AND MYSORE

AND MOST MEMBERS OF THE ARISTOCRACY IN THE UNITED KINGDOM INTERESTED IN HORTICULTURE

WILLIAM BULL, F.L.S.,

BEGS TO ANNOUNCE THAT HE IS NOW OFFERING FOR THE FIRST TIME MANY

BEAUTIFUL PLANTS,

WHICH ARE

PERFECTLY NEW TO THIS COUNTRY,

COMPRISING INTRODUCTIONS FROM

THE CONGO, VICTORIA, INDIAN ARCHIPELAGO, JAVA, SOUTH SEA ISLANDS, EAST INDIES, BORNEO, BRAZIL, JAMAICA, QUEENSLAND, UNITED STATES OF COLOMBIA, &c., &c.,

An Inspection of which is invited.

THE PRINCE CONSORT'S GOLD MEDAL,

THE LINDLEY MEDAL,

MANY GOLD MEDALS,

UPWARDS OF ONE THOUSAND PRIZES AND AWARDS

HAVE BEEN MADE TO

WILLIAM BULL, F.L.S.,

FOR NEW AND RARE PLANTS ALONE,

AT THE PRINCIPAL LONDON AND INTERNATIONAL FLOWER SHOWS.

Mr. W. BULL mentions this as conveying some idea of the importance of his collection.

Telegraphic Address—"WILLIAM BULL, LONDON."

NOTICE.

The Illustrations in Mr. W. B.'s Catalogues have been carefully drawn and engraved by eminent artists, from plants introduced at great expense from their native habitats; the Catalogue has, therefore, been registered and the copyright is reserved, and any infringement will be proceeded against.

SELAGINELLA TASSELLATA.

For description and price, *vide* page 12.



NEPHTHYTIS PICTURATA.

For description and price, *vide* page 11.

PANCRATIUM GUIANENSIS.

For description and price, *vide* page 11.

CROTON NEWMANII.

For description and price, *vide* page 10.

APHELANDRA CHRYSOPS.

For description and price, *vide* page 9.



ARISTOLOCHIA RIDICULA.

For description and price, *vide* page 9.

NEW PLANTS
ANNOUNCED FOR THE FIRST TIME,
BY
WILLIAM BULL, F.L.S.

ADIANTUM ASSIMILE CRISTATUM.

A very elegant and handsomely crested form of the well-known greenhouse Fern *A. assimile*. It is of light and graceful appearance, and strikingly different from the typical species, the fronds being much more elongate, and terminated with dense tassellate growths, which cause the fronds to arch over in a most elegant manner. The pinnules are of a bright green colour, which, combined with the pendulous character of its fronds, renders it one of the most useful for growing in suspended baskets, &c. It has been imported from Victoria. 10*s.* 6*d.*

ALOCASIA GRANDIS.

A noble and ornamental species introduced from the Indian Archipelago. The blades of the leaves, which are supported on stout blackish-purple petioles, 3 to 3½ feet long, are about 2 feet long by 1 foot wide, ovate sagittate in outline, shortly acute at the apex, the basal lobes about 6 inches long, obtuse and more or less overlapping, the margin slightly sinuate; the upper surface is of an uniform bright dark green, while the under surface is blackish green with purple mid-rib and nerves. The spathe is five inches long and two broad, the inner surface white, suffused with pale carmine, the exterior a shining white densely covered with pale carmine lines. 15*s.*

APHELANDRA CHRYSOPS.

One of the most handsome species yet introduced, producing a grand golden inflorescence a foot in length, composed of four rows of compound ovate pointed bracts, proceeding from which are its flowers, which are of the same bright yellow colour. To add to its beauty, this plant has also striking variegated leaves, thus combining two attractive qualities, and rendering it one of the most desirable of ornamental plants. The leaves are of a motley green, the variegation consisting of the principal veins being of a creamy white colour. It has been imported from Brazil and has received a First-class Certificate from the Floral Committee of the Royal Horticultural Society. For illustration, *vide* page 7. 1 guinea.

ARISTOLOCHIA RIDICULA.

A very remarkable and most interesting new species introduced from Brazil. The tube of the flower is from 3½ to 4½ inches long, abruptly contracted and then bent upon itself below the middle, the basal part being much inflated; the upper portion somewhat conical, widening towards the mouth, which is prolonged into two ascending and backwardly directed lobes, diverging from each other at an obtuse angle. The entire limb is of a tawny colour, closely covered with dendritic dark brownish purple reticulations on a cream coloured ground; the lobes are dark with light reticulations, and are sparsely covered with clavate dark purple brown hairs. The bright green leaves are orbicular reniform, with an entire margin; the entire plant, stems, leaves and flowers being covered with hair. For illustration, *vide* page 8. 10*s.* 6*d.*

BEGONIA EGREGIA.

A handsome and free growing new species, of very distinctive character. The leaves, which are produced on stout stems, are peltate, closely toothed along the margins; they are bright green in colour, and remarkable for their rough papillate hairy surface. The flowers are pure white, freely produced in large drooping corymbose cymes at the ends of the branches. It has been introduced from Brazil, and, being winter flowering, forms a desirable addition to our Stoves. 5*s.*

BOUGAINVILLEA REFULGENS.

This desirable introduction from Brazil will be found one of the most beautiful Stove climbers extant. It partakes of the general character of its congeners, but the magnificent bracts surrounding the flowers are of the richest and most brilliant purple mauve imaginable, produced in long and pendulous racemes. The pubescent foliage is of a rich dark green colour. 10*s.* 6*d.*

CLERODENDRON RUMPHIANUM.

A remarkably distinct stove flowering plant, introduced from Java. The flowers, which form erect pyramidal panicles at the ends of the branches, emerge from sanguineous bracts, and are long-tubed, with a sub-equal limb of obovate segments, which are at first flesh-coloured, deepening to a pleasing tint of red, eventually crimson; they have red exserted stamens. The opposite leaves are large, roundish-ovate, of a dark green colour. 15*s.*

CORYPHA DECORA.

An elegant and ornamental species introduced from Queensland. It early develops characterized leaves, which are fan-shaped in outline and divided almost to the petiole into linear lanceolate segments each about half-an-inch in breadth. The petioles are sparsely furnished with small hooked prickles. This species will undoubtedly be found one of the most useful of greenhouse palms. 10*s.* 6*d.*

COSTUS MOSAICUS.

An interesting and distinct species imported from the Congo. The obliquely lanceolate leaves, which are from three to four inches long, are arranged in a spiral manner on succulent stems, and have a central irregular band of dark green, the remaining portion being ornamented with a pretty mosaic variegation of silvery grey. 10*s.* 6*d.*

CROTON BEAUTY.

An exceedingly handsome variegated variety from the South Pacific. The leaves are lanceolate, profusely and strikingly variegated with golden yellow on a rich green ground; as they attain age the green ground colour gradually becomes a deep bronze, while the yellow variegation develops into a rich rosy crimson. It is a variety of medium growth and highly ornamental character. 1 guinea.

CROTON NEWMANII.

A richly variegated form with large lanceolate leaves freely marked with a most distinctive bright golden yellow and whitish variegation; the costa or midrib is of a bright magenta crimson and is in striking contrast to the colouring on the other parts of the leaf, the ground colour of which is bright green, interspersed with occasional blotches of bright yellow. This magnificent and attractive variety has been imported from the antipodes. For illustration, *vide* page 6. 1 guinea.

CROTON SUNSHINE.

An attractive variety with dark bronzy leaves from nine to ten inches long and about two inches broad. In the young state the leaves are very freely blotched with yellow, gradually changing as growth advances into rosy crimson, which in turn, as the leaf arrives at maturity, becomes of a blood-red colour. The contrast of the variegation in its various stages with the dark olive bronzy-green of the remaining portions of the leaves, renders this variety very ornamental and attractive. It has been imported from the South Sea Islands. 1 guinea.

CYPRIPEDIUM AMANDUM.

A hybrid Cypripedium, raised between *insigne* and *venustum*. The upper sepal of the flower is oblong acute, white at the top and the outside margins; the petals are descendent, ligulate, blunt acute, ochre-coloured in the middle, stained with red on both sides; the pouch is rather slender with curved horns at each side of the mouth, light yellow, with some brown around the mouth; the staminode is reniform, with a small yellow apiculus and a few green nerves in the middle of the bract and numerous blackish mauve spots. Price on application.

CYPRIPEDIUM CONCINNUM.

A hybrid raised between *purpuratum* and *Harrisianum*. The flowers are very shining, of large size, partaking of the characters of both the parents. The large and broad dorsal sepal is marked with dark spreading veins and is heavily suffused with bright rosy purple, the margin being pure white; the ligulate spreading petals are deflexed, the upper half of a rich bronzy crimson colour. The lip is large and of a reddish purple colour. Price on application.

CYPRIPEDIUM REGALE.

One of the finest of hybrid Cypripediums, obtained by crossing *insigne Maulei* and *purpuratum*. The flower is large and shining, the broad spreading dorsal sepal being bright green at the base with bronzy green nerves, having on each side a rich coloration of bright rosy purple, the upper half and margins being pure white as in *insigne Maulei*. The petals are deflexed, broadly ligulate and slightly incurved, purplish crimson at the base, shading off to rosy crimson at the apex, with white border. The lip is large and full, of a bright shining claret colour. Price on application.

HÆMANTHUS ABYSSINICUS.

A striking African species of great beauty. It produces on stout erect scapes large heads of rich salmon-coloured blossoms, each flower, of which there are from fifty to one hundred in each head, being of large size; its beauty is also greatly enhanced by the golden yellow anthers which are supported at the tips of the filaments. The leaves are ovate lanceolate, wavy and of a deep green colour. 5*s.*

HELICONIA BREVISPATHA.

This Musaceous plant has been introduced from Brazil. Its singular and attractive flowers are freely produced in short somewhat nodding terminal spikes, which issue from the sheathing bases of its upper leaves, and consists of a few folded spathes of a clear orange colour paler and greenish towards the tips; from the axil of each spathe are produced three or four flowers of a palish yellow colour, two inches long, with one of the linear segments deflexed, giving the corolla a bilabiate appearance. The yellowish anthers and stigma lie within the upper lip, and slightly protrude at the apex. The leaves are oblong lanceolate, much acuminated, and of a very satiny green colour. 10*s.* 6*d.*

LASTREA JENMANI.

This Fern has been introduced from Jamaica. The stipes is erect, stout and scaly, the frond about two feet long and nine or twelve inches wide, covered with dense minute pellucid dots; the pinnæ are numerous, the lower ones much reduced, the larger ones six inches long and an inch wide, cut down nearly to the rachis, into blunt slightly crenulate segments. 7*s.* 6*d.*

MARANTA ICONIFERA.

A handsome decorative species with foliage of a highly ornate character. The leaf blades, which are about six inches long, are obliquely ovate, the portion on one side of the costa being nearly double the width on the other; the colour is a yellowish green, marked on each side of the mid-rib with oblong deep green blotches, producing the appearance of a pinnate fern frond on the paler yellowish surface of the leaf. It has been introduced from Brazil. 10*s.* 6*d.*

NEPHTHYTIS PICTURATA.

A very distinct and ornamental stove Aroid from the Congo, remarkable for the handsome variegated character of its foliage. The plant is stemless, with terete green petioles growing about a foot high, and broadly ovate-hastate leaves, which are abruptly pointed at the apex; the colour is bright green with a silvery-white variegation between the nerves. This variegation is peculiar and quite unique in character, forming a pattern resembling in outline the tips of fern fronds laid between the nerves, with their points all directed towards the base of the leaf. For illustration, *vide* page 4. 21*s.*

PANCRATIUM GUIANENSIS.

A very distinct species introduced from British Guiana, producing its elegant flowers in handsome clusters on erect scapes. The blossoms are pure white, the narrow segments being drooping and most prettily curled and twisted, presenting an aspect of the most charming description. The corona is trumpet shaped, the filaments which proceed from it being bright green, and furnished with bright yellow anthers. For illustration, *vide* page 5. 10*s.* 6*d.*

POTHOS ARGENTEUS.

An attractive variegated Araceous plant of climbing habit, imported from Borneo. The leaves are ovate-acuminate, unequal-sided and of firm texture, nearly the whole of the upper surface being of a shining silvery grey colour, the effect being greatly enhanced by an irregular band of deep green extending nearly the whole length of the mid-rib, the leaves being also margined in an irregular manner with the same colour. It is one of the showiest species of the genus and free in growth, the plant being well adapted for covering walls in stoves, to which it clings by means of its adventitious roots. 10*s.* 6*d.*

POTHOS NITENS.

A distinct looking stove plant, with climbing terete stems which hold fast to any surface with which they come in contact by means of their adventitious roots. The leaves are ovate acute, slightly and unequally cordate at the base, of a dark shining bronzy-purplish green. This will prove an effective and attractive species for covering the walls and trellises in our stoves. It has been imported from the Eastern Archipelago. 10*s.* 6*d.*

PTERIS TREMULA GRANDICEPS.

This handsome greenhouse Fern, which is well adapted to become a very useful one for decorative purposes, is a hybrid between *Pteris tremula* and *P. serrulata cristata*. The plant forms a dense tuft of evergreen fronds of an elegant semi-dependent character, an appearance which is chiefly induced by the graceful manner in which the ends of the fronds and pinnules are crested and tasselled. The apex of the fronds is divided into a crest made up of four or five principal divisions and numerous multifurcations, the pinnæ and pinnules also terminating in narrow apices. The crests are flattish and fimbriately tasselled. The plant is free in growth, and of most attractive appearance. 10*s.* 6*d.*

RHODODENDRON ALBESCENS.

An extremely handsome sweet-scented greenhouse variety, producing very large and beautiful glistening white flowers, slightly undulated on the margins, the upper segments being marked at the base with sulphur yellow. The plants are very free in growth, short jointed and of compact habit, the foliage being neat and glabrous; the under-surface of the leaves is of a silvery white. 7*s.* 6*d.*

RHODODENDRON GRAVEOLENS.

A very dwarf and exceptionally free flowering hybrid, raised between *R. Sesterianum* and *R. assamicum*. Its flowers are intermediate in size between those of the parents, pure white and most deliciously fragrant. From the free blooming qualities of this hybrid—even very small plants producing a truss of flower— and the good habit of the plant, it is a useful and desirable addition to the greenhouse Rhododendrons. 7*s.* 6*d.*

SELAGINELLA TASSELLATA.

A remarkably handsome and elegant species introduced from Brazil. From the creeping caudex are developed at intervals erect stems; these have flat closely pinnate branches and branchlets, from the tips of which are produced fertile quadrangular spikelets about an inch and a half in length, giving the plant the appearance of being furnished with a profusion of elegant tassels. This striking and peculiar character renders it one of the most desirable and attractive of the Club-mosses. For illustration, *vide* page 3. 10*s*. 6*d*.

THUNIA MARSHALLIANA TRICOLOR.

A distinct and showy variety of *Thunia Marshalliana*, which, as is well known, is the most showy and handsome of the genus. The blossoms are produced in long pendulous racemes from the ends of the growths, and are pure white, differing from the species, however, in the colouring on the lip, which is rich orange yellow, beautifully marked with crimson-purple. Price on application.

NEW HYBRID AZALEAS.

The following new Hybrid Azaleas have been raised between *A. Amœna* and some of the Indian varieties. Combined with the well-known proliferousness and early blooming habit of *A. Amœna*, they have fine well-shaped attractive flowers, which borne in such profusion are most effective for every description of decorative work, being especially useful for early forcing where cut flowers are required, as with little trouble they may be had in bloom in November.

ILLUMINATOR, a well-formed bright rosy magenta-pink flower, the upper portion of the throat faintly speckled crimson, the base of throat vermilion, giving it a very bright and attractive appearance. This charming variety has been awarded a First-class Certificate by the Floral Committee of the Royal Horticultural Society. 5*s*.

MAGNET, this variety produces a profusion of soft rosy-pink flowers, the centre bright pink, which extends through the centre of each petal to the tips, the upper petals speckled at the base with bright rose. 5*s*.

ORACLE, large well-formed flowers of a beautiful bright rosy-pink colour shaded with magenta; the flowers of this beautiful variety are rendered additionally attractive by their lustrous satiny appearance. 5*s*.

STARLIGHT, a medium-sized semi-double flower of a beautiful soft rosy-pink colour, faintly shaded with pale magenta. 5*s*.

SYBIL, a pretty bright rosy-magenta flower of medium size, and semi-double; very floriferous and of excellent habit. 5*s*.

VICTORY, soft magenta-pink flowers, the upper divisions of the flowers faintly marked and speckled with carmine; very attractive. 5*s*.

The collection of six varieties. 21*s*.

NEW SHOW PELARGONIUMS.

CLAUDIA, upper petals dark maroon, surrounded with crimson and edged with bright pink; lower petals bright pink; light centre. 10*s*. 6*d*.

DIANA, upper petals deep blackish maroon, surrounded with bright crimson and edged with rose; lower petals bright rose veined with crimson; light centre. 10*s*. 6*d*.

JUNIUS, upper petals very dark maroon, with a wire edge of crimson; lower petals rosy-crimson veined with deep crimson, light centre. 10*s*. 6*d*.

For general collection, *vide* Index.

NEW SPOTTED PELARGONIUMS.

ELLA, upper petals fiery crimson margined with white, heavily blotched and feathered with dark maroon; lower petals heavily suffused and veined crimson lake, with a distinct white margin; spotted with maroon; light centre. 10*s*. 6*d*.

IO, upper petals rich purplish crimson, blotched with maroon and margined with blush white; lower petals white, suffused and veined with rosy-purple; spotted with purplish crimson; very distinct. 10*s*. 6*d*.

PERA, upper petals bright crimson edged with white and spotted maroon; lower petals white, spotted with crimson and slightly blotched maroon. The edges of all the petals prettily fringed. 10*s*. 6*d*.

For general collection, *vide* Index.

NEW DOUBLED-FLOWERED IVY-LEAVED PELARGONIUM.

ALMA, bright salmon-scarlet, the centre lit up with vermilion in a most pleasing manner, the flower is fully double and of fine shape. 5*s*.

For general collection, *vide* Index.

ALOCASIA SANDERIANA.

A remarkably handsome and truly grand Arad, from the Eastern Archipelago, forming one of the finest of variegated-leaved stovo plants. The colour of the young leaves is bright glossy green, and on the older leaves the surface has a metallic blue reflection. The leaf-blade is arrow-shaped, the front portion with about three triangular lobes on each side, the basal portion with one or two smaller lobes; the thick costa and the stout cross veins are white, conspicuously bordered with ivory-white, the margins also being white. This is certainly the most beautiful of all the Alocasias, and a most magnificent foliage plant. 15*s.* and 1 guinea.

NEW, RARE AND DESIRABLE STOVE PLANTS.

ABROMA SINUOSA.

An interesting plant from Madagascar. The leaves, which grow on slender petioles, are broadly ovate, with oblong obtuse lobes and broad open sinuses, and from their peculiar and remarkable character, the plant is very pleasing and attractive. *5s.*

ACACIA SPHÆROCEPHALA, *7s. 6d.*

ACALYPHA ILLUSTRATA, *2s. 6d.* and *3s. 6d.*
MACROPHYLLA, *2s. 6d.* and *3s. 6d.*
MARGINATA, *2s. 6d.* and *3s. 6d.*
MUSAICA, *2s. 6d.* and *3s. 6d.*
OBOVATA, *3s. 6d.*

ACANTHUS MONTANUS, *3s. 6d.*

ACHIMENES, *vide* Index.

ÆCHMEA AMAZONICA, *5s.* and *7s. 6d.*
DISCOLOR, *vide* Lamprococcus discolor
FULGENS, *vide* Lamprococcus fulgens
MINIATA, *vide* Lamprococcus miniata
MARIÆ REGINÆ, *10s. 6d.*
VEITCHII, *vide* Chevalliera Veitchii

ÆCHMEA PANICULIGERA.

A very handsome Bromeliad, imported from the West Indies. The flower scape is several feet high, of a reddish purple colour, and clothed with white down; this supports a large compound panicle, one to two feet long, of numerous rose-coloured flowers, the petals of which project beyond the sepals, and are of a deep bright purple, the inflorescence being highly attractive. *10s. 6d.*

ÆCHMEA WEILBACHII, *vide* Lamprococcus Weilbachii
ÆSCHYNANTHUS GRANDIFLORUS, *3s. 6d.*
of sorts, *2s. 6d.* and *3s. 6d.*
AGLAONEMA MARANTÆFOLIA (oblongifolia), *5s.*
PICTUM GRACILE, *5s.*
ALLAMANDA CHELSONI, *3s. 6d.*
GRANDIFLORA, *5s.*
HENDERSONI, *3s. 6d.*
NERIIFOLIA, *3s. 6d.*
NOBILIS, *3s. 6d.*
ALOCASIA AMABILIS, *5s.*
GIGANTEA, *5s.*
GRANDIS, *vide* page 9.
HYBRIDA, *7s. 6d.*
INTERMEDIA, *7s. 6d.*
JENNINGSII, *2s. 6d.*
JOHNSTONI, *vide* Cyrtosperma Johnstoni
LOWII, *5s.*
MACRORHIZA VARIEGATA, *3s. 6d.* and *5s.*
MARSHALLII, *3s. 6d.*
METALLICA, *3s. 6d.* and *5s.*
(SCHISTOCASIA) PORTEI, 1 & 1½ guinea
REGINÆ, 2 guineas
SANDERIANA, *vide* page 13.
THIBAUTIANA, *7s. 6d.* & *10s. 6d.*
VEITCHII, *7s. 6d.*
ZEBRINA, *7s. 6d.* and *10s. 6d.*
ALPINIA MUTICA, *7s. 6d.*
VITTATA, *3s. 6d.* and *5s.*
AMARYLLIS ACHIEVEMENT, *7s. 6d.*
ACHILLES, *10s. 6d.*
ACRAMANNI PULCHERRIMA, 1 guinea
AMAZON, *10s. 6d.*
AMBASSADOR, *7s. 6d.*
ARIADNE, *10s. 6d.*

AMARYLLIS ASPASIA, *5s.*
AULICA SUPERBA, *5s.* and *7s. 6d.*
BARON, *5s.*
BRILLIANT, 1 and 1½ guinea
CERBERUS, *10s. 6d.*
COMMANDER, *7s. 6d.*
COQUETTE, *5s.*
CORSAIR, *10s. 6d.*
COUNTESS, *10s. 6d.*
CYRUS, *10s. 6d.*
DIADEM, *15s.*
DR. MASTERS, 1 guinea.
ELECTRA, 1 guinea
EMMELINE, *7s. 6d.*
EMPRESS OF INDIA, *5s.*
EUROPA, 1 guinea
EUTERPE, *15s.*
FIGARO, *7s. 6d.*
FORMOSISSIMA (*Jacobæa Lily*), *6d.*
GENERAL, 1 guinea
HENDERSONI, *10s. 6d.* and *15s.*
—— COCCINEA, *10s. 6d.* and *15s.*
HEROINE, *10s. 6d.*
IGNESCENS, *3s. 6d.* and *5s.*
IMPERIALIS, 1 guinea
(BRUNSVIGIA) JOSEPHINÆ, *7s. 6d.*
JUPITER, *7s. 6d.*
LEOPOLDII, *10s. 6d.* and *15s.*
MABEL, *10s. 6d.*
METEOR, *10s. 6d.*
NEPTUNE, *10s. 6d.*
NIMROD, *5s.*
OBERON, 1 guinea
ONDINE, *10s. 6d.*
OPTIMA, *10s. 6d.*
OSCAR, *10s. 6d.*
PARDINA HYBRIDA, *7s. 6d.* and *10s. 6d.*

ANTHURIUM CHELSEIENSE.

An extremely handsome hybrid between *A. Veitchii* and *A. Andreanum*, with leaves resembling those of the first named. The spathes are broadly cordate, cuspidate at the apex, about 5 inches long by 3½ inches broad, of an intense shining rich crimson colour. The spadix is about two-thirds the length of the spathe, and slightly tapering, the basal part white, the tip tinged with a yellowish shade. From the free manner in which the beautiful spathes are produced and the long time which they last in perfection, combined with the ornamental character of the foliage, this handsome hybrid is a most desirable acquisition. 2 and 3 guineas.

AMARYLLIS Pauline, 15*s.*
Portia, 5*s.*
princeps, 1½ guinea
procera, 1 guinea
pyrrochroa, 5*s.* and 7*s.* 6*d.*
regalis, 1 guinea
Regina, 1 guinea
reticulata, 5*s.*
Romeo, 7*s.* 6*d.*
Rosalind, 5*s.*
Sappho, 7*s.* 6*d.*
Souvenir, 7*s.* 6*d*

AMARYLLIS Stella, 7*s.* 6*d.*
Sultana, 10*s.* 6*d.*
Sylvia, 7*s.* 6*d.*
Thomas Speed, 5*s.*
Titania, 7*s.* 6*d.*
Trojan, 10*s.* 6*d.*
Uranie, 7*s.* 6*d.*
Verona, 15*s.*
Vesta, 10*s.* 6*d.*
Vesuvius, 7*s.* 6*d.*
Victoria, 10*s.* 6*d.*

AMARYLLIS, choice selections of good sorts, 3, 4, and 6 guineas per dozen.

AMASONIA calycina, 10*s.* 6*d.*
AMHERSTIA nobilis, price on application
AMORPHOPHALLUS campanulatus, 5*s.* & 7*s.* 6*d.*
ANŒCTOCHILUS, *vide* Orchids

ANANASSA penangensis variegata, 1 guinea
sativa variegata, 10*s.* 6*d.*
ANCHOMANES dubius, 10*s.* 6*d.*
ANCYLOGYNE longiflora, 3*s.* 6*d.*
ANDROPOGON Schœnanthus, 5*s.*

ANTHURIUM ANDREANUM.

The flower-spathes of this magnificent Araceous plant are heart-shaped and of a most brilliant scarlet colour, the surface irregularly corrugated and traversed by deep sinuous veins; the spadix is ivory-white at the base, and greenish-yellow at the tip. An extremely attractive plant, each inflorescence remaining in perfection about three months. 5*s.*, 7*s.* 6*d.*, 10*s.* 6*d.* and 1 guinea.

ANTHURIUM Bakeri, 10*s.* 6*d.*

ANTHURIUM candidum, 3*s.* 6*d.*

ANTHURIUM CARNEUM.

A handsome and attractive new hybrid, between *Anthurium ornatum* and *A. Andreanum*. The spathe is heart-shaped, from six to seven inches long and five to six inches broad, and is of a charming rosy-carmine colour. Of vigorous growth, this splendid variety freely produces its grand flowers, each spathe remaining in beauty several months, thus rendering it of the greatest value for decorative purposes. 10*s.* 6*d.* and 15*s.*; strong plants, 1 and 1½ guinea.

ANTHURIUM Chantrieri, 10*s.* 6*d.* and 15*s.*; strong plants, 1 and 1½ guinea
chelseiense, *vide* page 15.
cruentum, 15*s.* and 1 guinea
crystallinum, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

ANTHURIUM Dechardi, 3*s.* 6*d.* and 5*s.*
ferrierense, 7*s.* 6*d.* and 10*s.* 6*d.*
Galeottianum, 7*s.* 6*d.*
Harrisii pulchrum, 7*s.* 6*d.* and 10*s.* 6*d.*
hybridum, 7*s.* 6*d.* and 10*s.* 6*d.*

ANTHURIUM INSIGNE.

A noble and striking Aroid imported from the United States of Colombia. The leaf-blade is three-lobed, deflexed at first, the middle lobe lanceolate, and the two lateral lobes semi-ovate. The young leaves have a bronzy tinge before taking on the full green of the mature foliage. This distinct plant has been frequently shown in Mr. W. B.'s winning collections of New Plants. 15*s.* & 1 guinea.

ANTHURIUM INTERMEDIUM.

We have in this the result of the intercrossing of *A. hybridum* and *A. crystallinum*. The leaf-blades are deflexed, over a foot long, oblong ovate, cordate at the base, with an open rounded sinus, the upper surface of a velvety green, with a slight olive tinge, the costa and principal veins being whitish. The spathe is lanceolate, and of a pale reddish hue, with a rosy red spadix. 7*s.* 6*d.* & 10*s.* 6*d.*

ANTHURIUM Lievensii, 1 guinea
leuconeurum, 3*s.* 6*d.*
lucidum, 5*s.*
macrolobum, 7*s.* 6*d.* and 10*s.* 6*d.*
magnificum—*syn.* A. grande and A. cordifolium, 3*s.* 6*d.* and 5*s.*
Mooreanum, 15*s.* and 1 guinea.
nymphæifolium, 10*s.* 6*d.*
ornatum, 10*s.* 6*d.*

ANTHURIUM regale, 3*s.* 6*d.* and 5*s.*
Scherzerianum, 3*s.* 6*d.* and 5*s.*
—— album (true) 1 and 1½ guinea.
—— cioanteum, 2 and 3 guineas
—— maximum, *vide* page 17.
—— Palmeri, 1 guinea.
—— splendens, 1 and 2 guineas
—— Wardii, 3 guineas
—— Williamsii, 3*s.* 6*d.*

ANTHURIUM SPLENDIDUM.

A strikingly beautiful stove Aroid, imported from South America, quite distinct from anything previously in cultivation, the surface of the cordate leaves being remarkably peculiar. The course of the nerves is marked by a broadish band of deep lustrous velvety green, the intervening spaces being of a pale yellowish green. The leaf surface is scabrous, and the portions between the ribs strongly bullate, as if raised in papillose blisters. 15*s.* and 1 guinea.

ANTHURIUM SCHERZERIANUM MAXIMUM.

A magnificent variety of this attractive flowering plant, producing gigantic flower spathes, which measure about nine inches in length by four inches in breadth, and are of a most brilliant scarlet colour. As a decorative and exhibition plant, this splendid variety will always occupy a foremost place. 3, 5 and 7 guineas.

ARISTOLOCHIA ELEGANS.

A beautiful free-flowering species of neat growth, imported from Brazil. It has cordate ovate leaves, smooth above, and glaucescent beneath. The handsome and elegant flowers have a slightly distended tube, which is suddenly bent upwards, the upper part dilated into a cordate cup-shaped limb of a rich dark purple colour, ornamented throughout with irregular branched markings of a creamy white, and having a golden yellow eye surrounded by rich velvety purple. Its blossoms are produced in the greatest profusion, even on small plants, and are entirely free from the objectionable odour peculiar to the genus. It has been certificated by the Royal Horticultural Society, and is described and figured in the *Gardeners' Chronicle* for September 5, 1885. 10*s.* 6*d.*

ANTHURIUM TRIUMPHANS, 10*s.* 6*d.* and 15*s.*
VEITCHII, 10*s.* 6*d.*, 15*s.* & 1 guinea
WAROCQUEANUM, 7*s.* 6*d.* and 10*s.* 6*d.*

ANTIGONON AMABILE, 5*s.*
INSIGNE, 7*s.* 6*d.*
SPECIOSUM, 7*s.* 6*d.*

APHELANDRA AURANTIACA, 3*s.* 6*d.*
AURANTIACA ROEZLII, 2*s.* 6*d.* and 3*s.* 6*d.*
CHAMISSONIANA, 3*s.* 6*d.* and 5*s.*
CHRYSOPS, *vide* page 9.
CRISTATA, 3*s.* 6*d.*
FASCINATOR, 3*s.* 6*d.*
LEOPOLDII, 3*s.* 6*d.*
MARGARITÆ, 5*s.*
NITENS, 3*s.* 6*d.*
PORTEANA, 3*s.* 6*d.*

APHELANDRA PUMILA, 7*s.* 6*d.*
ARALIA CHABRIERI, *vide* ELÆODENDRON ORIENTALE
COCHLEATA, 7*s.* 6*d.*
ELEGANTISSIMA, 5*s.*
FILICIFOLIA, 5*s.*
GRACILLIMA, 5*s.*
GUILFOYLEI, 5*s.*
LEPTOPHYLLA, 3*s.* 6*d.*
LONGIPES, 10*s.* 6*d.*
MACULATA, 5*s.*
RETICULATA, 3*s.* 6*d.*
ROTUNDA, 7*s.* 6*d.*
VEITCHII, 5*s.*
—— GRACILLIMA, 5*s.*
ARDISIA OLIVERI, 3*s.* 6*d.*
PICTA, 1 guinea.
ARDISIAS, of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*

ARISÆMA FIMBRIATUM.

A very remarkable and distinct species, introduced from the Philippine Islands. The leaves are deeply divided into three ovate acute segments. The spathes are acuminate, brownish purple, reticulated and very effectively striped with narrow whitish bands. The spadix terminates in a long whip-like extremity furnished throughout its length with long purplish filaments, imparting to the plant a distinct and novel character. Described and illustrated in the *Gardeners' Chronicle*, November 29th, 1884, pages 680 and 689. 10*s.* 6*d.*

ARISTOLOCHIA CLYPEATA, 7*s.* 6*d.*
DUCHARTREI, 5*s.*
ELEGANS, *vide* page 18.
FLORIBUNDA, 7*s.* 6*d.*
GIGAS, 3*s.* 6*d.* and 5*s.*
ORNITHOCEPHALA, 5*s.* and 7*s.* 6*d.*
RIDICULA, *vide* page 9.
TRICAUDATA, 5*s.*

BARLERIA ARGENTEA. 5*s.*
BATATAS PANICULATA, 3*s.* 6*d.* and 5*s.*
BAUHINIA PICTA, 7*s.* 6*d.*
BAUHINIAS, of sorts, 5*s.* and 7*s.* 6*d.*
BEAUMONTIA GRANDIFLORIA, 5*s.* and 7*s.* 6*d.*
BEGONIA, *vide* Index
BELOPERONE ATROPURPUREA, 5*s.*
BERTOLONIA FORMOSA, 7*s.* 6*d.*
GUTTATA, 5*s.*
—— ALBA, 10*s.* 6*d.*
—— SPLENDENS, 15*s.*

ARISTOLOCHIA TRILOBATA, 3*s.* 6*d.* and 5*s.*
ARTANTHE RUBRONODOSA, 7*s.* 6*d.*
ARTOCARPUS CANNONI, 3*s.* 6*d.*
EBURNEA, 5*s.*
INTEGRIFOLIA (The Jack Fruit), 10*s.* 6*d.*
LACINIATA METALLICA, 3*s.* 6*d.*
ASPARAGUS, of sorts, *vide* pages 51 and 52.
ATACCIA CRISTATA, 7*s.* 6*d.* and 10*s.* 6*d.*
BERTOLONIA MARCHANDI, 5*s.*
MARGARITACEA SUPERBA, 7*s.* 6*d.* and 10*s.* 6*d.*
MARMOREA SUPERBA, 3*s.* 6*d.* and 5*s.*
MIRANDÆI, 7*s.* 6*d.*
ORNATA, 7*s.* 6*d.*
PUBESCENS, 3*s.* 6*d.*
SUPERBISSIMA, 1 guinea.
VAN HOUTTEI, 5*s.*
VELUTINA, 5*s.*
VITTATA, 7*s.* 6*d.*
BIGNONIA AURANTIACA, 7*s.* 6*d.* and 10*s.* 6*d.*
CHAMBERLAYNII, 3*s.* 6*d.* and 5*s.*

BIGNONIA MAGNIFICA.

A free-growing plant, of scandent habit, introduced from the United States of Colombia. The flowers, which are produced in large branching panicles, are of great size (about 3½ inches across), and of an exceedingly attractive colour, ranging from delicate mauve to rich purplish crimson, relieved by a conspicuous throat of light primrose colour. 5*s.* and 7*s.* 6*d.*

BIGNONIA ORNATA, 5*s.*

BIGNONIA PICTA, 3*s.* 6*d.* and 5*s.*

BIGNONIA REGALIS.

A very handsome stove climber, with opposite elliptic lanceolate leaves. The flowers are exceedingly beautiful, very large, and of a bright yellow and red colour. It has been recently imported from British Guiana, and is a decided acquisition to this beautiful genus. 10*s.* 6*d.*

BIGNONIA RETICULATA, 5*s.*
ROEZLIANA, 5*s.*
—— VILLOSA, 5*s.*
SPECIOSA, 3*s.* 6*d.*
VENUSTA 3*s.* 6*d.* and 5*s.*
BILLBERGIA CHLOROSTICTA, 15*s.* and 21*s.*
FARINOSA, 10*s.* 6*d.*
LEOPOLDII, 7*s.* 6*d.*
MORELIANA, 5*s.* and 7*s.* 6*d.*

BILLBERGIA SAUNDERSII, 10*s.* 6*d.*
THYRSOIDEA, 5*s.*
VITTATA, 5*s.*
BOUGAINVILLEA GLABRA, 2*s.* 6*d.* and 3*s.* 6*d.*
LATERITIA, 2*s.* 6*d.* and 3*s.* 6*d.*
REFULGENS, *vide* page 9.
SPECIOSA, 2*s.* 6*d.* and 3*s.* 6*d.*
SPECTABILIS, 2*s.* 6*d.* and 3*s.* 6*d.*
SPLENDENS, 2*s.* 6*d.* and 3*s.* 6*d.*

CAMOËNSIA MAXIMA.

One of the most gorgeously beautiful of tropical climbers, a native of West Africa. The splendid bunches of pendulous milk-white flowers, tinged with gold on the edges of the petals, grow in drooping racemes from the axils of the leaves; the petals are white, venose, frilled at the margin, where they are tinted with golden yellow. Certainly one of the most striking and noble flowering plants lately introduced. This plant has been described and illustrated in Vol. XXV of the Transactions of the Linnean Society, p. 301, t. 36. 5 guineas.

BROSIMIUM, *vide* Galactodendron
BROWNEA Ariza, 10*s*. 6*d*.
coccinea, 1 guinea.
erecta, 1 and 1½ guinea.
grandiceps
hybrida, 1½ guinea.

CALADIUM, *vide* Index
CALLIPHRURIA Hartwegiana, 7*s*. 6*d*.
subedentata, 2*s*. 6*d*.
CALPICARPUM ornatum, 1 guinea
CAMOENSIA maxima, *vide* page 20.
CAMPSIDIUM filicifolium, 2*s*. 6*d*. & 3*s*. 6*d*.
CAMPYLOBOTRYS, *vide* Hoffmannia
CANNA, *vide* Index
CAPPARIS frondosa, 5*s*.
CARAGUATA, *vide* Tillandsia.
CARLUDOVICA, *vide* Index
CARUMBIUM polyandrum, 10*s*. 6*d*.
CARYOPHYLLUS aromaticus, 1 guinea.
CENTRADENIA floribunda rosea, 3*s*. 6*d*.
grandiflora, 3*s*. 6*d*.

BRUNFELSIA americana, 5*s*.
BRUNSVIGIA Josephinæ, *vide* Amaryllis Josephinæ
BURBIDGEA nitida, 3*s*. 6*d*.
BURCHELLIA capensis, 2*s*. 6*d*. and 3*s*. 6*d*.

CEROPEGIA Gardneri, 3*s*. 6*d*. and 5*s*.
CENTROPOGON Lucyanus, 1*s*. 6*d*. and 2*s*. 6*d*.
CENTROSOLENIA bullata (Episcia tessellata), 5*s*.
CESPEDESIA Bonplandi, 2 guineas.
CHAMÆCLADON rubens, 5*s*.
CHAMERANTHEMUM Beyrichii variegatum, 3*s*. 6*d*.
nitidum, *vide* Ebermaiera nitida
CHEVALLIERA (ÆCHMEA) Veitchii, 7*s*. 6*d*. & 10*s*. 6*d*.
CHIRITA Moonii, 7*s*. 6*d*.
sinensis, 3*s*. 6*d*.
CHRYSOPHYLLUM imperiale, 10*s*. 6*d*. to 21*s*.

CIENKOWSKIA KIRKII.

This handsome and interesting plant is a native of Eastern Tropical Africa; its blossoms are exceedingly attractive and beautiful; they are produced on a many-flowered scape, and are of a soft purplish rose colour, with a bifid golden spot in the centre. It has received a First Class Certificate from the Floral Committee of the Royal Horticultural Society. 10*s*. 6*d*.

CINNAMOMUM Cassia
verum, 7*s*. 6*d*.
zeylanicum
CISSUS albo-nitens, 3*s*. 6*d*.
discolor, 2*s*. 6*d*. and 3*s*. 6*d*.
Endresii, 7*s*. 6*d*.
Lindeni, 3*s*. 6*d*. and 5*s*.
porphyrophylla, 3*s*. 6*d*. and 5*s*.

CLERODENDRON Balfourianum, 2*s*. 6*d*. & 3*s*. 6*d*.
calamitosum, 3*s*. 6*d*. and 5*s*.
delectum, 3*s*. 6*d*. and 5*s*.
fallax, 3*s*. 6*d*.
fragrans flore pleno, 2*s*. 6*d*.
hastatum, 5*s*.
Kæmpferi, 3*s*. 6*d*. and 5*s*.
Rumphianum, *vide* page 9.

CLERODENDRON MACROSIPHON.

A very elegant stove shrub from Zanzibar. The leaves, which are about an inch broad and from two to three inches long, being irregularly toothed along the margins. The pure white flowers have slender tubes, about four and a half inches long, the limb being about one and a half inch in diameter, and five-lobed. The stamens and style are reddish purple. 5*s*. and 7*s*. 6*d*.

CLERODENDRON MINAHASSÆ.

This species has been introduced from Celebes. It has erect tetragonal stems with opposite obovate serrated leaves. The flowers form a broad terminal cymose panicle, and have a large leafy calyx, the lobes of which are tipped with red; the corolla is four inches long, yellowish white, with a limb of lanceolate lobes, and exserted purple anthers. In its fruiting state it is very ornamental, as the calyx grows much larger after the flowers fall, spreading out so as to resemble a flower three inches across, sanguineous red, with a round blue berry in the centre. 10*s*. 6*d*. and 15*s*.

CLERODENDRON speciosum, 3*s*. 6*d*.
splendens, 3*s*. 6*d*. and 5*s*.
Thomsonæ, 3*s*. 6*d*.
viscosum, 3*s*. 6*d*. and 5*s*.
CLIDEMIA vittata, 7*s*. 6*d*.
COCCOCYPSELUM discolor, 2*s*. 6*d*. and 3*s*. 6*d*.
COCCOLOBA platyclada, 3*s*. 6*d*.
COCHLIOSTEMA Jacobianum, 10*s*. 6*d*.
COFFEA arabica, 3*s*. 6*d*. and 5*s*.
arabica variegata, 7*s*. 6*d*.
liberica, 3*s*. 6*d*. and 5*s*.

COLA acuminata (Kola Nut), 15*s*
COLEUS, *vide* Index
COLOCASIA, *vide* Aloeasia
COMBRETUM grandiflorum 5*s*.
purpureum, 5*s*.
CORYNOSTYLIS hybanthus albiflora, 7*s*. 6*d*.
COSSIGNIA borbonica, 15*s*.
COSTUS albescens, 7*s*. 6*d*.
elegans, 5*s*.
mosaicus, *vide* page 10.
COUROUPITA guianensis, 10*s*. 6*d*.

CRINUM AUGUSTUM.

This magnificent and noble species has large and deliciously-scented flowers, borne in immense heads consisting of from twenty to twenty-five blooms, supported on stout erect scapes. The individual flowers consist of six segments, each about six inches long, which contract at the base into a tube four inches in length. The segments inside are purplish white, contrasting in a very pleasing manner with the exterior, which is bright rosy purple. 10*s*. 6*d*.



CROTON ELEGANTISSIMUS.

CROTON ELEGANTISSIMUS.

One of the most charming and elegant varieties yet offered. The leaves are narrow, and of considerable length. The variegation is of a rich, bright golden colour, which contrasts strongly with the bright red tint of the petioles, producing a very pretty effect. This variety was one of the new plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition, held at Brussels. *7s. 6d.* and *10s. 6d.*

CRINUM AMABILE, 10*s.* 6*d.*
ASIATICUM, 5*s.*
AUGUSTUM, *vide* page 21.
CAMPANULATUM, 5*s.*
COMMELYNII, 5*s.*
ERUBESCENS, 7*s.* 6*d.*
FORMOSUM, 3*s.* 6*d.*
GIGANTEUM, 10*s.* 6*d.*
MOOREI, *vide* page 55.
ORNATUM, 5*s.*
PULCHELLUM, 5*s.*
SANDERIANUM, 5*s.*
SCABRUM, 10*s.* 6*d.*

CRINUM ZEYLANICUM, 10*s.* 6*d.*
CROSSANDRA INFUNDIBULIFORMIS, 3*s.* 6*d.*
UNDULATA, 5*s.*
CROTON (CODIÆUM) ANDREANUS, 3*s.* 6*d.*
ANGUSTIFOLIUS, 2*s.* 6*d.* and 3*s.* 6*d.*
APPENDICULATUS, 3*s.* 6*d.*
ARGUS, 3*s.* 6*d.*
AUREO-LINEATUS, 3*s.* 6*d.*
AUREO-PUNCTATUS, 3*s.* 6*d.*
BARONNE JAMES DE ROTHSCHILD, 3*s.* 6*d.*
BEAUTY, *vide* page 10.
BISMARCKI, 3*s.* 6*d.*
CAMPTOPHYLLUS, 3*s.* 6*d.*

CROTON BROOMFIELDII.

A richly-marked golden variegated variety of great beauty. The leaves are nine or ten inches long, and about two and a half inches broad in the widest part. The green ground colour is very dark, but everywhere broken up by irregular yellow lines, spots, and blotches. The mid-rib has a slight tint of red, with a yellow central band, and the margins are similarly tinted. 7*s.* 6*d.* and 10*s.* 6*d.*

CROTON CERBERUS, 5*s.*
CHALLENGER (IMPERATOR), 5*s.*
CHELSONI, 3*s.* 6*d.* and 5*s.*
CHRYSOPHYLLUS, 5*s.*

CROTON CONCINNUS, 3*s.* 6*d.*
CONQUEST, 7*s.* 6*d.*
COUNTESS, 7*s.* 6*d.* and 10*s.* 6*d.*
CYRUS, 5*s.*

CROTON CRŒSUS.

One of the series of Crotons or Codiæums with golden variegation. The leaves are bright green, with a yellow costa, and freely blotched with bright yellow in irregular patches or freckled markings, occupying half or sometimes more than half the leaf surface. 7*s.* 6*d.* & 10*s.* 6*d.*

CROTON DECORUS, 7*s.* 6*d.*
DIADEM, 3*s.* 6*d.*
DIANA, 3*s.* 6*d.*
DISRAELI, 3*s.* 6*d.*
DORMANIANUS, 3*s.* 6*d.*
DUKE OF BUCCLEUCH, 3*s.* 6*d.*

CROTON EARL OF DERBY, 3*s.* 6*d.*
EBURNEUS, 5*s.*
ECLIPSE, 7*s.* 6*d.*
ELEGANTISSIMUS, *vide* page 22.
EMBLEM, 5*s.*
ENSIGN, 3*s.* 6*d.*

CROTON EMINENS.

A dense-habited free-growing hybrid variety. The leaves are closely set, broadly lance-shaped, tapered at the apex to an acute point; they are of a bright glossy green, with an ivory-coloured mid-rib, and a portion of the lateral veins of the same colour. The contrast is very striking. 7*s.* 6*d.* & 10*s.* 6*d.*

CROTON EXCURRENS.

A peculiar variety, which is characterised by its oblong-stalked leaves having the mid-rib or costa excurrent in the form of a small horn near the apex of the leaf. The colours are green and yellow, very regularly disposed. A distinct and attractive plant. 10*s.* 6*d.*

CROTON EVANSIANUS, 3*s.* 6*d.*
FALCATUS, *vide* C. variabilis

CROTON FASCIATUS, *vide* C. Henderson
GLORIOSUS (Princess of Wales), 3*s.* 6*d.*

CROTON FORMOSUS.

A handsome hybrid variety of moderate growth. The leaf-stalks are crimson, the leaf-blade bright green, while the centre and principal veins are yellow, the surface being here and there sprinkled with yellow spots. These yellow portions take on at a later period a glowing crimson hue, the mid-rib and margin especially being of a bright magenta-crimson. This beautiful variety has been frequently shown in Mr. W. B.'s winning collections of new plants. 7*s.* 6*d.* and 10*s.* 6*d.*

CROTON GRACILIS, 10*s.* 6*d.*
HANBURYANUS, 5*s.*
HASTIFERUS, 3*s.* 6*d.*

CROTON HARWOODIANUS, *vide* C. triumphans
HAWKERII, 3*s.* 6*d.* and 5*s.*
HECTOR, 5*s.*

CROTON HEROICUS.

An attractive hybrid with bright green leaves freely marked with deep yellow, the central bar and the veins, and in many cases the half, or even the whole of the leaf-surface being yellow, and this in some leaves flushed or lined with a tint of rosy crimson. 7*s.* 6*d.*

CROTON HENDERSONI (FASCIATUS), 3*s.* 6*d.*
ICARUS, 3*s.* 6*d.*
ILLUSTRIS, *vide* page 24.

CROTON IMPERATOR, *vide* C. Challenger
IMPERIALIS, 7*s.* 6*d.*
INTERRUPTUS AUREUS, 3*s.* 6*d.*

CROTON ILLUSTRIS.

A singularly grotesque-looking variety. The leaves are mostly three-lobed on purplish petioles, the lobes being twisted or curved, so as to acquire a sort of forked appearance. The colour is green, richly maculated with golden yellow; the central bar yellow, and the variegation irregularly distributed, so that sometimes the points are almost wholly golden. 10*s.* 6*d.*

CROTON INSIGNIS.

A fine form with long narrow foliage. The leaves are deep green, with the mid-rib and veins beautifully picked out with golden-yellow, the margins and mid-rib rosy crimson. 7*s*. 6*d*. & 10*s*. 6*d*.

CROTON JAMESII, 3*s*. 6*d*.
JUBILEE, 3*s*. 6*d*.
JUCUNDUS, 5*s*.
JUNON, 3*s*. 6*d*.
CROTON KINOIANUS, 5*s*.
LACTEUS, 3*s*. 6*d*.
LANCIFOLIUS, 5*s*.
MACAFEEANUS, 3*s*. 6*d*.

CROTON LINEARIS.

A small-growing variety of remarkably neat habit. The leaves are from four to six inches long, linear, usually obtuse, but sometimes narrowed to the point, dark green, with a yellow mid-rib and a few lateral blotches of the same colour, occasionally almost wholly yellow. 5*s*. and 7*s*. 6*d*.

CROTON MACARTHURI, 3*s*. 6*d*.
MAJESTICUS, 2*s*. 6*d*. and 3*s*. 6*d*.
MASSANGEANUS, 5*s*.
MEMNON, 5*s*.
MOOREANUS, 3*s*. 6*d*.
MORTII, 3*s*. 6*d*. and 5*s*.
MUTABILIS, *vide* C. princeps
CROTON NEPTUNE, 3*s*. 6*d*. and 5*s*.
NEWMANII, *vide* page 10.
NIMROD, 7*s*. 6*d*.
NOBILIS, 3*s*. 6*d*.
OBERON, 3*s*. 6*d*.
OOSTERZEI, 5*s*.
ORESTES, 3*s*. 6*d*.

CROTON ORNATUS.

An attractive and distinct variety. The leaves deep green, with a narrow central band of creamy yellow, and long parallel veins of the same colour, the surface being here and there marked by blotches of yellow, the yellow parts becoming tinged with crimson. In some conditions the lines and blotches are rosy pink, and the mid-rib of a deeper rosy crimson. 7*s*. 6*d*. and 10*s*. 6*d*.

CROTON PICTURATUS, 3*s*. 6*d*.
PRESIDENT, 3*s*. 6*d*.
PRIMA DONNA, 5*s*.
PRINCE OF WALES, 3*s*. 6*d*.
CROTON PRINCEPS (MUTABILIS), 5*s*.
PRINCESS OF WALES, *vide* C. gloriosus
QUEEN VICTORIA, 3*s*. 6*d*.
REX, 3*s*. 6*d*.

CROTON RECURVATUS.

An exceedingly pretty variety, remarkable for its elegantly recurved leaves. The stems are purplish, and the petioles deep blood-crimson. The colouration is striking, there being a yellow central band with a crimson mid-rib, and yellow veins; the yellow being more or less suffused, so that it predominates over the green of the remaining parts. 7*s*. 6*d*. and 10*s*. 6*d*.

CROTON ROSEO-PICTUS, 5*s*.
CROTON RUBESCENS, 7*s*. 6*d* and 10*s*. 6*d*.

CROTON RUBERRIMUS.

Probably the reddest of all the bright red varieties yet known. The leaves are narrow and elegantly drooping; in the young state they are green at the edge, with creamy yellow on each side the red costa, the green parts spotted with cream; then the creamy parts become suffused with red, and the costa changes to a deep crimson; the yellow finally being replaced by deep rosy crimson. 10*s*. 6*d*.

CROTON SCEPTRE.

One of the ribbon-leaved forms of Croton. The colouring consists of a crimson costa, on each side of which comes the dark bottle-green ground colour, and added to this are irregular spots, and a few patches of fiery orange with some spots of yellow. A pretty and distinct variety. 10*s*. 6*d*.

CROTON SCHOMBURGKIANUS, 5*s*.
SOVEREIGN, 3*s*. 6*d*.
SPECIOSUS, 5*s*.
SPECTABILIS, 5*s*.
SPIRALIS, 2*s*. 6*d*. and 3*s*. 6*d*.
SPLENDIDUS, 5*s*.
SUNSHINE, *vide* page 10.
SUPERBIENS, 5*s*.
TORQUATUS, 3*s*. 6*d*.
CROTON TORTILIS, 3*s*. 6*d*.
TRAVELLER, 5*s*.
TRIUMPHANS (HARWOODIANUS), 7*s*. 6*d*.
TRICOLOR, 7*s*. 6*d*.
UNDULATUS, 3*s*. 6*d*.
UNIVITTATUS, 3*s*. 6*d*.
VARIABILIS (FALCATUS), 3*s*. 6*d*.
VARIEGATUS, 2*s*. 6*d*. and 3*s*. 6*d*.
VEITCHIANUS, 3*s*. 6*d*.

CROTON VITTATUS.

A very handsome Croton of bold and striking habit. The colour of the leaf-blade is a clear full green, with a broad band of creamy yellow, which runs out laterally along the bases of the distant primary veins. The mid-rib in the older and more matured leaves takes on the same bright ruby-red as the petioles, which adds much to the brilliancy of the marking. 7*s*. 6*d*.

CROTON VIVIOANS, 3*s*. 6*d*.
VOLUTUS, 3*s*. 6*d*.
WARRENII, 3*s*. 6*d*. and 5*s*.
WEISMANNI, 3*s*. 6*d*.
WILLIAMSII, 3*s*. 6*d*. and 5*s*.
CRYPTANTHUS (TILLANDSIA) ACAULIS ZEBRINA, 5*s*.
(TILLANDSIA) BEUCKERII, 10*s*. 6*d*.
(——) BIVITTATA, 5*s*. and 7*s*. 6*d*.
CUPANIA FILICIFOLIA, *vide* Jacaranda Clausseniana.

CUPANIA GRANDIDENS.

An erect shrubby plant, introduced from Zanzibar. It has downy stems, pinnate Aralia-like leaves, having four pairs of leaflets with an odd one, the leaflets three to four inches long, oblong acuminate, and sinnately lobate. It is a handsome ornamental decorative plant. 10*s.* 6*d.*

CURCULIGO RECURVATA, 3*s.* 6*d.*
RECURVATA STRIATA, 7*s.* 6*d.*
—— VARIEGATA, 5*s.* and 7*s.* 6*d.*
CURCUMA CORDATA, 5*s.*
LUTEO-VIRIDIS, 7*s.* 6*d.*
PETIOLATA, 5*s.*
ROSCOEANA, 5*s.*
RUBRICAULIS, 5*s.*
ZEDOARIA, 7*s.* 6*d.*
CURMERIA PICTURATA, 3*s.* 6*d.*
WALLISII, 5*s.*
CYANOPHYLLUM BOWMANNI, 5*s.*
MAGNIFICUM, 3*s.* 6*d.* and 5*s.*
CYANOTIS (TRADESCANTIA) MULTICOLOR, 2*s.* 6*d.*
(TRADESCANTIA) ZANONIA, 3*s.* 6*d.*
CYANOTIS (TRADESCANTIA) ZEBRINA ARGENTEA, 2*s.* 6*d.*
CYCADS, *vide* Index.
CYMBIDIUM, *vide* Orchids
CYPERUS ALTERNIFOLIUS, 1*s.* 6*d.* and 2*s.* 6*d.*
ALTERNIFOLIUS VARIEGATUS, 2*s.* 6*d.* and 3*s.* 6*d.*
LAXUS, 3*s.* 6*d.*
—— VARIEGATUS, 3*s.* 6*d.* and 5*s.*
CYPHOMANDRA ARGENTEA, 7*s.* 6*d.*
CYPRIPEDIUM, *vide* Orchids
CYRTANTHERA CHRYSOSTEPHANA, 3*s.* 6*d.*
POHLIANA, 3*s.* 6*d.*
CYRTOCERAS REFLEXUM, 3*s.* 6*d.* and 5*s.*
CYRTODEIRA CHONTALENSIS, 2*s.* 6*d.* and 3*s.* 6*d.*
FULGIDA, 2*s.* 6*d.* and 3*s.* 6*d.*
METALLICA, 2*s.* 6*d.* and 3*s.* 6*d.*

CYRTOSPERMA JOHNSTONI.

A most remarkable Arad, introduced from the Solomon Islands. The leaf-stalks are furnished with irregular whorls of stiff spines, the stem is darkly mottled, and has flesh-coloured bands just above the spines; the leaf-blade is semi-erect, arrow-shaped, prettily variegated and strikingly veined with bright rosy red. This plant is altogether unique and very attractive. 1 guinea.

DALECHAMPIA ROEZLIANA ALBA, 3*s.* 6*d.*
DALECHAMPIA ROEZLIANA ROSEA, 2*s.*6*d.* & 3*s.*6*d.*

DAVIDSONIA PRURIENS.

A noble-looking and desirable ornamental plant, with alternate leaves, nearly two feet long. There are five or six pairs of pinnæ, the terminal one about nine inches long. In the young state the leaves are of a bright red colour, from which they pass to a deepish green. It produces a succulent edible fruit, and is one of the most interesting plants in Queensland. 15*s.*, 1 and 1½ guinea.

DICHORISANDRA AUBLETII, 7*s.* 6*d.*
MUSAICA, 10*s.* 6*d.*
UNDATA, 3*s.* 6*d.* and 5*s.*
DICHOTRICHUM TERNATEUM, 7*s.* 6*d.*
DIEFFENBACHIA AMAZONICA, 5*s.*
DIEFFENBACHIA AMŒNA, 3*s.* 6*d.*
BARAQUINIANA, 3*s.* 6*d.*
BOWMANNII, 3*s.* 6*d.*
BAUSEI, 3*s.* 6*d.*
CARDERI, 5*s.*

DIEFFENBACHIA CHELSONI.

A very handsome plant with dark satiny green leaves, the costa marked with a grey band, feathered about one-third across each half of the blade, the surface of which is also freely spotted and blotched with bright yellow-green. The well-marked contrast between the three colours renders the variegation very effective. 7*s.* 6*d.*

DIEFFENBACHIA COSTATA, 5*s.*
DELECTA, 3*s.* 6*d.*
EBURNEA, 5*s.*
FLAVO-VIRENS, 3*s.* 6*d.*
GRANDIS, 3*s.* 6*d.*
ILLUSTRIS, 5*s.*
INSIGNIS, 7*s.* 6*d.*
LANCEOLA, 5*s.*
DIEFFENBACHIA LEOPOLDII, 3*s.* 6*d.* and 5*s.*
LUCINDA, 3*s.* 6*d.*
MACULOSA, 3*s.* 6*d.*
MAGNIFICA, 3*s.* 6*d.*
MAJESTICA, 10*s.* 6*d.*
MEMORIA CORSI, 10*s.* 6*d.*
NEBULOSA, 3*s.* 6*d.*
NOBILIS, 3*s.* 6*d.*

DIEFFENBACHIA PRINCEPS.

A bold and handsome plant, of ornamental character. The leaves are dark green, with a few scattered yellowish spots, and a silvery grey marking running through the centre, that in the upper half of the leaf being most distinctly developed. 7*s.* 6*d.*

DIEFFENBACHIA PICTA, 3*s.* 6*d.*
REGINA, *vide* page 27.
DIEFFENBACHIA REX, *vide* page 28.
SHUTTLEWORTHII, 7*s.* 6*d.*

DIEFFENBACHIA SPLENDENS.

A striking plant of great beauty, remarkable for the lustre of its colouring. The leaves have a thick ivory-white mid-rib, and the ground colour is of a rich deep velvety bottle-green, with a resplendent lustrous surface, freely marked with whitish striated blotches. It is a remarkably fine and telling plant. This has been frequently shown in Mr. W. B.'s winning collections of New Plants. 3*s.* 6*d.*

DIEFFENBACHIA REGINA.

DIEFFENBACHIA REGINA.

A very distinct and striking variety from South America. It has oblong elliptic greenish-white leaves, mottled with blotches of pale green, and having a narrow margin, and a few streaky markings of a deeper shade. From its distinct markings, the plant is very effective and well entitled to be regarded as the Queen of the Dieffenbachias. This beautiful plant has frequently been shown in Mr. W. B.'s winning collections of New Plants. 10*s.* 6*d.* and 15*s.*

DIEFFENBACHIA TRIUMPHANS.

A very desirable ornamental plant, from the United States of Colombia. The leaf-blades are dark green thickly covered with large irregular blotches, of a yellowish-green, the variegation showing on both surfaces of the leaf. This has been frequently shown in Mr. W. B.'s winning collections of New Plants. 7*s.* 6*d.*

DIEFFENBACHIA VELUTINA, 3*s.* 6*d.*
WEIRII, 3*s.* 6*d.*
DIONÆA MUSCIPULA, *vide* Index.
DIOSCOREA ANŒCTOCHILUS, 5*s.* and 7*s.* 6*d.*
AROYREIA, 5*s.* and 7*s.* 6*d.*
BULBIFERA, 5*s.*
DIOSCOREA CHRYSOPHYLLA, 5*s.*
DISCOLOR VARIEGATA, 3*s.* 6*d.*
ILLUSTRATA, 3*s.* 6*d.*
MELANOLEUCA, 7*s.* 6*d.*
METALLICA, 5*s.*
SPECIOSA, *vide* page 29.

DIEFFENBACHIA REX.

DIEFFENBACHIA REX.

If *D. regina* may be considered as the Queen, we have in this the King of the genus—a very handsomely marked plant of free and vigorous habit. The leaves are of a very deep green colour, thickly covered with oblique-elongate angular white blotches, which take the same direction as the venation, and are here and there slightly veined and suffused with green. 10*s.* 6*d.* and 15*s.*

DIOSCOREA SPECIOSA.

A free growing climber, with decorative foliage. It has slender angular stems, which bear cordate-sagittate dark green seven-nerved leaves, marked with an irregular band of silvery grey between the ribs; the under surface of the leaves is of a purplish colour. *5s.*

DIPLADENIA AMABILIS, *3s. 6d.*

DIPLADENIA AMŒNA, *3s. 6d.*

DIPLADENIA BREARLEYANA.

This splendid variety is one of the best exhibition plants extant. It is an evergreen stove climber with dark green leaves, serving as a fine contrast for the superbly-coloured flowers, which are of the largest size, opening pink and changing to the richest crimson colour. They have this remarkable peculiarity, that the colour increases in intensity with the age of the flowers. The plant is of free growth, and of the most floriferous character. *3s. 6d., 5s.* and *7s. 6d.*

DIPLADENIA BOLIVIENSIS, *3s. 6d.*
DIADEMA, *15s.*
ELIOTTI, *10s. 6d.*
HYBRIDA, *3s. 6d.*
INSIGNIS, *7s. 6d.*
MAGNIFICA (ACUMINATA), *3s. 6d.* and *5s.*
PROFUSA, *5s.*
REGINA, *10s. 6d.*
SPLENDENS, *5s.* and *7s. 6d.*
DIPTERIX ODORATA (**TONQUIN BEAN**), *12s.*
DISSOTIS PLUMOSA, *5s.*
DORSTENIA BARTERI, *7s. 6d.*
CAULESCENS, *7s. 6d.*
THOMSONI, *7s. 6d.*
DRACÆNA ALBO-MARGINATA, *3s. 6d.*
ALBICANS, *5s.*
AMABILIS, *3s. 6d.*
AMBOINENSIS, 1 guinea
AURANTIACA, *5s.*
BAPTISTII, *3s. 6d.*
DRACÆNA BAUSEI, *5s.*
BELLA, *5s.*
BERKELEYI, *5s.*
CANTRELLII, *7s. 6d.*
CAUSTONI, *7s. 6d.*
CLAUDIA, *10s. 6d.*
CONGESTA (RUBRA), *2s. 6d.* and *3s. 6d.*
COOPERI, *3s. 6d.*
CORONANS, 1 guinea
CRISTULA, *3s. 6d.*
DILATA, 1 guinea
EBURNEA, 1 guinea
ELIZABETHÆ, *5s.*
ERNESTII, *5s.*
EXCELLENS, *15s.*
EXCELSA, *5s.*
FERREA *3s. 6d.*
—— VARIEGATA, *3s. 6d.*
FRAGRANS, *7s. 6d.*

DRACÆNA FRAGRANS VARIEGATA.

An effective decorative plant of bold habit, with elegantly recurved leaves of a rich deep green colour, ornamented throughout their entire length with a broad central striped variegation of yellow and pale yellowish green. *15s.* and 1 guinea.

DRACÆNA FRASERI, *3s. 6d.*
FREDERICI, *5s.* and *7s. 6d.*
GLADSTONEI, *10s. 6d.*
GOLDIEANA, *vide* page 30.
GRACILIS, *2s. 6d.* and *3s. 6d.*
GUILFOYLEI, *3s. 6d.*
DRACÆNA HYBRIDA, *5s.*
IGNEA, *3s. 6d.* and *5s.*
IMPERIALIS, *5s.*
KNAUSII, *10s. 6d.*
LEONARDII, *7s. 6d.*
MADONNA, *10s. 6d.*

DRACÆNA LINDENI.

In habit this most distinct and striking Dracæna is somewhat similar to the handsome variegated form of *D. fragrans*, but differs from it in the variegation being marginal instead of central. Mr. W. B. imported this beautiful and attractive plant from Brazil. Its elegantly recurved leaves are of a deep green colour, and are traversed their entire length by bands of creamy-white and various shades of yellow; the diverse forms of the variegation render the plant of the highest value for decoration. *15s.* and 1 guinea.

DRACÆNA MAJESTICA, *7s. 6d.*
MASSANGEANA, *vide* fragrans variegata
MASTERSII, *7s. 6d.*
MOOREANA, *3s. 6d.*
MRS. BAUSE, *5s.* and *7s. 6d.*
MRS. C. J. FREAKE, *3s. 6d.*
MRS. WILLS, *3s. 6d.*
PHRYNIOIDES, *10s. 6d.*
PICTURATA, 1 guinea
PLACIDA, 1 guinea
PLUTUS, *10s. 6d.*
PRINCEPS, *10s. 6d.* and *15s.*
RECURVA, *10s. 6d.*
REGINA, *3s. 6d.* and *5s.*
RENARDLÆ, *5s.*
ROSSII, *3s. 6d.*
RUBRA, *vide* D. congesta
SALMONEA, *5s.* and *7s. 6d.*
SHEPHERDII, *3s. 6d.* and *5s.*
SPLENDENS, *5s.* and *7s. 6d.*
DRACÆNA STRICTA, *2s. 6d.* and *3s. 6d.*
SUPERBA, *5s.*
SURCULOSA MACULATA, *7s. 6d.*
SYDNEYI, *5s.*
TERMINALIS, *3s. 6d.*
—— ALBA, *5s.* and *7s. 6d.*
THOMSONII, *5s.*
TRIUMPHANS, 1 guinea
VENUSTA, *10s. 6d.* and *15s.*
VESTALIS, 1 guinea
VITIENSIS, *10s. 6d.*
VOLUTA, *7s. 6d.*
WILLSII, *5s.*
WILSONI, *15s.*
DRACONTIUM ALBOSTIPES, *7s. 6d.*
ANNULATUM, *7s. 6d.*
ASPERUM, *5s.*
CARDERI, *7s. 6d.*
SCALPTURATUM, *7s. 6d.*

DRACÆNA GOLDIEANA.

DRACÆNA GOLDIEANA.

One of the most magnificent ornamental-foliaged plants ever introduced, and altogether unique in character and aspect. It is a native of Western Tropical Africa. The plant is of erect habit, the leaves being marbled and irregularly banded with dark green and silver-grey in alternate straight or furcate transverse bands, the colours being about equally distributed. The back of the unfolded leaves is a pale reddish purple or wine colour, and the stem where visible at the upper joints is of similar hue. It is, without doubt, one of the most superb of ornamental stove plants, and indispensable in all first-class collections. This beautiful species has been frequently shown in Mr. W. B.'s winning collections of New Plants. *7s. 6d.* and *10s. 6d.*

EUCHARIS MASTERSII.

This new and beautiful Eucharis has been imported from the United States of Colombia. Its deliciously fragrant flowers, are of the most snowy whiteness, the free portion of the staminal cup or corona, forming a narrow but united collar-like rim to the perianth tube. This species will be found a desirable acquisition, it being very free flowering and the blooms admirably adapted for cutting. It has been awarded a First Class Certificate by the Floral Committee of the Royal Horticultural Society. 2*s.* 6*d.* each; 24*s.* per dozen.

DRYMONIA MARMORATA.

An erect-growing Gesneraceous plant, with the stems obscurely tetragonal, bearing large opposite leaves, having long reddish purple petioles, the blade ovate, bullate, dark green, with the convex portions between the veins of a glistening grey; the margin crenate, the under surface purplish. The flowers, which grow in the leaf-axils, are creamy white and fimbriated. 7*s.* 6*d.*

DRYMONIA TURIALVÆ, 5*s.*
DYCKIA BREVIFOLIA, 7*s.* 6*d.*
EBERMAIERA (CHAMERANTHEMUM) NITIDA, 5*s.*
ECHITES, *vide* Dipladenia
PICTA, 3*s.* 6*d.* and 5*s.*
RUBRO-VENOSA, 5*s.*

ELÆOCARPUS GRANDIS.

A pretty evergreen plant from the district of the Pine River, in Queensland. It is furnished with lanceolate crenulate leaves, affixed by short red petioles. The flowers are charming and larger than in any of the allied species, the petals white, divided into about five deeply fringed lobes, silky pubescent at the margins. 7*s.* 6*d.* and 10*s.* 6*d.*

ELÆODENDRON ORIENTALE (ARALIA CHABRIERII) 5*s.*
ELETTARIA DIEPENHORSTII, 5*s.*
ENCEPHALARTOS, *vide* Index
ENCHOLIRION CORALLINUM, 7*s.* 6*d.*
JONGHEI, 10*s.* 6*d.*
EPIPHYLLUMS, of sorts; useful for winter and early spring blooming, and very showy and attractive. 30*s.* and 42*s.* per dozen.
EPIPREMNUM MIRABILE "TONGA PLANT" 3*s.* 6*d.* and 5*s.*
EPISCIA TESSELLATA, *vide* Centrosolenia bullata
ERANTHEMUM ANDERSONI (elegans). 2*s.* 6*d.* and 3*s.* 6*d.*
ATROPURPUREUM, 3*s.* 6*d.*
EBORACENSE, 3*s.* 6*d.*
LAXIFLORUM, 2*s.* 6*d.*
MOOREI, 3*s.* 6*d.*

ERANTHEMUM MACROPHYLLUM.

A very desirable winter flowering stove plant introduced from India. Its pretty light blue flowers are borne in terminal and axillary spikes, the two upper petals and the lateral ones being reflexed on the sides of the long whitish tube, the lower petal or lip extends horizontally and is of a deep bright blue colour, forming a pleasing contrast to the celestial blue of the upper petals. Blooming as it does in the winter, when flowers are so scarce, this will be found a welcome addition to our stoves. It is very free flowering and of good habit. 7*s.* 6*d.*

ERANTHEMUM NIGRESCENS, 3*s.* 6*d.*
PULCHELLUM, 2*s.* 6*d.* and 3*s.* 6*d.*
RETICULATUM (SCHOMBURGKII), 3*s.* 6*d.*
ERANTHEMUM TRICOLOR, 3*s.* 6*d.*
TUBERCULATUM, 3*s.* 6*d.*
VERSICOLOR, 3*s.* 6*d.*

ERANTHEMUM VELUTINUM.

A distinct stove species introduced from Brazil. Its leaves are of a rich deep velvety olive-green, traversed by sunken veins so that the surface forms a series of ridges and furrows which serve to show off with advantage the velvety texture of the surface. The inflorescence forms spikes of blossom eight inches in length; the numerous flowers have a slender curved tubular base about an inch long, and are of a deep rosy pink colour. 10*s.* 6*d.*

ERYTHRINA COMPACTA, *vide* page 57.
GLAUCA, 5*s.*
MARMORATA, 5*s.*
ERYTHRINA PARCELLII, 10*s.* 6*d.*
VESPERTILIO, 10*s.* 6*d.*
ERYTHROTIS BEDDOMEI, 3*s.* 6*d.* and 5*s.*

ERYTHROXYLON COCA.

This extremely interesting plant is of great officinal importance in South America, where its leaves are largely employed as a masticatory, under the name of Coca. When taken internally it acts as a powerful stimulant of the nervous system; and, when under its influence, persons are able to perform long and rapid journeys without exhaustion. "Four times a day, whatever the nature of his occupation—whether employed in the mines, the fields, as a muleteer, or domestic servant, the Indian resigns himself to the pleasures of Coca chewing." 10*s.* 6*d.*

EUADENIA EMINENS, 1 guinea
EUCHARIS AMAZONICA, 1*s.* 6*d.* and 2*s.* 6*d.*; 15*s.* and 24*s.* per dozen.
EUCHARIS MASTERSII, *vide* page 31.
CANDIDA 1*s.* 6*d.* and 2*s.* 6*d.* each; 15*s.* and 24*s.* per dozen.

EUCHARIS SANDERII.

A distinct and beautiful new species. Its snow-white flowers are produced in umbels, and the corona, which is marked with six yellow stripes, is so shallow that it merely projects as a rim beyond the mouth of the tube. The leaves are deep green. It has been awarded a First Class Certificate by the Floral Committee of the Royal Horticultural Society. 3*s.* 6*d.* and 5*s.* each; 36*s.* and 48*s.* per dozen.

EUCODONIA, *vide* Index.
EUGENIA MAGNIFICA, 1 guinea
PIMENTA (ALLSPICE), 5*s.*
vide also page 72.
EUPHORBIA JACQUINIÆFLORA, 2*s.* 6*d.* and 3*s.* 6*d.*
EUPHORBIA SPLENDENS, 3*s.* 6*d.*
EURYCLES AUSTRALASICA, *vide* page 33.
CUNNINGHAMII, 3*s.* 6*d.*
EXOSTEMMA CHONTALENSIS, 10*s.* 6*d.*

EURYCLES AUSTRALASICA.

A beautiful bulbous plant introduced from Australia. It is free-flowering, and produces large heads of elegant and charming white flowers, especially useful for all purposes for which cut flowers are required. 3*s*. 6*d*. each ; 36*s*. per dozen.

FICUS EXSCULPTA.

FICUS EXSCULPTA.

A handsome plant, furnished with evergreen leaves of a peculiarly elegant form. It has been introduced from the South Sea Islands. The leaves are shortly stalked, lanceolate in outline, and sinuately lobed, the lobes are again sinuate so as to produce a prettily cut margin, the curious crenations giving the leaf the appearance of having been stamped or punched out. This has been frequently shown in Mr. W. B.'s winning collection of New Plants. 3*s.* 6*d.* and 5*s.*

FARADAYA PAPUANA.

A climbing shrubby plant from Java, furnished with opposite lanceolate leaves, attached by long thickened petioles, and coarsely bullate on the upper surface. The flowers are white, salver-shaped, with a limb of four sub-equal segments, and are produced in corymbose panicles. 10*s.* 6*d.*

FERNS, *vide* Index.
FICUS BARBATA, 2*s.* 6*d.* and 3*s.* 6*d.*
DEALBATA, 7*s.* 6*d.* and 10*s.* 6*d.*
EBURNEA, 5*s.*
ELASTICA, 3*s.* 6*d.*
—— VARIEGATA, 10*s.* 6*d.* and 15*s.*
EXSCULPTA, *vide* page 34.
INDICA, 3*s.* 6*d.*
MOOREI, 5*s.*
PARCELLI, 3*s.* 6*d.*
RADICANS, 3*s.* 6*d.*
SYCOMORUS, 7*s.* 6*d.* and 10*s.* 6*d.*
FILICIUM DECIPIENS, 10*s.* 6*d.*
FITTONIA ARGYRONEURA, 2*s.* 6*d.*
GALACTODENDRON UTILE (Milk Tree), 10*s.* 6*d.*
GARCINIA LIVINOSTONI, 10*s.* 6*d.* and 15*s.*
INDICA, 1 guinea.
MANOOSTANA, 2 and 3 guineas
GARDENIA CITRIODORA, 3*s.* 6*d.*
FLORIDA, 2*s.* 6*d.* and 3*s.* 6*d.*
FORTUNIANA, 2*s.* 6*d.* and 3*s.* 6*d.*
GLOBOSA, 5*s.*
RADICANS, 2*s.* 6*d.* and 3*s.* 6*d.*
THUNBERGII, 5*s.*
GEISSOMERIA MARMORATA, 3*s.* 6*d.*
GESNERA DONKELAARI, 7*s.* 6*d.*
DOUGLASII, 3*s.* 6*d.* and 5*s.*
DUVALII, 5*s.*
FITTONIA GIGANTEA, 2*s.* 6*d.*
PEARCEI, 2*s.* 6*d.*
FRANCISCEA ACUMINATA, 3*s.* 6*d.*
AUGUSTA (RAMOSISSIMA), 3*s.* 6*d.* and 5*s.*
CALYCINA, 5*s.*
CONFERTIFLORA (LAURIFOLIA), 3*s.* 6*d.*
EXIMIA, 3*s.* 6*d.*
HOPEANA (UNIFLORA), 3*s.* 6*d.*
HYDRANGEÆFORMIS, 3*s.* 6*d.* and 5*s.*
LATIFOLIA, 3*s.* 6*d.*
LINDENI, 3*s.* 6*d.*
MAGNIFICA, 7*s.* 6*d.*
ROSEA PERFECTA, 7*s.* 6*d.*
VIOLACEA GRANDIFLORA, 7*s.* 6*d.*
GESNERA LEOPOLDII, 3*s.* 6*d.*
MACRANTHA, 3*s.* 6*d.*
MARCHII, 5*s.*
vide Index
GLONERA JASMINIFLORA, 5*s.*
GLORIOSA PLANTII, 2*s.* 6*d.* and 3*s.* 6*d.*
SUPERBA, 3*s.* 6*d.*
GLOXINIA, *vide* Index
GODWINIA GIGAS, 10*s.* 6*d.*
GOMPHIA DECORA, 5*s.* and 7*s.* 6*d.*
GOODYERA, *vide* Orchids
GRAPTOPHYLLUM PICTUM, 3*s.* 6*d.*
NORTONII, 2*s.* 6*d.*
GREVILLEA, *vide* page 59.

GRIFFINIA HYACINTHINA.

An extremely handsome and ornamental free flowering bulbous plant from Brazil. The flower scape is about a foot high, and bears an umbel of from fifteen to twenty flowers of a beautiful bluish lilac colour, shading off to white at the base of the segments. 5*s.* and 7*s.* 6*d.*

GRIFFINIA BLUMENAVIA, 7*s.* 6*d.*
DRYADES, 10*s.* 6*d.*
ORNATA, 10*s.* 6*d.*
GUZMANNIA PICTA, (NIDULARIUM FULGENS), 7*s.* 6*d.* and 10*s.* 6*d.*
GYMNOSTACHYUM, *vide* Fittonia
GYNURA AURANTIACA, 1*s.* 6*d.*
HÆMANTHUS ABYSSINICUS, *vide* page 10.
COCCINEUS, 2*s.* 6*d.*
INSIGNIS, 1 guinea.

HÆMANTHUS KALBREYERI.

A magnificent species from the West Coast of Africa. Its showy inflorescence is of immense size, a single head often producing upwards of a hundred of its attractive flowers, which are of a bright reddish vermilion colour. The filaments are brightly coloured, while the golden anthers have a pretty effect in contrast with the mass of glowing colour. 5*s.*

HÆMANTHUS KATHERINÆ, 5*s.* and 7*s.* 6*d.*
KATHERINÆ SUPERBUS, 1 guinea.
NATALENSIS, 10*s.* 6*d.*
PUNICEUS, *vide* page 59.
vide also page 59.
HEVEA BRASILIENSIS (PARA RUBBER)
HEDYCHIUM ACUMINATUM, 5*s.*
GARDNERIANUM, 3*s.* 6*d.*
HELICONIA AUREO-STRIATA, 7*s.* 6*d.* and 10*s.* 6*d.*
BREVISPATHA, *vide* page 10.
NITENS, 10*s.* 6*d.*
HEMIGRAPHIS COLORATA, 3*s.* 6*d.*
HIBISCUS ROSA SINENSIS ALBO-VARIEGATUS, 2*s.* 6*d.* and 3*s.* 6*d.*
ROSA SINENSIS BRILLIANTISSIMUS, 5*s.*
—— —— CARMINATUS PERFECTUS, 3*s.* 6*d.*
—— —— COLLERI, 3*s.* 6*d.*
—— —— COOPERI, 2*s.* 6*d.*
—— —— CRUENTUS, 3*s.* 6*d.*
—— —— DENNISONI, 3*s.* 6*d.*
—— —— FULGIDUS, *vide* page 36.
—— —— KERMESINUS, *vide* page 36.
—— —— LAMBERTII, 3*s.* 6*d.*
—— —— MINIATUS SEMI-PLENUS, *vide* page 37.

HIBISCUS ROSA SINENSIS MAGNIFICUS.

A remarkably handsome and attractive variety producing magnificent flowers, which are of an exceedingly bright rosy magenta colour, shaded with crimson; the base of each petal is marked with a blotch of rich chocolate, which forms a large dark centre to the flower. 7*s.* 6*d.*

HIBISCUS ROSA SINENSIS FULGIDUS.

This magnificent variety, which was obtained from the South Sea Islands, is remarkable alike for the size, colour and marking of its brilliant flowers. The leaves are broadly ovate, with coarsely serrated margins. The flowers are of very large size (five inches in diameter), composed of five broad, rounded and beautifully undulated petals, of an intense carmine scarlet, paler and somewhat rosy-tinted towards the base, where on each petal is an oblong blotch of deep crimson, forming a blunt-rayed star in the centre of the flower. It is one of the finest varieties yet introduced. *3s. 6d.*

HIBISCUS ROSA SINENSIS KERMESINUS.

A grand flowering stove plant, with the foliage and general habit of other varieties of this extremely ornamental species. The flowers are large and showy, full double, the petals broad, rounded, and undulated, the three or four outer series reflexed, the central ones erect, the innermost consisting of the transformed column developed into numerous petaliferous lobes bearing stamens on their margins. The colour is a fine rich carmine crimson. The plant has been imported from the South Sea Islands. *5s.*

HIBISCUS ROSA SINENSIS MINIATUS SEMI-PLENUS.

This remarkably showy stove plant has firm, almost leathery, ovate leaves, which are coarsely toothed, and brilliant flowers of a vermilion scarlet colour, darker towards the base of the petals. The flowers are semi-double, the petals very much waved and recurved, forming an irregular undulated mass four inches across, from which the partially petaloid staminal column projects two inches. The brilliant and attractive flowers are remarkable for the absence of formality, the shape being wild, and abounding in fantastic curves, but nevertheless they are remarkably handsome. It has been imported from the South Sea Islands. *3s. 6d.*

HIBISCUS ROSA SINENSIS VIVICANS.

A fine free-flowering stove plant of vigorous habit, with ovate stalked leaves, and remarkably large flowers, four and a half to five inches in diameter, full double, the centre being completely filled up with broad convolute petals, having tufts of stamens intermixed. The colour is a brilliant crimson scarlet. It is a very showy variety, and was imported from the South Sea Islands. *5s.*

IMPATIENS HAWKERII.

A more lovely flowering plant than this new species it would be difficult to imagine. It is a native of the South Sea Islands where it was discovered by Lieutenant Hawker. The sharply serrate leaves are elliptic acuminate. The magnificent flowers are very large, flatly expanded, and of the most brilliant rich deep carmine colour, this is relieved by a lustrous bluish tinge round the small white eye; the dorsal sepal is roundish and the two lateral lobes oblong and bilobed, the spur is red and about two inches long. The handsome flowers of this superb new Impatiens are produced in the greatest profusion from March until October, the plant is of free growth and of good habit, and cannot fail to become one of the most useful of decorative plants. *5s.* and *7s. 6d.*

HIBISCUS Rosa sinensis puniceus, 3*s*. 6*d*.
Rosa sinensis vivicans, *vide* page 37.
—— —— zebrinus, 3*s*. 6*d*.
schizopetalus, 2*s*. 6*d*. and 3*s*. 6*d*.
see also page 59.
HIPPEASTRUM, *vide* **AMARYLLIS**
HOFFMANNIA (Higginsia) Ghiesbreghtii, 2*s*. 6*d*.
HOFFMANNIA (Higginsia) Ghiesbreghtii variegata, 5*s*.
(Higginsia) Ortgiesii, 3*s*. 6*d*.
(——) refulgens argyroneura, 3*s*. 6*d*.
(——) —— robusta, 3*s*. 6*d*.
HOMALOMENA peltatum, 10*s*. 6*d*.
HOYA bella. 3*s*. 6*d*.
campanulata, 3*s*. 6*d*. and 5*s*.

HOYA CUMINGIANA.

A very pretty stove climber, native of the Eastern Archipelago. It has terete branches with leathery leaves; the flowers grow in stalked umbels, and are of a tawny yellow colour with the segments recurved, while the lobes of the staminal crown have each a purple-crimson spot. 10*s*. 6*d*.

HOYA GLOBULOSA.

A distinct and handsome species, producing profusely large trusses of flowers of a bright straw colour, the coronal protuberances white, the interstices pink, forming a pleasing contrast. 3*s*. 6*d*. & 5*s*.

HOYA carnosa, 2*s*. 6*d*. and 3*s*. 6*d*.
carnosa picta aurea, 3*s*. 6*d*.
—— variegata, 3*s*. 6*d*. and 5*s*.
imperialis, 5*s*. and 7*s*. 6*d*.
Paxtoni, 3*s*. 6*d*.
HOYA Teysmanniana, 7*s*. 6*d*.
HYDROCOTYLE nitidula, 3*s*. 6*d*.
HYMENOCALLIS macrostephana, 10*s*. 6*d*., 15*s*. and 1 guinea.
vide Pancratium

HYMENOSPORUM FLAVUM.

A handsome evergreen plant from Eastern Australia. It is of branching habit, and is furnished with glabrous leaves which are broadly obovate-lanceolate. The flowers form a compound terminal corymb, and are yellow marked with orange-red at the mouth of the tube-like portion, and clothed outside with silky hairs. 10*s*. 6*d*.

IMANTOPHYLLUM, *vide* pages 59 and 60.
IMPATIENS cuspidata, 7*s*. 6*d*.
flaccida (platypetala), 2*s*. 6*d*.
——(——) alba, 1*s*. 6*d*.
Hawkerii, *vide* page 38.
Sultani, 1*s*. 6*d*.
INDIGOFERA decora, *vide* page 60.
IPOMŒA Horsfallii, 5*s*. and 7*s*. 6*d*.
insionis, 3*s*. 6*d*. and 5*s*.
IPOMŒA Learii, 2*s*. 6*d*. and 3*s*. 6*d*.
ternata, 3*s*. 6*d*.
Thomsoniana, 5*s*.
ISOLOMA hirsuta, 3*s*. 6*d*.
mollis, 3*s*. 6*d*.
IXORA amabilis, 3*s*. 6*d*.
amœna, 5*s*.
ambrosia, 7*s*. 6*d*.
Aurelia, 3*s*. 6*d*.

IXORA AURORA.

Fine trusses of large attractive flowers, orange-buff on opening, changing afterwards to bright salmon. 15*s*.

IXORA BELLA.

An exceedingly pretty and effective variety, producing fine trusses of flowers of a salmon-pink colour, shading off to light salmon. 10*s*. 6*d*.

IXORA CHELSONI.

The flower pips of this splendid variety are of large size, and of exceptionally good form and great substance; they are produced in immense round full trusses; colour bright orange-salmon, flushed and shaded with pink. From its profuse flowering habit, dwarf-branching growth, and the rich tint of its blossoms, this variety will be found exceedingly useful and effective. 7*s*. 6*d*.

IXORA CONCINNA.

A splendid variety producing large and compact trusses of fine flowers, which on first expanding are of a bright salmon colour, but gradually change to deep salmon-pink; extremely beautiful. 10*s*. 6*d*.

IXORA CONSPICUA.

This handsome stove plant bears in the freest manner, fine trusses of flowers, buff-yellow on opening, afterwards changing to bright orange. The blooms are large and of good substance, the lobes being round and well formed. A very desirable variety and fine exhibition plant. 21*s*.

IXORA DECORA.

Yellow flaked with rosy crimson; remarkably attractive; a magnificent variety producing noble trusses of very large fine flowers. 10*s*. 6*d*.

IXORA coccinea superba, 3*s*. 6*d*.
IXORA Duffii, *vide* I. macrothyrsus

IXORA SPLENDIDA.

A magnificent variety producing profusely very large and handsome trusses of flowers of a rich bright orange-crimson colour; remarkable showy and attractive. 1 guinea.

IXORA EMINENS.

A splendid variety of exceptional merit, giving trusses of fine, large, well-formed flowers, clear buff on opening, changing afterwards to light salmon pink. 21*s.*

IXORA EXIMIA, 7*s.* 6*d.*

IXORA FORMOSA, 5*s.*

IXORA GEMMA.

A fine addition to this showy and effective genus. It has round and well-formed pips of a rich orange yellow colour, produced in large and compact trusses. This variety will be found of the greatest value for exhibition purposes. 15*s.*

IXORA ILLUSTRIS.

A splendid variety, producing immense trusses of flowers of a fine bright orange-salmon colour: extremely showy and ornamental. 10*s.* 6*d.*

IXORA INSIGNIS.

A fine variety of close dwarf habit; deep rosy crimson flowers shaded with orange, borne in a compact truss. 15*s.*

IXORA LAVERNA, 3*s.* 6*d.*
LOBBII, 7*s.* 6*d.*
LUCINDA, 5*s.*

IXORA MACROTHYRSUS (DUFFII), 3*s.* 6*d.*
MINERVA 5*s.*
MIRANDA, 7*s.* 6*d.*

IXORA ORNATA.

A remarkably free-blooming variety, producing good trusses of bright orange-salmon flowers in the greatest profusion. 7*s.* 6*d.*

IXORA PICTURATA.

An extremely floriferous variety; the flowers on first opening are of a bright orange colour, which gradually changes to buff. 7*s.* 6*d.*

IXORA MODIOLA, 5*s.*
ODORATA, 5*s.*

IXORA PILGRIMII, 5*s.*
PRINCE OF ORANGE, 3*s.* 6*d.*

IXORA PROFUSA.

An extremely free flowering variety, producing very fine huge trusses, densely furnished with flower pips of a beautiful rich soft rosy salmon colour. 7*s.* 6*d.*

IXORA PRINCEPS, 3*s.* 6*d.*
REGINA, 3*s.* 6*d.*

IXORA SANGUINEA, 3*s.* 6*d.*
SPLENDIDA, *vide* page 40.

IXORA SPECIOSA.

A beautiful addition to these handsome and showy stove plants. The colour of the flowers on opening is buff, afterwards changing to bright orange-salmon, the individual pips are large and borne in good compact trusses, added to which it is extremely free flowering. 15*s.*

IXORA VENUSTA.

A beautiful variety producing fine trusses of very large flowers, which on first opening are of a bright orange colour, changing afterwards to salmon-buff. 7*s.* 6*d.*

IXORA VERONA, 3*s.* 6*d.*
WESTII, 5*s.*
WILLIAMSII, 3*s.* 6*d.*
JACARANDA CLAUSSENIANA (CUPANIA FILICIFOLIA), 1 and 1½ guinea
ELEGANTISSIMA, 10*s.* 6*d.*
MIMOSÆFOLIA, 5*s.*
JASMINUM DUCHESSE D'ORLEANS, 3*s.* 6*d.*
GRACILLIMUM, 3*s.* 6*d.*
JASMINUM HIRSUTUM (MULTIFLORUM), 2*s.* 6*d.* & [3*s.* 6*d.*
LIGUSTRIFOLIUM, 3*s.* 6*d.*
SAMBAC, 2*s.* 6*d.* and 3*s.* 6*d.*
—— FLORE PLENO, 3*s.* 6*d.*
JATROPHA MULTIFIDA, 5*s.*
JONESIA ASOCA, 10*s.* 6*d.* and 15*s.*
JUSTICIA PURPUREA, 2*s.* 6*d.*
KÆMPFERIA BENSONIÆ, 7*s.* 6*d.*
BERKELEYI, 7*s.* 6*d.*

KÆMPFERIA GILBERTII.

A fleshy-rooted perennial, with attractively variegated foliage, introduced from the East Indies. From the succulent roots are annually produced a tuft of oblong-lanceolate deep green leaves, which are slightly undulated at the margin, and bordered by a broad and very conspicuous band of white. The purple and white flowers are peculiar in form as often occurs in the Zingiberaceous order. 3*s.*6*d.*

KÆMPFERIA MOULMEINENSIS, 7*s.* 6*d.*
ROSCOEANA, 5*s.*

KÆMPFERIA, ROTUNDA, 5*s.*
UNDULATA, 5*s.*

KYLLINGIA MONOCEPHALA, 3*s.* 6*d.*
LAMPROCOCCUS (ÆCHMEA) DISCOLOR, 5*s.*
(——) FULGENS, 3*s.* 6*d.* and 5*s.*
(——) MINIATA, 5*s.*
(——) WEILBACHII, 7*s.* 6*d.*
LANDOLPHIA KIRKII, 1 guinea
WATSONIANA, 1 guinea
MACROZAMIA, *vide* Index
MAGNOLIA MUTABILIS, 7*s.* 6*d.*
PUMILA, 5*s.* and 7*s.* 6*d.*
MANETTIA BICOLOR, 2*s.* 6*d.* and 3*s.* 6*d.*
CORDATA, 2*s.* 6*d.* and 3*s.* 6*d.*
MICANS, 2*s.* 6*d.* and 3*s.* 6*d.*
MANGIFERA INDICA, 1 guinea
MARANTA AMABILIS, 5*s.*
ARGENTEA, 10*s.* 6*d.*
ARUNDINACEA *(The Arrowroot Plant)*, 7*s.* 6*d.*
BARAQUINII, 3*s.* 6*d.*
BELLA, 7*s.* 6*d.*
BICOLOR, 5*s.*
BINOTII, 15*s.* and 1 guinea
CONSPICUA, 7*s.* 6*d.*
GOVEANA, 5*s.*
ICONIFERA, *vide* page 11.
ILLUSTRIS, 3*s.* 6*d.*
KERCHOVEANA, 3*s.* 6*d.* and 5*s.*
LEOPARDINA, 7*s.* 6*d.*
LINDENI, 3*s.* 6*d.*
LUBBERSII, 3*s.* 6*d.*
MAKOYANA. 3*s.* 6*d.*
MASSANGEANA, 3*s.* 6*d.*
LAPORTEA SCHOMBURGKII VERSICOLOR, 10*s.* 6*d.*
LASIANDRA, *vide* page 60.
LAURUS CINNAMOMUM, 5*s.* and 7*s.* 6*d.*
LEDENBERGIA ROSEO-ÆNEA, 3*s.* 6*d.*
LIBONIA, *vide* page 60.
LIETZIA BRASILIENSIS, 3*s.* 6*d.*
LUCULIA, *vide* Greenhouse Plants
MARANTA MUSAICA, 10*s.* 6*d.*
NITENS, 7*s.* 6*d.*
NITIDA, 10*s.* 6*d.*
ORNATA, 3*s.* 6*d.*
PORPHYROCAULIS, 5*s.*
PRASINA, 7*s.* 6*d.*
PRINCEPS, 3*s.* 6*d.* and 5*s.*
RADIATA, 5*s.*
REGALIS, 3*s.* 6*d.*
ROSEO-PICTA, 3*s.* 6*d.*
SEEMANNI, 7*s.* 6*d.*
SMARAGDINA, 7*s.* 6*d.*
SPECIOSA, 10*s.* 6*d.*
SPLENDIDA, 3*s.* 6*d.*
TUBISPATHA, 3*s.* 6*d.*
VEITCHII, 3*s.* 6*d.*
VITTATA, 3*s.* 6*d.*
WALLISII, 3*s.* 6*d.* and 5*s.*
WARSCEWICZII, 3*s.* 6*d.*
WIOTII, 5*s.*
ZEBRINA, 3*s.* 6*d.*
MARCGRAVIA DUBIA, 5*s.*
PARADOXA, 10*s.* 6*d.*

MARCGRAVIA INDICA.

This plant belongs to a very peculiar group of climbing plants, which cling like Ivy to the surface to which they become affixed. The present is a free-growing species, that will make a neat and very interesting wall climber, on account of the peculiarities of its growth and foliation. The stems are flattened, the leaves being two-ranked, oblong-ovate and of a deep green colour. 10*s.* 6*d.*

MASCARENHASIA CURNOWIANA, 10*s.* 6*d.*
MEDINILLA AMABILIS, 7*s.* 6*d.*
CURTISII, 7*s.* 6*d.*
MAGNIFICA, 3*s.* 6*d.* and 5*s.*
MELASTOMA MALABATHRICA, 5*s.*
MESUA FERREA, 10*s.* 6*d.*
METHONICA, *vide* Gloriosa
MEYENIA ERECTA, 2*s.* 6*d.* and 3*s.* 6*d.*
MICANIA PULVERULENTA, 3*s.* 6*d.*
MONOLOPHUS SECUNDA, 10*s.* 6*d.*
MONSTERA DELICIOSA (Philodendron pertusum), 10*s.* 6*d.*
MUSA CAVENDISHII, 10*s.* 6*d.* and 15*s.*
COCCINEA, 1 guinea
SUPERBA, 7*s.* 6*d.* and 10*s.* 6*d.*
URANOSCOPAS, 1 guinea
VITTATA, 1 to 2 guineas
ZEBRINA, 10*s.* 6*d.* and 15*s.*
MUSSÆNDA FRONDOSA, 3*s.* 6*d.*
THEIFERA, 5*s.*
NÆGELIA, *vide* GESNERA
NAPOLEONA IMPERIALIS, 5*s.* and 7*s.* 6*d.*
NEPENTHES, *vide* pages 43 and 44.

NEPHTHYTIS LIBERICA.

A new species of an interesting little group of tropical West African Arads. It has a creeping stem and sagittate leaves of a cheerful green colour; the flower scapo is terete, with a few minute scattered prickles; the spathe is greenish white. It was discovered by one of my collectors in Liberia. 7*s.* 6*d.*

NEPHTHYTIS PICTURATA, *vide* page 11
NIDULARIUM FULGENS, *vide* Guzmannia picta
INNOCENTII, 10*s.* 6*d.*
SPECTABILE, 7*s.* 6*d.* and 10*s.* 6*d.*
OCHROSIA ELLIPTICA, 5*s.*
ODONTOGLOSSUM, *vide* ORCHIDS
ONCIDIUM, *vide* ORCHIDS
OPHIOPOGON, *vide* page 61.
OPLISMENUS IMBECILLIS VARIEGATUS (PANICUM VARIEGATUM), 1*s.* 6*d.*
INTERMEDIUS (PANICUM INTERMEDIUM), 2*s.* 6*d.* & 3*s.* 6*d.*
ORCHIDS, *vide* Index
OUVIRANDRA FENESTRALIS, 1 guinea
OXALIS BUPLEURIFOLIA, 5*s.*
SENSITIVA, 3*s.* 6*d.* and 5*s.*

NEPENTHES RAFFLESIANA INSIGNIS.

A very distinct and magnificent variety of robust growth, producing extremely handsome and gigantic pitchers, about nine inches in length by four in breadth, heavily mottled in a most effective manner with purplish brown on a green ground. The deeply-ribbed rim surrounding the mouth of the pitcher is prolonged at the upper end into a stalk terminated by a large ovate oblong spreading lid, the under side of which is mottled with purplish brown. It has been described and illustrated in the *Gardeners' Chronicle*, September 30th, 1882. 5 guineas.

NEPENTHES.

CARNIVOROUS PLANTS.

NEPENTHES AMPULLARIA VITTATA, 10*s.* 6*d.*
AMPULLARIA VITTATA MAJOR, 1 guinea
CHELSONI, 1 guinea
COURTII, 1 guinea
DISTILLATORIA, 10*s.* 6*d.*
DOMINII, 10*s.* 6*d.*
GRACILIS MAJOR, 5*s.*
HENRYANA, 1 and 1½ guinea
HOOKERI (Sir Joseph Hooker's Pitcher Plant), 1 guinea
HOOKERÆ (Lady Hooker's Pitcher Plant), 1 and 1½ guinea
HYBRIDA, 10*s.* 6*d.*
—— MACULATA, 10*s.* 6*d.*
INTERMEDIA, 10*s.* 6*d.*
KENNEDYANA, 10*s.* 6*d.*
LAWRENCEANA, 1 and 2 guineas
MASTERSIANA
MOROANIÆ, 10*s.* 6*d.* and 15*s.*
OUTRAMIANA, 1 guinea
PHYLLAMPHORA, 3*s.* 6*d.* and 5*s.*
RAFFLESIANA, 15*s.* and 1 guinea
—— INSIGNIS, *vide* page 43
—— NIVEA, 2 guineas
RATCLIFFIANA, 10*s.* 6*d.* and 15*s.*
SEDENI, 5*s.*
STEWARTII, 10*s.* 6*d.*
SUPERBA, 1 guinea
ZEYLANICA RUBRA, 10*s.* 6*d.*

PALICOUREA JUGOSA.

An ornamental Brazilian stove plant, with opposite elliptic oblong leaves, which are of a dark satiny green, with a striking pink midrib and veins. The veins are depressed, so that the leaf-surface presents a series of ridges and furrows, which serve to show off to advantage the satiny tints of their colour. The under surface is of a wine-purple colour. 10*s.* 6*d.*

PALISOTA BARTERI, 7*s.* 6*d.* | **PALMS**, of sorts, *vide* Index

PANAX DIFFISSUM.

An interesting compact-growing stove plant, a native of the South Sea Islands. It has pale bright green leaves, which are triangular, bipinnate, and crispate, the primary divisions with spiny-toothed, blunt ish secondary divisions, the teeth turned upwards, which gives to the surface of the leaf its crispy appearance. 5*s.* and 7*s.* 6*d.*

PANAX DISSECTUM.

An evergreen plant of branching habit; the leaves are numerous, drooping, and bipinnate, having the obovate cuneate leaflets very greatly varied in size and outline, all of them being furnished with long marginal teeth. This plant from its plumose character and elegant habit, is exceedingly pretty for table decoration and other ornamental purposes. 7*s.* 6*d.*

PANAX DUMOSUM.

A remarkably neat and pleasing dwarf stove plant, with short-jointed stems, thickly clothed with deeply divided cheerful green leaves. The petioles are olive-green, mottled with brighter green, and terminating in a roundish-ovate pinnately divided blade of numerous variously-shaped lobes, the pinnæ furnished at the margins with incurved spiny teeth. Extremely ornamental. 5*s.* and 7*s.* 6*d.*

PANAX ELEGANS, 10*s.* 6*d.*
FISSUM 5*s.* and 7*s.* 6*d.*
FRUTICOSUM, 7*s.* 6*d.*
PANAX VICTORIÆ, *vide* page 45.
PANCRATIUM AMŒNUM, 3*s.* 6*d.* and 5*s.*
CANDIDUM, 3*s.* 6*d.*

PANCRATIUM CARIBBÆUM.

A very distinct and beautiful species from the West Indies; its flowers are pure white, very fragrant, and most useful for cutting for bouquets and other decorative purposes. 2*s.* 6*d.* and 3*s.* 6*d.*

PANCRATIUM FRAGRANS 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* | **PANCRATIUM** GUIANENSIS, *vide* page 11.



PANAX VICTORIÆ.

PANAX VICTORIÆ.

A distinct and very graceful stove plant, thickly furnished with leaves of a remarkably elegant character, forming a recurving mass of pleasing variegated foliage. The leaf-blade is ternate, the leaflets being prettily margined with white, which gives the plant a remarkably lively and pictorial character. It is a native of the South Pacific Islands, and is one of the most elegant variegated plants of modern introduction. *5s.*, *7s. 6d.* and *10s. 6d.*

PHILODENDRON CARDERI.

This exquisitely coloured Arad is a native of South America. The leaves are of a dark shaded bottle-green, with a satiny lustre, the principal ribs being marked out by bright green lines of a glaucous or metallic hue; at the back the leaves are of a shaded wine-purple, the course of the veins being marked by broad green lines. The glossy shaded satiny surface of the leaves imparts to them a wondrous degree of beauty. *7s. 6d.*

PANCRATIUM HARRISIANUM, 3*s.* 6*d.*
MEXICANUM, 1*s.* 6*d.* and 2*s.* 6*d.*
ROTATUM, 3*s.* 6*d.*
SPECIOSUM, 5*s.* and 7*s.* 6*d.*
vide Hymenocallis
PANDANOPHYLLUM HUMILE, 1½ guinea
PANDANUS JAVANICUS VARIEGATUS, 3*s.* 6*d.* and 5*s.*
ORNATUS, 15*s.*
UTILIS, 2*s.* 6*d.* and 3*s.* 6*d.*
VANDERMEERSCHII, 10*s.* 6*d.*
VEITCHII, 3*s.* 6*d.* and 5*s.*
PANICUM VARIEGATUM, *vide* Oplismenus
PANICUM INTERMEDIUM, *vide* Oplismenus
PAPYRUS ANTIQUORUM, 7*s.* 6*d.*
PARITIUM ELATUM (CUBA BAST), 7*s.* 6*d.*
PARMENTIERA CEREIFERA, 1 guinea.
PASSIFLORA ALATA, 3*s.* 6*d.*
AMABILIS, 3*s.* 6*d.*
BIJOU, 3*s.* 6*d.*
BUONAPARTEA, 2*s.* 6*d.* and 3*s.* 6*d.*
CARDINALIS, 2*s.* 6*d.* and 3*s.* 6*d.*
EDULIS, 3*s.* 6*d.*
FULGENS, *vide* Tacsonia Buchanani

PASSIFLORA HAHNII.

This is a very distinct and beautiful variety of Passion-flower. It is a native of Mexico, and is a free-growing temperate stove climber. The flowers are about three inches across, of a creamy white, with a yellowish corona, and are produced in great profusion. It has received a First Class Certificate from the Royal Horticultural Society. 5*s.*

PASSIFLORA KERMESINA, 3*s.* 6*d.*
LAURIFOLIA, 5*s.*
PASSIFLORA LOUDONI, 3*s.* 6*d.*
MADONNA, 3*s.* 6*d.*

PASSIFLORA MACROCARPA.

A free-growing climber, introduced from the Rio Negro. The blossoms are very large, white and purple, but it is chiefly remarkable for its immense fruits, which often weigh as much as eight pounds each or more, and are of excellent quality. 3*s.* 6*d.* and 5*s.*

PASSIFLORA QUADRANGULARIS VARIEGATA.

The bold character and beautiful flowers of *Passiflora quadrangularis* are too well known to need description. The present variety differs from it in having the foliage variegated. The leaves are very freely covered with yellow blotches and spots, producing a colouration which is at once handsome and conspicuous. 3*s.* 6*d.* and 5*s.*

PASSIFLORA MUTABILIS, 3*s.* 6*d.*
PRINCEPS (RACEMOSA), 3*s.* 6*d.*
QUADRANGULARIS, 2*s.* 6*d.* and 3*s.* 6*d.*
PASSIFLORA SHEPPARDII, 3*s.* 6*d.*
TRIFASCIATA, 3*s.* 6*d.*
VITIFOLIA, *vide* Tacsonia Buchanani

PASSIFLORA VIOLACEA.

A beautiful and very floriferous new species, producing in great abundance pendent flowers of a bluish violet colour, the filaments of the corona being white, the anthers golden yellow. The flowers are fragrant. 7*s.* 6*d.*

PASSIFLORA. See also page 61.
PAULLINIA HOOIBRENKII, 10*s.* 6*d.*
OCEANICA, 10*s.* 6*d.*
SORBILIS, Guarana Tea Plant, 10*s.* 6*d.*
THALICTRIFOLIA, 3*s.* 6*d.*
—— ARGENTEA, 5*s.*
PAVETTA BORBONICA, 10*s.* 6*d.*
PAVONIA MAKOYANA, 3*s.* 6*d.*
MULTIFLORA (WIOTII), 3*s.* 6*d.*
PEDILANTHUS TITHYMALOIDES VARIEGATUS, 7*s.* 6*d.*
PELLIONIA DAVEAUANA, 2*s.* 6*d.*
PULCHRA, 2*s.* 6*d.*
PENTAS CARNEA, 1*s.* 6*d.* and 2*s.* 6*d.*
KERMESINA, 1*s.* 6*d.* and 2*s.* 6*d.*
PEPEROMIA ARGYREIA, 3*s.* 6*d.*
EBURNEA, 3*s.* 6*d.*
PETRÆA ERECTA, 5*s.* and 7*s.* 6*d.*
PHILODENDRON CARDERII *vide* page 46.
CRINIPES, 5*s.*
DISCOLOR, 5*s.*
GLORIOSUM, 5*s.* and 7*s.* 6*d.*

PHILODENDRON NOBILE.

A distinct species from South America. It has obovate lanceolate leaves of a firm leathery texture. The large and attractive inflorescence is axillary, the lower portion of the handsome spathe being of a deep rosy crimson colour, both inside and out; the upper part, white internally, outside prettily marked with deep-rose stellate spots, the larger ones being surrounded by numerous smaller dots of the same colour. 1 guinea.

PHILODENDRON IMPERIALE (MAMEI), 5*s.* & 7*s.*6*d.*
LINDENIANUM, 3*s.* 6*d.* and 5*s.*
MELANOCHRYSUM, 5*s.*
PERTUSUM, *vide* Monstera deliciosa
RADIATUM, 7*s.* 6*d.*
PHYLLAGATHIS GYMNANTHA, 7*s.* 6*d.*
ROTUNDIFOLIA, 5*s.* and 7*s.* 6*d.*
PHYLLANTHUS ATROPURPUREUS, 3*s.* 6*d.*
ELEOANS, 5*s.*
NIVOSUS, 3*s.* 6*d.*
PHYLLANTHUS ROSEO-PICTUS, 3*s.* 6*d.*
SEEMANNIANUS, 7*s.* 6*d.*
PHYLLARTHRON COMORENSE. 7*s.* 6*d.*
PHYLLOTÆNIUM LINDENI, 3*s.* 6*d.* and 5*s.*
PILEA MUSCOSA, 2*s.* 6*d.*
SCHLECHTENDALLII
PIPER ORNATUM, 5*s.*
PIPERS, of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*
PISTIA STRATIOTES, 3*s.* 6*d.*
PITCAIRNIA, *vide* page 52

POTHOS FLEXUOSUS.

An interesting Araceous plant, which has been introduced from India. It has flattened rooting stems, the leaves being alternately directed to the right and to the left, the larger ones six inches long; the lamina oblong, with an acuminate deflexed apex, pale green, with a few alternate elongated ribs. From the peculiar character of the leaves, which lie flat upon the surface it climbs ever, it is well adapted for covering walls, or for other ornamental purposes. 10*s.* 6*d.*

PITCAIRNIA ALTA.

An attractive plant, of graceful habit, with very long and narrow recurved drooping foliage; it bears a tall branching spike of bright coral red blossoms; the flowers individually are from 2 to 2½ inches long, and have bright yellow stamens, forming an effective contrast. 10*s.* 6*d.*

PITCAIRNIA CORALLINA, 5*s.* and 7*s.* 6*d.*
PLATYPHYLLA, 7*s.* 6*d.*
TABULÆFORMIS, 3*s.* 6*d.* and 5*s.*
PLEROMA MARMORATA, 10*s.* 6*d.*
PLUMBAGO COCCINEA SUPERBA, 2*s.* 6*d.* & 3*s.* 6*d.*
ROSEA, 2*s.* 6*d.* and 3*s.* 6*d.*
also *vide* page 62.
POGOSTEMON PATCHOULI, 3*s.* 6*d.*
POINCIANA REGIA, 7*s.* 6*d.*
POINSETTIA PULCHERRIMA, 1*s.* 6*d.* and 2*s.* 6*d.*
PULCHERRIMA ALBA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— PLENISSIMA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— ROSEO-CARMINATA, 2*s.* 6*d.*
RAVENALA MADAGASCARIENSIS "The Traveller's Tree," 15*s.* and 1 guinea
REIDIA GLAUCESCENS, 3*s.* 6*d.* and 5*s.*
RHOPALA, of sorts, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
ROGIERA CORDATA (AMŒNA), 3*s.* 6*d.*
ORATISSIMA, *vide* page 62.
THYRSIFLORA, 5*s.*
RONDELETIA BREVIFOLIA, 3*s.* 6*d.*
BRILLIANTISSIMA, 5*s.*
SPECIOSA MAJOR, 3*s.* 6*d.*
SACCHARUM OFFICINARUM "Sugar Cane," 7*s.* 6*d.*
SAMYDA NOBILIS, 1 guinea
SANCHEZIA NOBILIS GLAUCOPHYLLA, 5*s.*
NOBILIS VARIEGATA, 3*s.* 6*d.*
SANSEVIERA GUINEENSIS, 7*s.* 6*d.*
ZEYLANICA (JAVANICA), 3*s.* 6*d.*
SAXO-FRIDERICIA SUBCORDATA, 3 guineas
PORTLANDIA GRANDIFLORA, 7*s.* 6*d.*
POSOQUERIA MULTIFLORA, 7*s.* 6*d.*
POTHOS ARGENTEUS, *vide* page 11.
AROYREIA, 2*s.* 6*d.* and 3*s.* 6*d.*
AUREUS, 3*s.* 6*d.* and 5*s.*
CELATOCAULIS, 5*s.*
FLEXUOSUS, *vide* page 48.
MACROPHYLLUS, 3*s.* 6*d.*
NITENS, *vide* page 11.
PSIDIUM CATTLEYANUM (The Guava), 5*s.* & 7*s.* 6*d.*
PUYA MAIDIFOLIA, 5*s.*
SULPHUREA, 7*s.* 6*d.*
UNDULATA, 7*s.* 6*d.*
RONNBERGIA COLOMBIANA, 1 guinea
MORRENIANA, 1 guinea
ROSCOEA PURPUREA, 10*s.* 6*d.*
RUBUS FLEXUOSUS, 5*s.*
RUDGEA MACROPHYLLA, 10*s.* 6*d.* and 15*s.*
RUELLIA ACUTANOULA, 5*s.*
PORTELLÆ, 5*s.*
ROSEA, 3*s.* 6*d.*
SOLITARIA, 5*s.*
RUSSELIA JUNCEA, 5*s.*
SCHISMATOGLOTTIS CRISPATA, 5*s.*
DECORA, 5*s.*
LATIFOLIA, 5*s.*
LAVALLEI, 5*s.*
LONGISPATHA, 5*s.*
SIAMENSIS, 10*s.* 6*d.*
VARIEGATA, 3*s.* 6*d.*
SCHISTOCASIA PORTEI, *vide* Alocasia Portei

SCINDAPSUS ARGYRÆUS.

A creeping-stemmed Arad, the stems fixing themselves by rooting as they advance in growth. The leaves are glabrous, the juvenile ones ovate acuminate, very silvery and glossy on the surface; the older and more mature leaves are pinnatifid, and become silvery on the surface like the younger ones. It has been imported from the East Indies. 10*s.* 6*d.*

SCIADOCALYX LUCIANA. 3*s.* 6*d.*
SCINDAPSUS, *vide* POTHOS
SCUTELLARIA MOCINIANA, 2*s.* 6*d.* and 3*s.* 6*d.*
SERICOGRAPHIS GHIESBREGHTIANA, 2*s.* 6*d.*
SINNINGIA PUNCTATA, 3*s.* 6*d.*
PURPUREA NIGRA, 3*s.* 6*d.*
SIPHOCAMPYLUS HUMBOLDTIANUS (FULGENS), 5*s.*
SMILAX AURICULATA, *vide* page 66.

SMILAX DISCOLOR.

A bold growing semi-scandent species, introduced from South America. The leaves are of a rich green colour irregularly blotched in a young state with patches of purplish-brown varying much in size and form; they are five-nerved, the three central ones being very strongly marked, and the two exterior ones less distinctly developed. It is a bright cheerful clean-looking plant, desirable on account of the ornamental character of its blotched foliage. 10*s.* 6*d.*

SMILAX LONGIFOLIA VARIEGATA, 5*s.*
SHUTTLEWORTHII, 7*s.* 6*d.*
SOLANDRA GRANDIFLORA, 5*s.*
SONERILA HENDERSONI, 3*s.* 6*d.* and 5*s.*
HENDERSONI AUREOTEA, 3*s.* 6*d.* and 5*s.*
—— MARMORATA, 3*s.* 6*d.* and 5*s.*
—— PICTURATA, 5*s.*
—— SPECIOSA, 5*s.*
MARGARITACEA ALBA, 3*s.* 6*d.* and 5*s.*
—— SUPERBA, 3*s.* 6*d.* and 5*s.*
SPATHIPHYLLUM PICTUM, 5*s.*
SPATHODEA CAMPANULATA, 7*s.* 6*d.*
SPHÆROGYNE LATIFOLIA, 5*s.*
SPHÆROSTEMA MARMORATUM, 3*s.* 6*d.* and 5*s.*
STADMANNIA AMABILIS, 10*s.* 6*d.*
JONGHEI, 10*s.* 6*d.*
STENOSPERMATIUM WALLISII, 5*s.*
STEPHANOPHYSUM LONGIFOLIUM, 5*s.*
STEPHANOTIS FLORIBUNDA, 3*s.* 6*d.*
FLORIBUNDA, "Elvaston" variety, 3*s.* 6*d.* & 5*s.*
STEUDNERA COLOCASIÆFOLIA, 5*s.*
DISCOLOR, 10*s.* 6*d.*
STIGMAPHYLLUM CILIATUM, 5*s.*
STRELITZIA AUGUSTA, 15*s.*
NICOLAI, 2 guineas
REGINÆ, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
STREPTOCARPUS POLYANTHUS, 2*s.* 6*d.*
REXII, 2*s.* 6*d.* and 3*s.* 6*d.*

SYNGONIUM ALBO-LINEATUM, 3*s.* 6*d.*
WENDLANDII, 3*s.* 6*d.*
TABERNÆMONTANA CAMASSA, 3*s.* 6*d.*
CORONARIA FLORE PLENO, 3*s.* 6*d.*
WALLICHIANA, 10*s.* 6*d.*
TACCARUM WARMINOIANUM, 1 guinea
TACSONIA BUCHANANI (VITIFOLIA), 3*s.* 6*d.* & 5*s.*
TAPEINOTIS CAROLINÆ, 3*s.* 6*d.*
CAROLINÆ MAJOR, 5*s.*
TERMINALIA ELEGANS, 7*s.* 6*d.*

TECOMA AMBOINENSIS.

This handsome free-flowering stove climber has been introduced from the Island of Amboina. Its leaves are impari-pinnate with the leaflets generally in pairs, acuminate. The flowers are produced in racemes from the axils of the leaves, the orange-red corolla tube being from three to four inches long. 15*s.*

THEOBROMA CACAO (Cocoa), 10*s.* 6*d.*
THROPHRASTA IMPERIALIS, *vide* Chrysophyllum imperiale
THUNBERGIA FRAGRANS, 3*s.* 6*d.*
GRANDIFLORA, 3*s.* 6*d.*
THUNBERGIA HARRISII (LAURIFOLIA), 3*s.* 6*d.*
THYRSACANTHUS RUTILANS, 2*s.* 6*d.* and 3*s.* 6*d.*
TILLANDSIA ACAULIS ZEBRINA, *vide* Cryptanthus
BIVITTATA, *vide* Cryptanthus
(CARAGUATA) CARDINALIS, 2 guineas

TILLANDSIA HIEROGLYPHICA.

A beautiful Bromeliaceous plant, with very attractive foliage. The leaves are recurved, and at first sight have the appearance of being hieroglyphical inscriptions. The markings are of a pale green colour, traversed transversely by distinct irregular bands of deeper green, repeated on the under surface of a deep chocolate-purple colour. 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

TILLANDSIA LINDENIANA VERA.

One of the most beautiful of the Bromeliads; a native of Ecuador, of dwarf compact growth, with recurved olive-green leaves. The flower scape bears an ovate flattened spike of a bright rosy hue, from the bracts of which issue in succession the beautiful lilac-blue flowers; the contrast of which with the rose-coloured scape presents a most charming appearance. 15*s.* & 1 guinea.

TILLANDSIA (CARAGUATA) MUSAICA, 1½, 2 and 3 guineas
(CARAGUATA) SANGUINEA
TESSELATA, 10*s.* 6*d.*
(CARAGUATA) ZAHNII, 3*s.* 6*d.* and 5*s.*
TORENIA ASIATICA, 1*s.* 6*d.* and 2*s.* 6*d.*
PULCHERRIMA, 1*s.* 6*d.* and 2*s.* 6*d.*
URCEOLINA AUREA, 3*s.* 6*d.* and 5*s.*
UROSKINNERA SPECTABILIS, 3*s.* 6*d.*
UTRICULARIA MONTANA, 7*s.* 6*d.* and 10*s.* 6*d.*
VANILLA AROMATICA, 7*s.* 6*d.* and 10*s.* 6*d.*
PLANIFOLIA, 7*s.* 6*d.* and 10*s.* 6*d.*
VINCA ALBA, 2*s.* 6*d.* and 3*s.* 6*d.*
ALBA OCULATA, 2*s.* 6*d.* and 3*s.* 6*d.*
ROSEA, 2*s.* 6*d.* and 3*s.* 6*d.*
VITIS CHONTALENSIS, 5*s.*
TOXICOPHLÆA (ACOCANTHERA) SPECTABILIS, 3*s.* 6*d.*
THUNBERGII, 5*s.*
TRADESCANTIA, *vide* Cyanotis
TREVESIA EMINENS, 10*s.* 6*d.*
TYDÆA, *vide* Index
VRIESIA BRACHYSTACHYA, 7*s.* 6*d.*
FALKENBERGII, 1 guinea
FENESTRALIS, 7*s.* 6*d.*
SPLENDENS (SPECIOSA), 3*s.* 6*d.* and 5*s.*
WORMIA BURBIDGEI, 7*s.* 6*d.*
XYLOPHYLLA ANGUSTIFOLIA, 5*s.*
INTERMEDIA, 5*s.*
ZAMIA, *vide* Index
ZINGIBER OFFICINALE, 3*s.* 6*d.*
ZERUMBET, 3*s.* 6*d.*

NEW, RARE, AND DESIRABLE GREENHOUSE PLANTS.

ABELIA FLORIBUNDA, 2*s.* 6*d.*
ABUTILONS, *vide* page 70
ACACIA ARMATA, 1*s.* 6*d.*
DEALBATA, 2*s.* 6*d.* and 3*s.* 6*d.*
DRUMMONDII, 2*s.* 6*d.* and 3*s.* 6*d.*
GRANDIS, 3*s.* 6*d.*
LONGIFOLIA MAGNIFICA, 3*s.* 6*d.*
LOPHANTHA, *vide* ALBIZZIA
ORNITHOPHORA, 3*s.* 6*d.*
ACACIA PLATYPTERA, 3*s.* 6*d.*
PUBESCENS, 3*s.* 6*d.* and 5*s.*
RICEANA, 2*s.* 6*d.* and 3*s.* 6*d.*
SPHÆROCEPHALA, *vide* page 14.
TENUIFOLIA, 5*s.*
VERTICILLATA, 2*s.* 6*d.*
of sorts, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
ACANTHOPANAX QUINQUEFOLIUS VARIEGATUS, 5*s.*
ACROPHYLLUM VENOSUM, 5*s.* and 7*s.* 6*d.*

ACMENA OVATA.

A neat evergreen plant, belonging to the Myrtaceous order. The stems are clothed with opposite leaves on dark purple petioles, the leaves being of an ovate form. The young foliage is of a purplish red colour, and gives the plant a striking appearance while the new growth is in course of development. 5*s.*

ADENANDRA FRAGRANS, 2*s.* 6*d.* and 3*s.* 6*d.*
AGAPANTHUS UMBELLATUS, 1*s.* 6*d.*
AGAPANTHUS UMBELLATUS ALBUS, *vide* A. umbellatus candidus

ASPARAGUS PLUMOSUS NANUS

An exceedingly graceful evergreen plant, very useful for all kinds of decorations, and from its exquisite beauty, particularly well adapted for furnishing cut sprays for intermixing with flowers; it is also charmingly elegant when grown in pots as a table plant. 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

AGAPANTHUS UMBELLATUS CANDIDUS.

A variety with pure white flowers, extremely useful for bouquets, and very suitable for most decorative purposes; it makes an excellent companion to the blue kinds. 3*s*. 6*d*.

AGAPANTHUS UMBELLATUS MAXIMUS, 3*s*. 6*d*.
UMBELLATUS FOLIIS VARIEGATIS, 2*s*. 6*d*. & 3*s*. 6*d*.
—— MINOR, 3*s*. 6*d*.
AGAVE AMERICANA LONGIFOLIA VARIEGATA, 5*s*.
AMERICANA MEDIO-PICTA, 10*s*. 6*d*.
—— VARIEGATA, 2*s*. 6*d*. and 3*s*. 6*d*.
BULBOSA, *vide* Fourcroya
CELSIANA, 3*s*. 6*d*. and 5*s*.
DESERTI, 5*s*.
FILIFERA, 15*s*. and 1 guinea.
SEEMANNI, 1 guinea.
SHAWII, 3*s*. 6*d*. and 5*s*.
AGNOSTUS, *vide* Stenocarpus
ALBIZZIA (ACACIA) LOPHANTHA, 1*s*. 6*d*.
ALLAMANDA, *vide* page 14
ALOE FEROX, 3*s*. 6*d*. and 5*s*.
ALOYSIA CITRIODORA (LEMON-SCENTED VERBENA), 1*s*.
AMARYLLIS, *vide* pages 14 and 16
AMORPHOPHALLUS (PROTEINOPHALLUS) RIVIERI, 2*s*. 6*d*. and 3*s*. 6*d*.
ANIGOZANTHUS FLAVIDUS, 5*s*.
ANOPTERUS GLANDULOSA, 5*s*. and 7*s*. 6*d*.
ANTHERICUM VARIEGATUM, *vide* Phalangium argenteo-lineare
AOTUS GRACILLIMA, 2*s*. 6*d*. and 3*s*. 6*d*.
APHELEXIS HUMILIS, 2*s*. 6*d*. and 3*s*. 6*d*.
MACRANTHA PURPUREA, 2*s*. 6*d*. and 3*s*. 6*d*.
—— ROSEA, 2*s*. 6*d*. and 3*s*. 6*d*.
RUPESTRIS GRANDIFLORA, 2*s*. 6*d*. and 3*s*. 6*d*.
ARALIA JAPONICA (SIEBOLDII), *vide* Fatsia japonica
PAPYRIFERA, 3*s*. 6*d*.
ARAUCARIA BIDWILLII, 5*s*. and 7*s*. 6*d*.
BRASILIENSE, 2*s*. 6*d*. and 3*s*. 6*d*.
COOKII, 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.
CUNNINGHAMII, 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.

ARAUCARIA EXCELSA.

Mr. W. B. has lately imported a fine lot of this handsome conservatory plant. 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*. Specimens 1, 1½ and 2 guineas and upwards.

ARAUCARIA EXCELSA ALBO-SPICA, 5*s*. and 7*s*. 6*d*.
ARDUINA GRANDIFLORA, 7*s*. 6*d*.
ARISÆMA FIMBRIATUM, *vide* page 19
ARUNDO DONAX VARIEGATA, 3*s*. 6*d*. and 5*s*.
ASPARAGUS DECUMBENS, 3*s*. 6*d*. and 5*s*.
FALCATUS, 7*s*. 6*d*.

ASPARAGUS PLUMOSUS.

An elegant evergreen climber, from South Africa, with slender smooth stems, and numerous spreading branches; the hermaphrodite white flowers are produced from the tip of the branchlets. It is an exceedingly handsome ornamental plant for the greenhouse or conservatory, and its pretty feathery growths are extremely useful for cutting for decoration. 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.

ASPARAGUS PLUMOSUS NANUS, *vide* page 51
ASPARAGUS TENUISSIMUS, 2*s*. 6*d*. and 3*s*. 6*d*.

ASPARAGUS VIRGATUS.

This remarkably elegant feathery-looking plant of frutticose habit has been recently introduced from the Cape of Good Hope. The stems bear at the upper end a corymbose head of erect branches, of which the lowest is the youngest or most recently developed. 3*s*. 6*d*. and 5*s*.

AZALEA BALSAMINÆFLORA, *vide* page 53
AZALEAS, new hybrids, *vide* page 12

AZALEA INDICA.

The great value of Indian Azaleas for decorative purposes can hardly be over-estimated. The varieties of this effective plant can be had in blossom for four months of the year; well selected plants affording such a magnificent display of colour and wealth of bloom, that the low price at which beautiful kinds are now offered, should ensure a place for them in every greenhouse and conservatory.

Good selections can be made by Mr. W. B. at 30*s*., 42*s* and 60*s*. per dozen.
New varieties, 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*. each.

BAMBUSA, *vide* page 71
BEGONIA, *vide* Index
BERBERIDOPSIS CORALLINA, 5*s*. 6*d*.
BIGNONIA CHERERE, 3*s*. 6*d*. and 5*s*.
EXCELSA, 7*s*. 6*d*. and 10*s*. 6*d*.
GRANDIFLORA, 2*s*. 6*d*. and 3*s*. 6*d*.
JASMINOIDES, 2*s*. 6*d*.
—— ALBA MAGNA, 2*s*. 6*d*. to 5*s*.
BIGNONIA JASMINOIDES SPLENDIDA, 2*s*. 6*d*. to 5*s*.
VENUSTA, 3*s*. 6*d*. and 5*s*.
vide also page 19
BLANDFORDIA AUREA, 10*s*. 6*d*.
FLAMMEA, 10*s*. 6*d*.
NOBILIS, 5*s*. and 7*s*. 6*d*.
PRINCEPS, *vide* page 54

BLANDFORDIA CUNNINGHAMII.

The late Dr. Lindley, in describing the previously known species of this genus, thus refers to *Blandfordia Cunninghamii*:—"None of them are to be compared for beauty with the plant of which the late Allan Cunningham gave me a specimen, the flowers of which are fully twice as large as *B. marginata (grandiflora)*." The flowers are of a deep rich red tint, except at the end of the petals, where they are yellow. 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.



AZALEA BALSAMINÆFLORA.

AZALEA BALSAMINÆFLORA.

Syn :—A. ROSÆFLORA, A. ROLLISONII.

This distinct species has been imported from Japan. In general character it is quite unique; its flowers are bright salmony red, beautifully double, rosette-like, and regularly imbricated, similar to those of a Camellia-flowered Balsam. Being very double, it lasts in perfection a long time, and is invaluable for bouquets as well as for general decoration. 7*s.* 6*d.* and 10*s.* 6*d.* Small Plants, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

BLANDFORDIA PRINCEPS.

A very handsome greenhouse perennial. The scape is a foot high, bearing a corymb of many flowers, which are 2½ inches long, pendent, regularly funnel-shaped, with a bright crimson tube and deep golden yellow limb. It must be regarded as the most beautiful of the *Blandfordias* yet known. It has been figured in the *Botanical Magazine*, tab. 6209. 2 and 3 guineas.

BOMAREA KALBREYERI.

A new and beautiful species, introduced from South America. The flowers which are borne in terminal umbels, are of an orange-yellow colour, the exterior sepals being bright red. 1 guinea.

BOMAREA CARDERI, 10*s.* 6*d.* and 15*s.*
WILLIAMSÆ, 10*s.* 6*d.* and 15*s.*
BORONIA DRUMMONDII, 2*s.* 6*d.* and 3*s.* 6*d.*
MEGASTIOMA, 3*s.* 6*d.* and 5*s.*
BORONIA SERRULATA, 2*s.* 6*d.* and 3*s.* 6*d.*
BOUVARDIAS, *vide* Index
BOWIEA VOLUBILIS, 3*s.* 6*d.*
BRACHYSEMA ACUMINATUM, 2*s.* 6*d.* and 3*s.* 6*d.*

BRACHYCHITON ACERIFOLIUM.

A tree of highly ornamental appearance. From the exceeding brilliancy of its rich red flowers it is called the Flame Tree. It might also be also called the New South Wales "Lace Bark Tree," the bast furnished by this tree being of the most beautiful lace-like texture, and is considered superior to Cuba Bast; the fibre is suitable for the manufacture of ropes, cordage, mats, &c. 7*s.* 6*d.*

BRUGMANSIA ARBOREA, 3*s.* 6*d.*
KNIGHTII (flore pleno), 3*s.* 6*d.*
SANGUINEA, 3*s.* 6*d.* and 5*s.*
SUAVEOLENS, 3*s.* 6*d.*
BUPHANE (BRUNSVIGIA) TOXICARIA, 5*s.*
CALLA ÆTHIOPICA, *vide* Richardia africana
CALLICARPA PURPUREA, 3*s.* 6*d.*
CALODENDRON CAPENSE (The Cape Chestnut), 5*s.*
CAMPANULA VIDALII, 2*s.* 6*d.*

CAMELLIAS.

Good selections can be made by Mr. WILLIAM BULL, at 2, 3, 4 and 6 guineas per dozen. New varieties, 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* each.

CAMPHORA OFFICINALIS, 5*s.*
CAMPSIDIUM FILICIFOLIUM, *vide* page 21.
CANARINA CAMPANULATA, 1*s.* 6*d.*
CANTUA BICOLOR, 3*s.* 6*d.*
CANTUA CORYMBIFLORA, 3*s.* 6*d.*
DEPENDENS, 3*s.* 6*d.*
CARNATIONS, Tree, of sorts, 30*s.* and 42*s.* per dozen.

CASTANOSPERMUM AUSTRALE.

This interesting plant, a native of Australia, is known as the Moreton Bay Chestnut. 5*s.*

CEPHALOTUS FOLLICULARIS, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 1 guinea.
CEREUS C. M. HOVEY, 5*s.*
GRANDIFLORUS (night-blooming), 3*s.* 6*d.* & 5*s.*
SPECIOSISSIMUS, 2*s.* 6*d.* and 3*s.* 6*d.*
CESTRUM AURANTIACUM, 2*s.* 6*d.* and 3*s.* 6*d.*
CHLIDANTHUS FRAGRANS, 1*s.*
CHOROZEMA CORDATUM SPLENDENS, 2*s.* 6*d.* & 3*s.* 6*d.*
HENCHMANNI, 3*s.* 6*d.* and 5*s.*
CHOROZEMA LAWRENCEANUM, 2*s.* 6*d.* and 3*s.* 6*d.*
VARIUM CHANDLERI, 2*s.* 6*d.* and 3*s.* 6*d.*
CHRYSANTHEMUM FRUTESCENS, *vide* Index
CISSUS ANTARCTICA, 2*s.* 6*d.* and 3*s.* 6*d.*
CAPENSIS, 3*s.* 6*d.*
RHOMBEA, 3*s.* 6*d.*
CITRUS JAPONICA, 5*s.*
CLEMATIS INDIVISA, 3*s.* 6*d.* and 5*s.*
of sorts, *vide* page 71

CLEYERA JAPONICA TRICOLOR.

A handsome variegated plant from Japan. The leaves are leathery in texture, obovate in form, of a dark green colour, with longitudinal and oblique bands of greyish green, the margin creamy white, tinged with bright rose colour, which is very conspicuous in the younger foliage. The five-petalled flowers are yellowish white. 10*s.* 6*d.*

CLERODENDRON, *vide* page 21.
CLIANTHUS PUNICEUS, 3*s.* 6*d.*
PUNICEUS MAGNIFICUS, 3*s.* 6*d.*
CLIVIA NOBILIS, 5*s.* and 7*s.* 6*d.*
COBÆA SCANDENS VARIEGATA, 2*s.* 6*d.* and 3*s.* 6*d.*
COLEUS, *vide* Index
COPROSMA BAUERIANA PICTURATA, 3*s.* 6*d.*
BAUERIANA VARIEGATA, 1*s.* 6*d.* and 2*s.* 6*d.*
CORREAS, of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*
CRASSULA EBERLEANA, 3*s.* 6*d.*

CRINUM AUSTRALE.

This bears the name of Botany Bay Lily, and is an ornamental bulbous plant, requiring greenhouse temperature. The flowers are very fragrant, and from ten to fifteen in an umbel, each consisting of a long slender tube, and a spreading or recurved limb of six white segments. 5*s.*

CRINUM, MOOREI, 7*s.* 6*d.*
POWELLII, *vide* page 72.
RIPARIUM, 3*s.* 6*d.*
CRINUM, *vide* also pages 21, 23 and 72.
CROWEA STRICTA, 3*s.* 6*d.* and 5*s.*
CYCADS, *vide* Index

CYCAS REVOLUTA.

This exceedingly handsome decorative plant can be supplied in various sizes; small plants of it are pretty, but large specimens are extremely ornamental and well adapted for decorating either greenhouses or conservatories. It is known as the Chinese Sago Plant. 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 1 guinea; fine specimens, 3, 4 and 5 guineas each.



DEYEUXIA ELEGANS VARIEGATA.

A very elegant variegated greenhouse plant, introduced from New South Wales. It has a thick rootstock, from which spring numerous leaves, a foot to a foot and a half in length, and about a quarter of an inch in breadth, the colour a deep bright green, with a broad clear edge of creamy yellow. This has been often shown in Mr. W. B's. winning collections of New Plants. *5s.*

CYCLAMEN PERSICUM.

Too much can scarcely be said in favour of the superb varieties of this plant, of which the old *C. persicum* is the type, whether they are regarded as objects for the ornamentation of the greenhouse or conservatory, or for table decoration, for which their compact floriferous character eminently fits them. The flowers are also extremely useful for bouquets, and when plucked, if kept in water, they will last in freshness and beauty for some weeks. Plants full of buds and flowers can be supplied during the winter season, and are then charmingly pretty. 18*s*., 30*s*. and 42*s*. per dozen.

CYCLAMEN PERSICUM ALBUM, 2*s*. 6*d*. and 3*s*. 6*d*.
PERSICUM RUBRUM, 2*s*. 6*d*. and 3*s*. 6*d*.
—— GRANDIFLORUM, 3*s*. 6*d*. and 5*s*.
—— of various choice sorts, 3*s*. 6*d*. and 5*s*.
CYRTANTHUS MACKENII, 2*s*. 6*d*.
OBLIQUUS, 5*s*.
CYTISUS FILIPES, 3*s*. 6*d*. and 5*s*.
RACEMOSUS, 1*s*. and 1*s*. 6*d*.
—— EVERESTIANUS, 3*s*. 6*d*.
DAHLIA IMPERIALIS, 3*s*. 6*d*.
IMPERIALIS ROSEA, 3*s*. 6*d*.
of sorts, *vide* Bedding Plants

DAIS COTINIFOLIA.

A pretty deciduous greenhouse shrub, native of South Africa. It has acute leaves, and broadish heads of flowers, which consist of a reddish four-leaved involucre outside, and numerous rosy lilac calyces, which have a slender tube about an inch long, and a spreading limb of five segments. 5*s*.

DAPHNE INDICA ALBA, 3*s*. 6*d*. and 5*s*.
INDICA RUBRA, 3*s*. 6*d*. and 5*s*.
PAPYRACEA, 5*s*.
DARLINGTONIA CALIFORNICA, 10*s*. 6*d*. and 15*s*.
DARWINIA, *vide* Genetyllis
DASYLIRION LONGIFOLIUM, 5*s*.
DESFONTAINEA SPINOSA, 2*s*. 6*d*. and 3*s*. 6*d*.
DEYEUXIA ELEOANS VARIEGATA, *vide* page 56.

DIANELLA INTERMEDIA.

A free-growing plant, inhabiting the northern and middle Islands of New Zealand. It has linear-ensiform leaves, and much branched panicles, ten to eighteen inches long, bearing numerous whitish flowers, which are succeeded by bunches of pretty dark blue berries. 5*s*. and 7*s*. 6*d*.

DIONÆA MUSCIPULA

(THE FLY-TRAP PLANT, OR VENUS' FLY-TRAP.)

One of the most wonderful illustrations of vegetable structure and design known among plants, the formation of its leaf organs being singularly adapted for entrapping insects. 2*s*. 6*d*. and 3*s*. 6*d*.

DORYANTHES EXCELSA, 10*s*. 6*d*.
DORYANTHES PALMERI, 3*s*. 6*d*. and 5*s*.

DRACÆNA AUSTRALIS.

This handsome ornamental plant is exceedingly useful for the decoration of the greenhouse or conservatory, where its effective habit always imparts a tropical aspect to the house. It is also well adapted for the purposes of sub-tropical gardening, either in groups or as single specimens, its graceful mode of growth being very effective. 3*s*. 6*d*. to 10*s*. 6*d*.; fine plants, 15*s*., 1, 1½ & 2 guineas.

DRACÆNA AUSTRALIS LINEATA.

An exceedingly handsome and ornamental plant, with fine broad foliage, gracefully recurving. It is strikingly effective for conservatory and greenhouse decoration. 10*s*. 6*d*., 15*s*. and 1 guinea.

DRACÆNA AUSTRALIS VEITCHII, 7*s*. 6*d*., 10*s*. 6*d*., 15*s*. and 1 guinea.
ARBOREA, 3*s*. 6*d*. and 5*s*.
MADAGASCARIENSIS, 5*s*. and 7*s*. 6*d*.
DRACOPHYLLUM GRACILE, 3*s*. 6*d*. and 5*s*.
DROSERA CAPENSIS, 7*s*. 6*d*.
DICHOTOMA, 5*s*.
DROSERA DICHOTOMA RUBRA, 1 guinea
SPATHULATA, 5*s*.
ECHEVERIA, of sorts, *vide* Index
ELÆOCARPUS RETICULATUS (DENTATUS), 5*s*. and 7*s*. 6*d*.
ENCEPHALARTOS, of sorts, *vide* Index.

EPACRIS ONOSMÆFLORA FLORE-PLENO ALBA.

A most beautiful flowering plant from Australia, producing pretty double blush-white blossoms; with the interior not quite covering up the original corolla lobes, which causes them to look like guard petals surrounding the inner petals. The plant is a charming acquisition, and was awarded a First Class Certificate by the Royal Horticultural Society. 10*s*. 6*d*., 15*s*. and 1 guinea.

EPACRIS ONOSMÆFLORA FLORE-PLENO NIVALIS, *vide* page 58.
of sorts, 18*s*., 30*s*. and 42*s*. per dozen.
EPIPHYLLUM, *vide* page 32.
ERICAS, of sorts, 18*s*., 30*s*. and 42*s*. per doz.
ERIOSTEMON BUXIFOLIUS, 3*s*. 6*d*. and 5*s*.
ERIOSTEMON INTERMEDIUS, 3*s*. 6*d*. and 5*s*.
NERIIFOLIUS, 3*s*. 6*d*.
PULCHELLUS, 3*s*. 6*d*. and 5*s*.
SCABER, 3*s*. 6*d*. and 5*s*.
ERYNGIUM EBRACTEATUM, 10*s*. 6*d*.
ERYTHRINA, of sorts, 2*s*. 6*d*. and 3*s*. 6*d*.
COMPACTA, 5*s*.

EPACRIS ONOSMÆFLORA FLORE-PLENO NIVALIS.

This exceedingly desirable and attractive plant is a native of Australia. The flowers have a tubular base ending in the five usual acute corolla lobes, while the interior organs are transformed into a rosette of white petals, forming a fine rosette-shaped flower. These flowers are pure white and very beautiful, the spikes being often as much as a foot long. It has received a First Class Certificate from the Royal Botanic Society. 10*s.* 6*d.*, 15*s.* and 1 guinea.

EUCALYPTUS CITRIODORA.

The pleasant fragrance of the foliage of this plant renders it a desirable acquisition. The strong lemon-scent, which is emitted when the leaves are gently rubbed, is equally powerful and agreeable with that of the lemon-scented Verbena (*Aloysia citriodora*). The plant is of slender habit, with oblong leaves, clothed with glandular hairs, which give off the powerful and grateful odour above referred to. It is a native of Australia. 3*s.* 6*d.*

EUCALYPTUS FICIFOLIA.

This beautiful new crimson-flowered Eucalyptus is not a large-growing species like most others of the family, but is of quick growth, and plants of it are soon covered with its magnificent trusses of crimson-coloured flowers; its leaves yield an essential oil which has proved a valuable febrifuge. 5*s.*

EUCALYPTUS AMYGDALINA (Peppermint Gum), 3*s.* 6*d.*
COCCIFERA, 3*s.* 6*d.*
CORDATA, 3*s.* 6*d.*
CORIACEA, 3*s.* 6*d.*
GLOBULUS (Blue Gum), 3*s.* 6*d.*
HETEROPHYLLA, 5*s.*
MARGINATA, 3*s.* 6*d.*
OBLIQUA, 5*s.*
URNIGERA, 3*s.* 6*d.*
FATSIA (ARALIA) JAPONICA, 2*s.* 6*d.* and 3*s.* 6*d.*
(ARALIA) JAPONICA VARIEGATA, 3*s.* 6*d.* and 5*s.*
FERNS, *vide* Index
FICUS AUSTRALIS, 3*s.* 6*d.*
ELASTICA, *vide* page 35.
—— VARIEGATA, *vide* page 33.
MACROPHYLLA, 5*s.*
MINIMA, 1*s.* 6*d.* and 2*s.* 6*d.*
GASTRONEMA SANGUINEUM FLAMMEUM, 5*s.*
GENETYLLIS (HEDAROMA) FUCHSIOIDES, 5*s.* and 7*s.* 6*d.*
TULIPIFERA, 5*s.* and 7*s.* 6*d.*
HABROTHAMNUS AURLETII, 2*s.* 6*d.* and 3*s.* 6*d.*
AURANTIACUS, 2*s.* 6*d.* and 3*s.* 6*d.*
EUGENIA AUSTRALIS, 3*s.* 6*d.* and 5*s.*
UGNI, 1*s.* 6*d.* and 2*s.* 6*d.*
Vide also page 32
EUPATORIUM BERLANDIERI (ORACILE ODORATUM), 1*s.* 6*d.*
RIPARIUM, 2*s.* 6*d.* and 3*s.* 6*d.*
EURYA LATIFOLIA VARIEGATA, 2*s.* 6*d.* and 3*s.* 6*d.*
EURYCLES, *vide* page 32 and 33.
EUTAXIA FLORIBUNDA, 3*s.* 6*d.*
FICUS RHODODENDRIFOLIA, 3*s.* 6*d.*
STIPULATA (REPENS), 1*s.* 6*d.* and 2*s.* 6*d.*
FOURCROYA (AGAVE) BEDDINGHAUSEI, 5*s.*
BULBOSA, 5*s.*
FREESIA HYBRIDA, LEICHTLINII, REFRACTA ALBA, PURPUREA — These can be supplied by the dozen or hundred, in dormant bulbs, at the proper season.
FUCHSIAS, *vide* Index
GONOLOBUS CUNDURANGO, 10*s.* 6*d.*
GREVILLEA PREISSII, 7*s.* 6*d.*
ROBUSTA, 2*s.* 6*d.* and 3*s.* 6*d.*
GREYIA SUTHERLANDI, 3*s.* 6*d.* and 5*s.*
HABROTHAMNUS ELEGANS, 2*s.* 6*d.* and 3*s.* 6*d.* of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*

HABROTHAMNUS NEWELII.

A very ornamental plant of free growth, with neat smooth foliage, freely producing dense terminal clusters of fine large flowers of a bright crimson colour. It will be found extremely useful and effective as a conservatory climber. 2*s.* 6*d.* and 3*s.* 6*d.*

HÆMANTHUS ALBIFLOS, 2*s.* 6*d.* and 3*s.* 6*d.*
PUNICEUS, 2*s.* 6*d.* and 3*s.* 6*d.*
TIGRINUS, 2*s.* 6*d.*
Vide also page 35.
HARDENBERGIA MONOPHYLLA, 2*s.* 6*d.*
MONOPHYLLA VARIEGATA, 3*s.* 6*d.*
HEDAROMA, *vide* Genetyllis.
HELIOTROPIUM INCANUM, *vide* Index.

HIBISCUS CHRYSANTHUS.

A free-growing shrubby plant introduced from Natal. It has hairy stems and roundish subtrilobate pale green serrated leaves. The flowers are of large size, campanulate, with broad obovate petals, yellow with a purple-crimson spot at the base, forming a dark-coloured eye. This, from its large-sized golden flowers and free habit, will prove a plant of very ornamental character. 5*s.*

HIBISCUS PEDUNCULATUS.

A very pretty Hibiscus of erect branched habit, the stems hairy and the leaves three-lobed, with toothed margins. The campanulate flowers are showy, the petals blush or rose coloured, with an involucel of about eight linear segments. It has been imported from Natal. 5*s.*

HYDRANGEA HORTENSIS FOL. MARGINATA, 3*s.* 6*d.*
HORTENSIS AUREO-VARIEGATA, 2*s.* 6*d.* & 3*s.* 6*d.*
—— CYANOCLADA, 1*s.* 6*d.* and 2*s.* 6*d.*
—— THOMAS HOGG, 1*s.* 6*d.* and 2*s.* 6*d.*
JAPONICA ELEGANTISSIMA, 1*s.* 6*d.*
—— FOLIIS TRICOLORIBUS, 3*s.* 6*d.* and 5*s.*
—— MACROCEPHALA, 2*s.* 6*d.*
HYDRANGEA JAPONICA ROSALBA, 2*s.* 6*d.* & 3*s.* 6*d.*
JAPONICA SPECIOSA, 3*s.* 6*d.* and 5*s.*
MADAME VON SIEBOLD, 3*s.* 6*d.* and 5*s.*
OTAKSA, 1*s.* 6*d.* and 2*s.* 6*d.*
STELLATA PROLIFERA, 3*s.* 6*d.*
VOLUBILIS, (SCANDENS) *vide* page 72
IMANTOPHYLLUM CYRTANTHIFLORUM, 5*s.* & 7*s.* 6*d.*

IMANTOPHYLLUM MINIATUM.

A most effective and beautiful plant, producing broad corymbs of large deep salmon-coloured erect blossoms, relieved by a lighter centre; it blooms during the winter and spring months. 3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*; fine plants, 1 and 1½ guinea.

IMANTOPHYLLUM MINIATUM GRANDIFLORUM, 2 guineas
MINIATUM HYBRIDUM, 15*s.*
—— IMPERIALE, 3 guineas
—— INSIGNIS, 2 guineas
—— MADAME VAN HOUTTE, 1½ guinea
—— MARIE REIMERS, 2 and 3 guineas
—— MARIE VAN HOUTTE, 1½ guinea
—— PRINCEPS, 2 guineas
—— SPECIOSUM, 1½ guinea
—— SUPERBUM, 1 and 1½ guinea

INDIGOFERA DECORA, 5*s.*
IRIS ROBINSONIANA, 1*s.* 6*d.*
ISMENE UNDULATA, 1*s.*
JASMINUM ANGULARE, 5*s.*
GRANDIFLORUM, 3*s.* 6*d.*
ODORATISSIMUM, 2*s.* 6*d.* and 3*s.* 6*d.*
POITEAU, 3*s.* 6*d.*
JUSSIÆA MACROCARPA CILIATA, 5*s.*
JUNCUS ZEBRINUS, *vide* Scirpus, page 76
KENNEDYA MARRYATTÆ, 2*s.* 6*d.*
of sorts, 3*s.* 6*d.* and 5*s.*

KNIPHOFIA QUARTINIANA.

A handsome greenhouse or half-hardy perennial, introduced from Abyssinia. It has an erect simple spike of densely crowded flowers forming a pyramidate raceme terminating the flower scape. The flowers are pendulous and orange-coloured; the leaves are very much recurved. 5*s.*

LACHENALIA NELSONI, 2*s.* 6*d.*
of sorts, 1*s.* to 2*s.* 6*d.*

LAGERSTRŒMIA INDICA, 3*s.* 6*d.*
of sorts, 3*s.* 6*d.* and 5*s.*

LAPAGERIA ALBA.

This extremely beautiful climber produces numerous fine large bell-shaped pure white flowers. It is a neat-growing plant of free habit. 10*s.* 6*d.*, 15*s.* and 1 guinea; fine specimens, 2, 3 and 5 guineas and upwards.

LAPAGERIA ROSEA.

Various sizes of this well-known and extremely useful conservatory climber, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*; fine specimens, 1, 2 and 3 guineas and upwards.

LAPAGERIA ROSEA SUPERBA.

A magnificent variety, producing fine large flowers of an exceedingly rich and brilliant crimson colour; it is one of the most highly attractive of ornamental climbers for the greenhouse and conservatory. 10*s.* 6*d.*, 15*s.* and 1 guinea; fine specimens, 2, 3 and 5 guineas and upwards.

LASIANDRA MACRANTHA, 3*s.* 6*d.*

LASIANDRA MACRANTHA FLORIBUNDA, 5*s.* & 7*s.* 6*d.*

LATHYRUS SPLENDENS.

A splendid perennial climber, producing a profusion of large and gay scarlet-purple blossoms in clusters of from ten to twelve. The individual flowers are one and a half to two inches in size, the keel almost an inch long, and half as deep, with large banner-like petals. The plant is allied to the common Everlasting Pea, but the blossoms are larger and more abundant, and their colour is much brighter. It is a native of the Mountains of Lower California. 5*s.*

LAURUS CAMPHORA, 5*s.*
LAVATERA ARBOREA VARIEGATA, 1*s.* and 1*s.* 6*d.*
LEPTOSPERMUM SCOPARIUM (New Zealand Tea Plant), 3*s.* 6*d.*

LESCHENAULTIA BILOBA SPLENDENS (MAJOR), 3*s.* 6*d.* and 5*s.*
FORMOSA, 2*s.* 6*d.* and 3*s.* 6*d.*
LEUCOPOGON CUNNINGHAMII, 3*s.* 6*d.*

LIBERTIA GRANDIFLORA.

A very handsome herbaceous perennial from New Zealand, which proves to be nearly hardy, and an abundant flowerer. The plant is an evergreen, with tufts of distichous grassy leaves. The flower stems are 3 feet high, bearing spike-like panicles of showy pure white flowers, produced in succession for a month or six weeks. It is a very ornamental plant for the summer flower borders. 5*s.*

LIBONIA FLORIBUNDA, 1*s.* 6*d.* and 2*s.* 6*d.*
PENRHOSIENSIS, 1*s.* 6*d.* and 2*s.* 6*d.*

LILIUM, of sorts, *vide* pages 73 to 75
LINUM TRIGYNUM, *vide* REINWARDTIA

LITTONIA MODESTA.

A pretty Liliaceous plant of a genus allied to *Gloriosa;* it produces charming golden-yellow bell-shaped flowers, which are highly elegant and attractive. 3*s.* 6*d.*

LOMATIA FERRUGINEA, 5*s.* and 7*s.* 6*d.*

LUCULIA GRATISSIMA, 5*s.* and 7*s.* 6*d.*

MACKAYA BELLA.

This beautiful Acanthaceous plant is a native of Natal. The flowers have a pale lilac corolla nearly two inches long, the throat ornamented with delicately pencilled reticulated purple veins, tubular below, campanulate upwards, with a deeply five-lobed spreading limb. The plant is very floriferous, and when in full bloom, appears a mass of most delicate, pendent, campanulate flowers. This charming plant has been figured in the *Botanical Magazine*, tab. 5797. 3*s*. 6*d*. & 5*s*.

MACADAMIA TERNIFOLIA, 5*s*. and 7*s*. 6*d*.
MACROPIPER EXCELSUM, 5*s*.
MACROZAMIA, *vide* Index
MAGNOLIA CAMPBELLII, *vide* page 75
FUSCATA, 3*s*. 6*d*. and 5*s*.
MANDEVILLA SUAVEOLENS, 2*s*. 6*d*. and 3*s*. 6*d*.

MARICA NORTHIANA.

An Iris-like plant, a native of Brazil. It has broad sword-shaped leaves, and the flower stems, which are flattened and leaf-like, bear singularly handsome flowers, which consist of three ovate ivory-white sepals, spotted with brown at the base, and three yellowish petals marked with rich brown in the lower parts, and white veined with blue at the recurved tips. 7*s*. 6*d*. and 10*s*. 6*d*.

MARSILEA MACROPUS, "NARDOO," 10*s*. 6*d*.
METROSIDEROS FLORIBUNDA, 2*s*. 6*d*.
ROBUSTA, 3*s*. 6*d*. and 5*s*.
MITRARIA COCCINEA, 2*s*. 6*d*. and 3*s*. 6*d*.
MONOCHÆTUM SERICEUM MULTIFLORUM, 2*s*. 6*d*. and 3*s*. 6*d*.
MUSA CAVENDISHII, *vide* page 42
SUPERBA, *vide* page 42

MUSA ENSETE.

This is the grand Banana of Abyssinia. In growth it is one of the most striking and noble of ornamental plants, and it is without doubt one of the most effective for summer out-door gardening. Its immense erect leaves attain a length of eight to ten feet, and are of a beautiful dark green, the mid-rib being bright crimson, forming an admirable and striking contrast. It attains altogether an average growth of twelve to fifteen feet in height. 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.

MYRSIPHYLLUM ASPARAGOIDES, 2*s*. 6*d*. & 3*s*. 6*d*.
MYRTUS, of sorts, 1*s*. 6*d*. and 2*s*. 6*d*.
NERINE CORUSCA, 2*s*. 6*d*.
CORUSCA MAJOR, 3*s*. 6*d*.
FLEXUOSA, 3*s*. 6*d*.
FOTHERGILLII MAJOR, 5*s*.
OLEA FRAGRANS, 3*s*. 6*d*. and 5*s*.
OPHIOPOGON JABURAN AUREO-VARIEGATUS, 2*s*. 6*d*. and 3*s*. 6*d*.
PALMS, of sorts, *vide* Index
PANCRATIUM COLLINUM, 2*s*. 6*d*. and 3*s*. 6*d*.
PARDANTHUS CHINENSIS, 1*s*. each; 9*s*. per dozen
PASSIFLORA CÆRULEA, *vide* page 75
CÆRULEA GRANDIFLORA, 3*s*. 6*d*.
—— RACEMOSA, 2*s*. 6*d*.
CAMPBELLII, 3*s*. 6*d*.
CLOWESII, 3*s*. 6*d*.
COLVILLII, 2*s*. 6*d*.
EDULIS, 3*s*. 6*d*.
IMPERATRICE EUGENIE, 3*s*. 6*d*.
LOUDONI, 3*s*. 6*d*.
MUNROI, 3*s*. 6*d*.
ONYCHINA, 3*s*. 6*d*.
NERINE ROSEA, 2*s*. 6*d*.
SARNIENSIS (GUERNSEY LILY), 9*d*.
VENUSTA, 2*s*. 6*d*.
NERIUM MADONI GRANDIFLORUM, 2*s*. 6*d*.
of sorts, 2*s*. 6*d*. and 3*s*. 6*d*.
OPHIOPOGON SPICATUS ARGENTEO-MARGINATUS, 2*s*. 6*d*. and 3*s*. 6*d*.
ORCHIDS, of sorts, *vide* Index
PASSIFLORA, of sorts, 2*s*. 6*d*., 3*s*. 6*d*. and 5*s*.
See also page 47
PELARGONIUM, *vide* Index
PHALANGIUM ARGENTEO-LINEARE (ANTHERICUM VARIEGATUM), 2*s*. 6*d*. and 3*s*. 6*d*.
LINEARE ELEGANS, 5*s*.
PHILESIA BUXIFOLIA, 7*s*. 6*d*. and 10*s*. 6*d*.
PHÆDRANASSA CHLORACEA, 1*s*. 6*d*. and 2*s*. 6*d*.
PHORMIUM ATROPURPUREUM, 7*s*. 6*d*. & 10*s*. 6*d*.
COLENSOI VARIEGATUM, 7*s* 6*d*., 10*s*. 6*d*., 15*s*. and 1 guinea
TENAX, 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.
—— NIGRO-PICTUM, 10*s*. 6*d*. and 15*s*.
—— VARIEGATUM, 1 and 2 guineas.
—— VEITCHII VARIEGATUM, 5*s*. and 7*s*. 6*d*.

PHORMIUM TENAX NIGRO-LIMBATUM.

A striking form of New Zealand Flax, having erect broadish leaves of a glaucous green colour, the margin having a well-defined bar of blackish-purple. The points of the leaves are split, both sides of each of the divided portions having the blackish-purple margin. 10*s*. 6*d*.

PIMELEA DECUSSATA, 2*s*. 6*d*. and 3*s*. 6*d*.
HENDERSONI, 3*s*. 6*d*. and 5*s*.
NIEPPERGIANA, 3*s*. 6*d*. and 5*s*.
SPECTABILIS, 3*s*. 6*d*. and 5*s*.
PINCINECTITIA TUBERCULATA, 1 guinea
PINGUICULA CAUDATA, 3*s*. 6*d*. and 5*s*.
CAUDATA RUBRA, 7*s*. 6*d*.
PITTOSPORUM RALPHSII, 5*s*.

PITTOSPORUM CRASSIFOLIUM.

A bushy growing plant, of erect branching habit, with light green leaves, which are tomentose on the under surface; the flowers are of a dark chocolate-purple colour, and are freely produced in nodding pedunculed umbels; it is a native of New Zealand. 5*s*.

PITTOSPORUM EUGENIOIDES VARIEGATUM.

A slender evergreen plant, with pretty variegated foliage. It is of neat branching habit, with blackish-purple stems and branches, which are furnished with elliptic-oblong leaves of a pale green colour, bordered with white. Introduced from New Zealand. 7*s.* 6*d.* and 10*s.* 6*d.*

PLECTRANTHUS FŒTIDUS, 5*s.*
PLEROMA ELEGANS, 3*s.* 6*d.*
SARMENTOSA, 2*s.* 6*d.* and 3*s.* 6*d.*
PLUMBAGO CAPENSIS, 2*s.* 6*d.* and 3*s.* 6*d.*
PLUMBAGO CAPENSIS FLORE ALBO, 7*s.* 6*d.*
Also *vide* page 49
POLYGALA CORDIFOLIA, 3*s.* 6*d.*
DALMAISIANA, 3*s.* 6*d.*

POLYGONATUM OPPOSITIFOLIUM.

This species of Solomon's Seal is a fine herbaceous perennial from the Khasya Hills. Its white flowers are produced in axillary umbels; they are nodding, tubulose, and nearly an inch long; it is of graceful growth, and a very desirable half-hardy plant, flowering in the winter months. 5*s.*

PRIMULA FLORIBUNDA.

A pretty greenhouse species, introduced from the lower ranges of the Himalayas. It produces continuously an abundance of yellow flowers, which are borne in superposed whorls, on erect stems. The leaves are ovate or elliptic, and crenately toothed. 2*s.* 6*d.*

PRIMULA SINENSIS ALBA PLENA, 1*s.* 6*d.* and 2*s.* 6*d.*
SINENSIS FLORE-PLENO, of sorts, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
—— —— EMPEROR, 5*s.*
—— —— KING OF PURPLES, 5*s.*
—— —— MAGNIFICA, 5*s.*
—— —— MISS EVA FISH, 7*s.* 6*d.*
—— —— PRINCESS OF WALES, 5*s.*
REINECKIA CARNEA, 1*s.* 6*d.*
CARNEA VARIEGATA, 1*s.* 6*d.* & 2*s.* 6*d.*
REINWARDTIA TRIGYNA (LINUM TRIGYNUM), 2*s.* 6*d.*
RHODEA JAPONICA, 3*s.* 6*d.* and 5*s.*
JAPONICA ARGENTEA, 15*s.*
RHODODENDRONS, *vide* pages 67 to 69
RHODOLEIA CHAMPIONI, 7*s.* 6*d.*
PRIMULA VERTICILLATA SIMENSIS, 1*s.* 6*d.*
PROTEINOPHALLUS RIVIERI, *vide* Amorphophallus
PUNICA GRANATUM (POMEGRANATE), 3*s.* 6*d.* & 5*s.*
GRANATUM ALBA PLENA, 3*s.* 6*d.* and 5*s.*
—— RUBRA PLENA, 3*s.* 6*d.* and 5*s.*
—— LEGRELLII (Double Buff), 3*s.* 6*d.* & 5*s.*
RHYNCHOSPERMUM JASMINOIDES, *vide* Trachelospermum
RICHARDIA AFRICANA *(Calla æthiopica)*, 1*s.* and 1*s.* 6*d.*
ALBO-MACULATA, 3*s.* 6*d.*
ROGEIRA GRATISSIMA, 3*s.* 6*d.* and 5*s.*
RUBUS ROSÆFOLIUS CORONARIUS, 1*s.* 6*d.* and 2*s.* 6*d.*
SALVIAS, *vide* Bedding Plants

SARRACENIA ATKINSONIANA.

A distinct hybrid raised between *S. flava maxima* and *S. purpurea*, and partaking most of the characters of the former parent. The pitchers are long, narrow and erect, green, with slight red ribs and reticulations. The lid is broad, cordate, green, and marked with red ribs and veins. 10*s.* 6*d.*

SARRACENIA ATROSANGUINEA, 1 guinea.
ERISPATA, 5*s.* and 7*s.* 6*d.*
CHELSONI, 7*s.* 6*d.*
SARRACENIA DRUMMONDII, *vide* page 65.
EXCELLENS, 10*s.* 6*d.*
EXORNATA, 10*s.* 6*d.*

SARRACENIA EXCULTA.

An erect-growing hybrid from *S. atropurpurea* crossed by *S. Drummondii*. The pitchers are erect and have rather a narrow wing. The upper end, as well as the roundish incurved undulated lid, is strongly blotched with white and reticulated with crimson veins. 10*s.* 6*d.*

SARRACENIA ILLUSTRATA.

This very striking hybrid was raised from *S. flava picta* crossed with *S. Stevensii*. It is a handsome erect-growing sort, with the habit of *S. flava*, and having long funnel-shaped pitchers strongly marked with crimson ribs united by veins of a similar colour. The lid is distinctly marked by strong red curved veins, the throat being prettily veined. 10*s.* 6*d.*

SARRACENIA FLAVA, 5*s.*
FLAVA ORNATA, *vide* page 65
SARRACENIA FLAVA PICTA, 10*s.* 6*d.*
MOOREANA, 10*s.* 6*d.*

SARRACENIA MADDISONIANA.

A hybrid between *S. variolaris* and *S. psittacina*, dwarf in habit, with erectish, incurving, short broad pitchers, which are green with dull red veins externally. The lid is large, incurved over the tube, ovate and wavy, strongly ribbed with deep purple red veins. 10*s.* 6*d.*

SARRACENIA DRUMMONDII.

A very beautiful plant, belonging to the family of the Side-saddle flowers, and inhabiting the marshes of Florida. The leaves or pitchers grow from 1½ to 2½ feet high, the upper expanded end being variegated with white, red and green, the hood or lid being similarly marked. The flowers are handsome and attractive, of a rich crimson purple colour. 10*s.* 6*d.*, 15*s.* and 1 guinea.

SARRACENIA SWANIANA.
SARRACENIA MITCHELLIANA.

For descriptions and prices, *vide* page 66.

SARRACENIA FLAVA ORNATA.

This is a very distinct and handsome plant, remarkable for its bold and strongly-pronounced venation. The upper part of the pitcher is strongly marked with well-defined reticulations of dark purplish red, which are continued over the lid. It is a very handsome form, the contrast between its clear green and the bold red venation being striking and effective. The flowers are large and very attractive, of a bright yellow colour. Introduced from North America. 10*s.* 6*d.*

SARRACENIA MITCHELLIANA.

An elegant hybrid between *S. Drummondii rubra* and *S. purpurea*. It is graceful in its aspect, the pitchers traversed by a profuse network of fine red veins, the whole changing later on to reddish-crimson. The lid is undulated, with a bold reticulation of deep crimson-red. For Illustration, *vide* page 64. 10*s*. 6*d*.

SARRACENIA PSITTACINA, PURPUREA, 3*s*. 6*d*. and 5*s*.

SARRACENIA RUBRA, 5*s*. and 7*s*. 6*d*.
RUBRA-ACUMINATA, 10*s*. 6*d*.

SARRACENIA SWANIANA.

A very handsome hybrid between *S. variolaris* and *S. purpurea*. Awarded a First Class Certificate by the Royal Horticultural Society. It partakes most of the aspect of *S. purpurea*, but is more erect. The pitchers are slightly incurved and greenish purple, the lid and the inside of the tube being reticulated with crimson veins. For Illustration *vide* page 64. 10*s*. 6*d*.

SARRACENIA STEVENSII, 7*s*. 6*d*.

SARRACENIA VARIOLARIS, 3*s*. 6*d*.

SARRACENIA TOLLIANA.

A very handsome hybrid raised between *S. Drummondii alba* and *S. flava*. It is remarkable for its long, slender, funnel-shaped pitchers and very broad wing. The funnel is either wholly deep purple-red with darker ribs and veins, or greenish with dark purple ribs and veins. The lid is broad and reticulated with reddish purple. 10*s*. 6*d*.

SARRACENIA WILSONIANA.

A very distinct and striking plant, a hybrid between *S. purpurea* and *S. flava*, so distinct and pleasing as to have won a First Class Certificate from the Royal Horticultural Society. The pitchers are erect, with deep purple-crimson ribs, more or less united by cross-veins. The wing and lid are veined and closely reticulated with deep purple-crimson. 10*s*. 6*d*.

SCHIZOPHRAGMA HYDRANGEOIDES, *vide* Hydrangea volubilis, page 72

SENECIO MACROGLOSSUS (The Cape Ivy), 3*s*. 6*d*.
SPECIOSUS 3*s*. 6*d*.

SMILAX AURICULATA.

An elegant evergreen climber of a half-hardy character, well suited for covering walls and pillars in conservatories and corridors, being a native of the Southern States of America. It is furnished with glossy green leaves, widened at the base so as to become subhastate. 5*s*.

SOLANUM JASMINOIDES, 2*s*. 6*d*.
SOLLYA LINEARIS, 3*s*. 6*d*. and 5*s*.
SPARMANNIA AFRICANA, 2*s*. 6*d*.
AFRICANA FLORE-PLENO, 3*s*. 6*d*. and 5*s*.
SPIGELIA SPLENDENS, 2*s*. 6*d*. and 3*s*. 6*d*.
STATICE HOLFORDII, 3*s*. 6*d*. and 5*s*.
MACROPHYLLA, 5*s*.
STATICE PROFUSA (RATTRAYANA), 3*s*. 6*d*. and 5*s*.
STENOCARPUS CUNNINGHAMII, 5*s*. to 10*s*. 6*d*.
STRELITZIA REGINÆ, *vide* page 49
STREPTOSOLEN (BROWALLIA) JAMESONI, 1*s*. 6*d*.
TACSONIA BUCHANANI, *vide* page 50
ERIANTHA, 3*s*. 6*d*.
EXONIENSIS, 3*s*. 6*d*.

TACSONIA JAMESONI.

A new species from Ecuador, producing beautiful flowers of a bright rich rose colour. 7*s*. 6*d*.

TACSONIA MANICATA, 3*s*. 6*d*.
MOLLISSIMA, 3*s*. 6*d*.

TACSONIA PINNATISTIPULA, 3*s*. 6*d*.
VAN VOLXEMI, 2*s*. 6*d*. and 3*s*. 6*d*.

TECOMA ROSEA.

A remarkably handsome greenhouse climber of the Bignoniaceous order, imported from South Africa. It has opposite pinnate leaves, and bears magnificent racemes, three to four feet in length, of large showy trumpet-shaped flowers, which are of a rosy lilac colour. This beautiful plant can scarcely be too strongly recommended as a handsome showy climber. 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.

TECOMA, *vide* Bignonia
THAMNOCALAMUS SPATHIFLORUS, 5*s*.
THEA ASSAMICA, 3*s*. 6*d*.
THEAS of sorts, 3*s*. 6*d*. and 5*s*.
THIBAUDIA ACUMINATA, 3*s*. 6*d*.
THUNBERGIA, *vide* page 50
TRACHELOSPERMUM (RHYNCHOSPERMUM) JASMINOIDES, 3*s*. 6*d*. and 5*s*.
(RHYNCHOSPERMUM) JASMINOIDES ALBO-VARIEGATUM, 3*s*. 6*d*. and 5*s*.
—— JASMINOIDES LUTEO-VARIEGATUM, 3*s*. 6*d*. and 5*s*.
TREMANDRA ERICÆFOLIA, 2*s*. 6*d*. and 3*s*. 6*d*.
TREMANDRA HIRSUTA, 2*s*. 6*d*. and 3*s*. 6*d*.
VERTICILLATA, 2*s*. 6*d*. and 3*s*. 6*d*.
TROPÆOLUM AZUREUM GRANDIFLORUM, 1*s*. 6*d*. and 2*s*. 6*d*.
BRACHYCERAS, 3*s*. 6*d*.
TRICOLOR GRANDIFLORUM (JARRATTII), 2*s*. 6*d*. and 3*s*. 6*d*.
TUBEROSUM, *vide* page 79
of sorts, 1*s*. 6*d*., 2*s*. 6*d*. and 3*s*. 6*d*.
TUBEROSES BEST DOUBLE AFRICAN, AMERICAN, THE PEARL — These can be supplied in dormant bulbs by the dozen or hundred, at the proper season.

TURRÆA HETEROPHYLLA.

A small-growing slender-branched shrub, a native of Natal. It has glabrous branches, and ovate undivided or three-lobed leaves, which fall away before the flowering season. The flowers are white, five-petalled, clustered at the end of the branches. *5s.* and *7s. 6d.*

VALLOTA PURPUREA, *2s. 6d.*
PURPUREA MAJOR, *3s. 6d.* and *5s.*
VITIS HETEROPHYLLA HUMULIFOLIA, *2s. 6d.*
HETEROPHYLLA VARIEGATA, *2s. 6d.* & *3s. 6d.*
WITSENIA CORYMBOSA, *3s. 6d.*
XYLOMELUM PYRIFORME, *10s. 6d.*
YUCCA ALOIFOLIA VARIEGATA, *5s.* and *7s. 6d.*
FILAMENTOSA VARIEGATA, *5s.*
QUADRICOLOR, 1½ and 2 guineas.
ZAMIA, *vide* Index.
ZEPHYRANTHES CARINATA, *12s.* per dozen.
TUBISPATHA, *9s.* per dozen.

VERONICAS.

ANNETTE, pale bluish-purple, with distinct white eye. *1s. 6d.*
BELLE FIANCEE, very long spikes of large pure rose flowers, dark carmine eye, very floriferous, *1s. 6d.*
BLUE GEM, a variety of neat habit, producing spikes of beautiful blue flowers. *1s.*
CAROLINE, light lilac-blue, with small white eye; exceedingly free-flowering. *1s. 6d.*
DISPLAY, rosy-crimson, with small white eye; free, and of good habit. *1s. 6d.*
EVA, a compact growing variety, producing fine spikes of pretty pink flowers. *1s. 6d.*
FLEUR D'AUTOMNE, long spikes of rosy-violet flowers, dark rose centres. *1s. 6d.*
IMPERIALE, brilliant amaranth-red, changing to carmine-magenta. *1s. 6d.*
JARDIN FLEURI, long spikes of dark carmine red flowers. *1s. 6d.*
LA FÉE AUX ROSES, very long spike of bright rose flowers, very floriferous. *1s. 6d.*
MADAME MOULINS, lavender violet, large carmine centre, shaded with amaranth, a remarkable variety. *1s. 6d.*
M. J. MOULINS, immense spikes of pure rose flowers, edged with white; dark carmine rose centre. *1s. 6d.*
THEOPHILE ROQUES, a very floriferous dwarf variety, long spikes of soft rose flowers edged with white, white eye. *1s. 6d.*
REINE DES BLEUES, immense spike of very bright blue flowers, very free. *1s. 6d.*
RUBENS, flowers large and fine, of a beautiful magenta colour. *1s. 6d.*
VESTA, exceedingly floriferous; beautiful light blue, with attractive white centre. *1s. 6d.*

GREENHOUSE RHODODENDRONS.

ÆRUGINOSUM, *3s. 6d.* and *5s.*
ALBESCENS, *vide* page 11
ANDERSONI, a handsome introduction from the Himalayas, giving very large and fine trusses of blossoms, which are of a bright rich carmine colour. *3s. 6d.* and *5s.*
ARGENTEUM, immense heads of large ivory white flowers deeply stained with crimson at the base. *7s. 6d.*
ASSAMICUM, a free-growing evergreen species, with narrow lanceolate densely-set leaves. The flowers are about 3½ inches broad, pure milk-white, with a cream-coloured stain at the base of the upper lobe near the mouth of the tube. This distinct, free-flowering and handsome Rhododendron, as its name indicates, has been imported from Assam. *5s.*
BARBATUM, bright scarlet flowers, distinct and effective. *5s.*
BLANDFORDIÆFLORUM. *3s. 6d.* and *5s.*
CALOPHYLLUM, a handsome species, producing large funnel-shaped pure white flowers. *3s. 6d.*
CILIATUM, blush white; very free flowering. *2s. 6d.* and *3s. 6d.*
CINNABARINUM. *3s. 6d.* and *5s.*
CINNAMOMEUM, the under surface of the leaves of this variety is covered with a very thick woolly tomentum of an intense cinnamon colour. *5s.*
COUNTESS OF DERBY, bell-shaped flowers of great substance and large size; pure white and most deliciously fragrant; a very free-blooming variety. *7s. 6d.*
COUNTESS OF HADDINGTON, large blush-white flowers; exceedingly beautiful. *3s. 6d.* and *5s.*
COUNTESS OF SEFTON, large cup-shaped flowers, with fringed edges; pure white, slightly shaded with rosy-purple; the trusses are large, often equalling in size and fulness those of a hardy Rhododendron. *5s.* and *7s. 6d.*
DALHOUSIANUM. *5s.*
DAVIESII, a free-growing hybrid of bushy habit, producing freely its trusses of beautiful flowers of a lustrous orange-red colour. *10s. 6d.*, *15s.* and 1 guinea.
DUCHESS OF CONNAUGHT, bright vermilion-red flowers of great substance; compact truss. *10s. 6d.*
DUCHESS OF EDINBURGH, large scarlet flowers, very beautiful. *10s. 6d.* and *15s.*
DUCHESS OF SUTHERLAND, a robust growing variety, producing pure white sweet-scented flowers, with a beautifully fringed margin. *5s.*
DUCHESS OF TECK, buff-yellow, shaded with scarlet, very fine. *7s. 6d.* and *10s. 6d.*
EDGWORTHII, a handsome free-flowering species, with large pure white spreading cup-shaped fragrant flowers. *3s. 6d.*

GREENHOUSE RHODODENDRONS—continued.

EMBLEM, this produces immense heads of long-tubed flowers; the tube blush and the segments of a beautiful rich bright pink colour; exceedingly handsome and attractive. 7*s*. 6*d*., 10*s*. 6*d*. & 15*s*.

FALCONERI, magnificently ornamental; this species has the largest leaves in the genus. 5*s*. & 7*s*. 6*d*.

FRAGRANTISSIMUM, deliciously fragrant flowers, of the purest white, lightly spotted with ochre on the upper segment; the back of the flower pencilled and shaded with rose. 5*s*.

FULGENS, rich fiery crimson; extremely showy and effective; compact habit. 3*s*. 6*d*. and 5*s*.

GIBSONI, 3*s*. 6*d*.

GRAVEOLENS, *vide* page 11.

HIMALAICUM, this variety produces fine large handsome trusses of bright carmine flowers. 3*s*. 6*d*.

HODGSONI, a splendid species, producing superb bouquets of rose-coloured flowers. 10*s*. 6*d*.

JAMESONI, this variety produces large terminal trusses of handsome bright red flowers. 3*s*. 6*d*. & 5*s*.

JASMINIFLORUM, an elegant free-blooming species, with fragrant white flowers, borne successionally in clusters. 3*s*. 6*d*. and 5*s*.

JAVANICUM, a beautifully golden-yellow flowering species. 10*s*. 6*d*.

JENKINSII, flowers exceedingly large, funnel-shaped, and of snowy whiteness; the handsome wax-like attractive blossoms render it a most beautiful plant for conservatory decoration. 5*s*.

LADY ALICE FITZWILLIAM, clusters of white blooms, each flower three and a half to four inches across. 3*s*. 6*d*. and 5*s*.

LADY SKELMERSDALE, pure white trumpet-shaped fragrant flowers; very handsome 5*s*.

MRS. JAMES SHAWE, a variety of bushy habit, producing in profusion pure white sweet-scented flowers, which are cup-shaped and of great substance. 5*s*.

MULTIFLORUM, bears a profusion of beautiful white flowers; of dwarf habit, 2*s*. 6*d*. and 3*s*. 6*d*.

NILAGIRICUM, a splendid species from the Neilgherry Hills and Nepal, producing immense terminal trusses of fine large showy flowers, of a beautiful blush colour, blended with deep rich rose and shaded with soft rose; light throat. 3*s*. 6*d*. and 5*s*.

NIVEUM, beautiful flowers of a pale lilac colour, spotted with darker lilac on the upper lobe; tube of the corolla yellowish; foliage shining green, the under surface white. 5*s*.

NUTTALLII, a magnificent species; flowers pure white, the largest of the genus. 5*s*.

OCHRACEUM, the under surface of the foliage of this variety is ochre-coloured. 5*s*.

PINK BEAUTY, *vide* page 69.

PRINCE LEOPOLD, a beautiful flower; fawn and rose with rose centre. 10*s*. 6*d*. and 15*s*.

PRINCE OF WALES, a fine variety producing reddish orange flowers. 7*s*. 6*d*. and 10*s*. 6*d*.

PRINCESS ALEXANDRA, a pretty hybrid variety, of compact growth, with similar flowers to those of *R. jasmiuiflorum*, but larger and longer tubed, pure white, with pink stamens. 3*s*. 6*d*. and 5*s*.

PRINCESS ALICE, a neat dwarf bushy-growing variety of the *ciliatum* type, producing clusters of deliciously-scented bell-shaped white flowers, flushed with pink. 3*s*. 6*d*. and 5*s*.

PRINCESS HELENA, this pretty hybrid form, with *R. Princess Alexandra*, was obtained from a cross with *R. jasminiflorum*, but is readily distinguished from it by its much longer tubed flowers, of a delicately tinted soft pink colour, streaked with dark shades. 5*s*. and 7*s*. 6*d*.

PRINCESS ROYAL, a handsome and distinct variety of neat compact growth, with clusters of richly-shaded, rose coloured, funnel-shaped flower tubes. 3*s*. 6*d*. and 5*s*.

RETUSUM, this distinct species produces clusters of tubular orange-coloured flowers. 5*s*. and 7*s*. 6*d*.

ROSALIND, a charming hybrid of neat compact habit, and very free blooming; it produces fine clusters of beautiful long-tubed flowers of a delicate soft pink shade; a most pleasing and effective variety. 7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.

ROSY GEM, a charmingly attractive hybrid, producing large heads of long-tubed flowers of a rich rose colour, the edges of the segments deep pink, the exterior of the tube blush-white. This will be found a most desirable acquisition for the greenhouse. 7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.

SESTERIANUM, fine large fragrant white flowers. 3*s*. 6*d*. and 5*s*.

SUAVE, pure white flowers, very fragrant, 3*s*. 6*d*. and 5*s*.

TAYLORI, rich bright pink flowers with white tube; a splendid variety producing fine large trusses. 3*s*. 6*d*. and 5*s*.

THIBAUDIENSE, this remarkable Rhododendron has been introduced from Bhotan; its bright red tubular flowers are produced in terminal trusses, in form somewhat resembling those of the Correas and Thibaudias, and having the same alabaster-like translucent lustre, hence its name. 3*s*. 6*d*. and 5*s*.

VEITCHIANUM, a beautiful species, with very large white flowers, relieved by a yellow centre or base, and elegantly fringed or frilled on the margin. 5*s*. and 7*s*. 6*d*.

VIRGINALE, the pure white flowers of this beautiful variety are large and funnel-shaped; it has leathery dark green foliage, and forms a splendid plant for conservatory decoration, the great size and snowy whiteness of its blossoms rendering it extremely attractive. 5*s*.

ZEYLANICUM, 7*s*. 6*d*.

RHODODENDRON, PINK BEAUTY.

RHODODENDRON PINK BEAUTY.

A remarkably beautiful hybrid, producing immense trusses of fine large flowers, of a delicate soft pink colour, with long blush-white tube. This handsome hybrid belongs to the perpetual-blooming section of greenhouse Rhododendrons. 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*

ABUTILONS.

ALBERT DÉLAUX, very dwarf variety, large rosy mauve flowers, with dark rose nervations; suitable for growing in pots. 3*s.* 6*d.*

AMARANTINA, fine well-formed flowers, brilliant purple amaranth; very floriferous. 3*s.* 6*d.*

ARMAND CAUVY, large, well-made, clear golden yellow flowers, veined with violet; dwarf, and very free flowering. 5*s.*

AURELIA, bright golden yellow. 1*s.* 6*d.*

BLANDII, deep yellow, veined dark crimson, and reticulated light crimson. 1*s.* 6*d.*

BOULE DE NEIGE, white. 1*s.*

BOULE D'OR, golden yellow. 1*s.* 6*d.*

BRILLIANT, fine well-shaped flowers, of a bright red colour; has been awarded a First Class Certificate. 2*s.* 6*d.*

CERISE UNIQUE, immense bright cerise flowers, of perfect shape, with purplish crimson nervations at the base of petals. 2*s.* 6*d.*

CLOCHETTE FLEURIE, dark violet-amaranth, with purple centre and veins. 1*s.* 6*d.*

CLOTH OF GOLD, fine smooth golden flowers of great substance. First Class Certificate from the Royal Horticultural Society. 1*s.* 6*d.*

CONQUETE, a beautiful and very dwarf growing variety, whitish rose, throat dark carmine, with bright rose nervations. 2*s.* 6*d.*

COURONNE D'OR, large flowers of a beautiful deep sulphur-yellow colour. 1*s.* 6*d.*

DARWINII SUPERBUM, 1*s.*

DESBOISI, bright rose colour. 1*s.* 6*d.*

EDOUARD LAVEILLON, deep rich golden yellow, flushed with rose. 1*s.* 6*d.*

ELEPHANTA, brilliant chamois yellow flowers, shaded with rose, veined violet red. 5*s.*

EMPEROR, fine large dark crimson flowers. Received First Class Certificate. 1*s.* 6*d.*

EVELINE, blush, shaded with pink, and beautifully veined with deep rose. 1*s.* 6*d.*

FUTURE FAME, deep rose shaded crimson. 1*s.* 6*d.*

G. DÉLAUX, rich reddish carmine, shaded with violet. 1*s.* 6*d.*

HIBISCUS, canary yellow flowers, the exterior shaded with dark rosy violet; dwarf and distinct. 5*s.*

KING OF CRIMSONS, deep rich crimson flowers of great substance, extra fine. 1*s.* 6*d.*

KING OF ROSES, flowers rich deep rose, of great substance. 1*s.* 6*d.*

LA CANDEUR, a large well-formed pure white flower of globular shape. 1*s.* 6*d.*

LA LORRAINE, bright red. 1*s.* 6*d.*

LE GRELOT, delicate rose colour. 1*s.* 6*d.*

LOUISE DÉLAUX, an extremely dwarf and very floriferous variety, with beautiful white flowers of good shape. 2*s.* 6*d.*

LUSTROUS, freely produces fine-shaped bright red flowers. 1*s.*

L. VAN HOUTTE, mauve-purple. 1*s.* 6*d.*

LYDIA, light yellow, flushed crimson, and reticulated with bright crimson. 1*s.* 6*d.*

MDLLE. ANNA DÉLAUX, rose, marked with white, and veined dark rose. 1*s.* 6*d.*

MARSHAL, reddish cinnamon, shaded with orange, and veined with crimson. 1*s.* 6*d.*

MEGAPOTAMICUM VARIEGATUM. 1*s.* 6*d.*

MISS TERRY, deep yellow, with rose veins, very distinct. 1*s.* 6*d.*

MODIOLA, bright rosy crimson, veined with dark crimson; a very large and finely formed flower. 1*s.* 6*d.*

MR. IRVING, deep scarlet, shaded crimson, a very attractive colour. 1*s.* 6*d.*

M. B. MODESTE, rich bright crimson-red, veined with dark crimson, very attractive. 1*s.* 6*d.*

M. ED. PYNAERT VAN GEERT, amaranth-purple, veined with very dark brownish carmine, pure white throat. 2*s.* 6*d.*

M. J. B. LEVIS, dwarf variety, produces a multitude of dark chamois flowers, veined with violet cerise; small foliage. 5*s.*

M. LOUIS MARIGNAC, rose; reverso of petals of a silvery hue. 1*s.* 6*d.*

M. MOULINS, cream colour, distinctly veined with violet-rose; throat reddish chocolate; dwarf and free. 1*s.*

M. PETIT, rich reddish crimson colour, shaded with crimson-violet, and veined with dark crimson. 1*s.* 6*d.*

M. VIVIAND-MOREL, a very large fine flower of a violet-colour, shaded with amaranth, and darkly veined. 2*s.* 6*d.*

PHYLLIS, a variety producing large well-shaped round flowers, of a very pale lemon-yellow colour. 1*s.* 6*d.*

PROGNE, a large well-formed flower of a rich magenta-rose colour. 1*s.* 6*d.*

PURPUREUM, very fine purple-coloured flowers, shaded with magenta. 1*s.*

RICHESSE, bright rose, marked with silvery white, and veined with dark rose 1*s.* 6*d.*

ROSEUM ALBUM, silver-white, shaded with rose; flowers of perfect shape, very dwarf, and most floriferous. 5*s.*

ROSEUM COMPACTUM, deep rose, very dwarf and compact. 1*s.* 6*d.*

ROYAL SCARLET, a beautiful waxy flower of a brilliant fiery scarlet; dwarf habit. 1*s.* 6*d.*

SCARLET GEM, very distinct, produces brilliant red flowers. 1*s.*

SELLOWIANUM VARIEGATUM, 2*s.* 6*d.*

SERAPH, pure white. 1*s.* 6*d.*

SILVER BELL, French white, with deep red veins, very distinct and pretty. 1*s.* 6*d.*

STRIATUM SPLENDIDUM, bright orange, striped with rich crimson. 1*s.*

THE PREMIER, very large rosy purple flowers of intense brightness. 1*s.* 6*d.*

THOMSONI PLENUM, fine double deep rich orange flowers, streaked with crimson. 1*s.*

TROPHY, yellow, veined with carmine. 1*s.* 6*d.*

VILLE SOLEIL, a very floriferous dwarf variety; dark carmine cerise flowers, shaded and darkly veined with rich orange brown. 5*s.*

VEXILLARIUM GRANDIFLORUM, produces a profusion of dark cerise flowers with crimson throat, very distinct. 7*s.* 6*d.*

VIVID COMPACTUM, large bright scarlet flowers, compact habit. 1*s.* 6*d.*

ZARA, clear lemon-yellow. 1*s.* 6*d.*

NEW, RARE AND DESIRABLE HARDY PLANTS.

ACER PLATANOIDES PURPUREA, remarkable for its large dark purple leaves and vigorous growth, making one of the largest trees with purple leaves. 2*s.* 6*d.*

ACER PLATANOIDES LEOPOLDII, 1*s.* 6*d.*
ACIPHYLLA SQUARROSA, 3*s.* 6*d.* and 5*s.*
ACORUS JAPONICUS SIEBOLDII STRIATUS, 1*s.* 6*d.*

ALPINE PLANTS.

Choice selections of these pretty plants, suitable for Rock-work, &c. 9*s.* and 12*s.* per dozen.

AKEBIA QUINATA, 1*s.* 6*d.*
ALSTRŒMERIA CHILENSIS, 1*s.*
ALTHÆA FRUTEX, *vide* Hibiscus syriacus
AMARYLLIS BELLADONNA, 9*d.* and 1*s.* each; 6*s.* and 9*s.* per dozen
AMPELOPSIS SEMPERVIRENS, 5*s.*
TRICUSPIDATA, *(Vitis japonica)*, 1*s.* 6*d.* & 2*s.* 6*d.*
AMYGDALUS PERSICA FOLIIS PURPUREIS, 2*s.* 6*d.* and 3*s.* 6*d.*
PERSICA, other sorts, 2*s.* 6*d.* and 3*s.* 6*d.*
ANDROMEDA JAPONICA, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
ARALIA MAXIMOWICZII, new and distinct, 3*s.* 6*d.*
ARISÆMA CORNUTUM *(Sauromatum guttatum)*, 3*s.* 6*d.*
ARUNDO CONSPICUA, 1*s.* 6*d.* and 2*s.* 6*d.*
ASCLEPIAS TUBEROSA, 1*s.*
ASPIDISTRA LURIDA, 2*s.* 6*d.* and 3*s.* 6*d.*
LURIDA VARIEGATA, 3*s.* 6*d.*
ASTILBE BARBATA *(Hoteia japonica, Spiræa barbata)*, 1*s.*
AUCUBA JAPONICA FŒMINA, various sorts, 3*s.* 6*d.* and 5*s.*
JAPONICA LUTEO-PICTA, 7*s.* 6*d.*
—— MASCULA, various sorts, 3*s.* 6*d.* and 5*s.*
AZALEA LINEARIFOLIA, 5*s.*

AZALEA MOLLIS.

This useful hardy Japanese shrub cannot be too strongly recommended, for it is invaluable either grown in pots, for forcing, for greenhouse or conservatory decoration, for beds or grouping in the open borders. It blossoms in a profuse manner, the large funnel-shaped flowers ranging in colour from rosy-salmon through various shades of yellow to bright orange. 1*s.* 6*d.*, 2*s.* 6*d.* and 3*s.* 6*d.*

AZALEAS, hardy varieties, of sorts, 18*s.*, 30*s.* and 42*s.* per dozen
AZARA MICROPHYLLA, 2*s.* 6*d.* and 3*s.* 6*d.*
BAMBUSA FORTUNEI AUREA, 2*s.* 6*d.*
FORTUNEI VARIEGATA, 1*s.* 6*d.*
MAXIMOWICZII, 3*s.* 6*d.* and 5*s.*
METAKE, 2*s.* 6*d.* and 3*s.* 6*d.*
NIORA, 3*s.* 6*d.*
NANA, 2*s.* 6*d.* and 3*s.* 6*d.*
SIMONII, 3*s.* 6*d.*
TRICOLOR, 7*s.* 6*d.*
BERBERIS AMURENSIS, 5*s.*
BERBERIS CORDIFORMIS, 5*s.*
HETEROPODA, 5*s.*
STENOPHYLLA, 1*s.* 6*d.* and 2*s.* 6*d.*
THUNBERGII, 5*s.*
of sorts, 3*s.* 6*d.* and 5*s.*
BIGNONIA GRANDIFLORA, 2*s.* 6*d.* and 3*s.* 6*d.*
RADICANS MAJOR, 1*s.* 6*d.* and 2*s.* 6*d.*
BOCCONIA JAPONICA, 3*s.* 6*d.*
CALOCHORTUS, of sorts, 12*s.* per dozen
CALYCANTHUS PRÆCOX, *vide* Chimonanthus fragrans
CAMPANULA TURBINATA, 1*s.*

CARPENTARIA CALIFORNICA.

A new Californian shrub, producing large terminal bunches of white flowers, which have a similar fragrance to that of the *Philadelphus*; it is extremely ornamental. 5*s.*

CEANOTHUS, of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*
CHOISYA TERNATA, 2*s.* 6*d.*
CHIMONANTHUS FRAGRANS, 2*s.* 6*d.* and 3*s.* 6*d.*
CHRYSANTHEMUMS, *vide* Index.
CINNAMOMUM SERICEUM, 5*s.*
vide page 21

CLEMATIS.

As hardy climbers, the large-flowered hybrid varieties cannot be too strongly recommended, for they are of easy and free growth, profuse bloomers, and the colours of the different sorts are varied and distinct, such as light and dark blue, white, plum, silvery-grey, violet, lavender, rosy-purple, mauve, &c. Price 18*s.* and 30*s.* per dozen. New varieties 42*s.* per dozen.

CLEMATIS COCCINEA, 3*s.* 6*d.*
CLEMATIS JACKMANNI ALBA, 7*s.* 6*d.* and 10*s.* 6*d.*

CLEMATIS PANICULATA.

A hardy climbing plant, furnished with pinnately decompound leaves. The flowers are white, in axillary panicles, numerous, sweet-scented, and resembling those of *C. Flammula*. It is a native of Japan, where it is found in the neighbourhood of Nagasaki. 3*s.* 6*d.*

CORNUS BRACHYPODA, 1*s.* 6*d.*
MASCULA AUREO-ELEGANTISSIMA, 2*s.* 6*d.*
CORYLOPSIS SPICATA, 2*s.* 6*d.*
CORYLUS AVELLANA AUREA, 5*s.*

COTONEASTER FONTANESII.

A compact growing hardy shrub, with terete brown pubescent stems and branches, bearing dark green alternate leaves, orbicular in outline. The flowers, which are white, grow in small corymbose glomerules, and are succeeded by large round coral-red berries. It is an effective shrub from the abundant clusters of brilliant red berries which it produces. 5*s.*

CRATÆGUS Carrièri, large white flowers, turning to rose, fruit as large as a cherry. 5*s*.
Lælandii, 1*s*.
orientalis sanguinea, 2*s*. 6*d*.
CRINUM capense album, 1*s*. 6*d*.
CYPRIPEDIUM acaule, 3*s*. 6*d*. and 5*s*.
spectabile, 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.
[Various species of these interesting Terrestrial Orchids can be supplied at the proper season, when dormant.]
DELPHINIUMS, of sorts, 1*s*. 6*d*. and 2*s*. 6*d*.
DESMODIUM penduliflorum, 1*s*. 6*d*. and 2*s*. 6*d*.
DEUTZIA crenata candidissima plena, 2*s*. 6*d*.
crenata roseo-plena, 1*s*. 6*d*.
Pride of Rochester, a handsome flowering new double variety, *vide* illustration. 1*s*. 6*d*. each; 12*s*. per dozen.
DIELYTRA spectabilis, 1*s*. and 1*s*. 6*d*.
DIMORPHANTHUS mandchuricus, 1*s*. 6*d*.
EREMURUS robustus, 5*s*.
ERYTHRINA, *vide* pages 32 and 57
ESCALLONIA macrantha, 2*s*. 6*d*.
EUCRYPHIA pinnatifolia, 10*s*. 6*d*.
EUGENIA Uoni, 1*s*. 6*d*. and 2*s*. 6*d*.
EULALIA japonica albo-lineata, 2*s*. 6*d*. and 3*s*. 6*d*.
japonica zebrina, 2*s*. 6*d*. and 3*s*. 6*d*.
FRAXINUS mandchuricus, 3*s*. 6*d*.
potamophila, 3*s*. 6*d*.
FREESIA hybrida, Leichtlinii, refracta, —— alba } *vide* page 59
GEUM strictum, 1*s*. 6*d*.
GLADIOLUS purpureo-auratus, 1*s*. 6*d*. and 2*s*. 6*d*.
GUNNERA scabra, 3*s*. 6*d*.

CRINUM capense roseum, 1*s*. 6*d*.
Moorei, *vide* page 55
Powellii, 10*s*. 6*d*.
CROCOSMA aurea, 1*s*. 6*d*.
CYCLAMEN europæum, 6*s*. per dozen.
CYDONIA japonica, of sorts, 1*s*. 6*d*. and 2*s*. 6*d*.

DEUTZIA, PRIDE OF ROCHESTER.

HEDERA amurensis, 2*s*. 6*d*.
atropurpurea, 1*s*. 6*d*.
Helix aurantiaca, this is the scarlet berried Ivy, 2*s*. 6*d* and 3*s*. 6*d*.
HEDERA Helix hibernica variegata, 2*s*. 6*d*.
madeiriensis variegata, 1*s*. 6*d*.
HEMEROCALLIS, of sorts, 9*d*. and 1*s*.

HERBACEOUS PLANTS.

Choice selections of these useful hardy border plants, 9*s*. and 12*s*. per dozen.

HIBISCUS syriacus (Althæa frutex), 1*s*.
syriacus albo-plenus, 1*s*. 6*d*.
—— anemonœflora, 1*s*. 6*d*.
—— bicolor hybridus, 1*s*. 6*d*.
—— Boule de Feu, 1*s*. 6*d*.
—— carneus plenus, 1*s*. 6*d*.
—— Comte de Hainault, 1*s*. 6*d*.
—— cælestis, 1*s*. 6*d*.
—— De la Reine, 1*s*. 6*d*.
—— De la Veuve, 1*s*. 6*d*.
—— Duc de Brabant, 1*s*. 6*d*.
—— elegantissimus, 1*s*. 6*d*.
—— fastuosus, 1*s*. 6*d*.
—— grandiflorus superbus, 1*s*. 6*d*.
—— Lady Stanley, 1*s*. 6*d*.
—— Leopoldii, 1*s*. 6*d*.
—— monstrosus, 1*s*. 6*d*.
—— pæoniæflorus, 1*s* 6*d*.
—— puniceus plenus, 1*s*. 6*d*.
—— purpureus variegatus, 1*s*. 6*d*.

HIBISCUS syriacus speciosus, 1*s*. 6*d*.
syriacus speciosus ruber, 1*s*. 6*d*.
—— spectabilis fl. pl., 1*s*. 6*d*.
—— violaceus atropurpureus flore-plenissimo, 1*s*. 6*d*.
—— —— semi-plenus, 1*s*. 6*d*.
See also pages 35 to 37, 39 and 59
HOTEIA japonica, *vide* Astilbe barbata
HYACINTHUS candicans, 9*s*. and 12*s*. per doz.
HYDRANGEA paniculata grandiflora, 1*s*. and 1*s*. 6*d*
pekinensis, 3*s*. 6*d*.
volubilis (scandens), 1*s*. 6*d*.
See also page 59
HYPERICUM patulum, 1*s*. 6*d*.
IDESIA polycarpa (Polycarpa Maximowiczii), 2*s*. 6*d*.
IRIS cristata, 1*s*. 6*d*.
hexagona, 1*s*. 6*d*.
iberica, 1*s*. and 1*s*. 6*d*.

IRIS GERMANICA.

The handsome hybrids of this beautiful section, are of the greatest use for the adornment of beds and borders, the flowers are of rich and varied colours, striped or blotched with purple and violet, on a white or yellow ground. 6*s*. 9*s*. and 12*s*. per dozen; choice mixed varieties, 3*s*. and 4*s*. per dozen.

IRIS KÆMPFERI.

A magnificent collection of this handsome and attractive plant has been imported from Japan. Scarcely any plants in the flower garden can compare for gorgeous beauty with this section of Iris; they can therefore bo most highly recommended. 2*s.* 6*d.* and 3*s.* 6*d.*; choice varieties, 5*s.* and 7*s.* 6*d.*

IRIS PUMILA, 1*s.*
ROBINSONIANA, *vide* page 60
SIBIRICA, 1*s.*
STYLOSA ALBA, 3*s.* 6*d.*
SUSIANA, 1*s.*
TECTORUM, 3*s.* 6*d.*
JUNCUS LÆTEVIRENS, 3*s.* 6*d.*
ZEBRINUS, *vide* Scirpus Tabernæmontani
KOLREUTERIA PANICULATA, 1*s.* 6*d.*
LARDIZABALA BITERNATA, 3*s.* 6*d.*
LAVATERA ARBOREA VARIEGATA, *vide* page 60.
LIATRIS PYCNOSTACHYA (Kansas Gay Feather), 1*s.* 6*d.* each; 12*s.* per dozen.
LIBERTIA FORMOSA, 6*d.*
IXIOIDES, 6*d.*

LILIUMS.

LILIUM AURATUM.

AURANTIACUM, *vide* croceum.
AURATUM, 1*s.* 6*d.*, 2*s.* 6*d.* and 3*s.* 6*d.*
Dormant bulbs at the proper season, 9*d.*, 1*s.* and 1*s.* 6*d.* each.
—— **CANDIDUM**, 10*s.* 6*d.*
—— **PLATYPHYLLUM**, a handsomo new variety giving gigantic flowers with large and very broad segments, much greater in substance than tho ordinary variety, 10*s.* 6*d.*
—— —— **VIRGINALE.**
—— **RUBRO-VITTATUM**, 31*s.* 6*d.* and 42*s.*
—— —— **VIRGINALE**, 31*s.* 6*d.* and 42*s.*
BATEMANÆ, 2*s.* 6*d.*
BLOOMERIANUM, 3*s.* 6*d.* and 5*s.*
BROWNII, very handsomo large flowers, trumpet-shaped, internally white, externally purplish brown. 5*s.*
BULBIFERUM, 1*s.* 6*d.*
BYZANTINUM, *vide* chalcedonicum.
CALIFORNICUM, 3*s.* 6*d.* and 5*s.*
CALLOSUM, 2*s.* 6*d.* and 3*s.* 6*d.*
CANADENSE, 1*s.* 6*d.* and 2*s.* 6*d.*
—— **RUBRUM**, 2*s.* 6*d.*
CANDIDUM, 4*d.* and 6*d.*
—— **FLORE-PLENO**, 1*s.*
CHALCEDONICUM (BYZANTINUM), an effective and showy Lily, with brilliant scarlet flowers. 2*s.* 6*d.*
COLUMBIANUM, 2*s.* 6*d.* and 3*s.* 6*d.*
CONCOLOR, 2*s.* 6*d.* and 3*s.* 6*d.*
—— **CORIDION**, 2*s.* 6*d.* and 3*s.* 6*d.*
CORDIFOLIUM, a rare Japanese Lily. 5*s.* & 7*s.* 6*d.*
CROCEUM (AURANTIACUM), 6*d.* and 9*d.*
DALMATICUM, *vide* Martagon dalmaticum
DAVURICUM, the true species from Siberia. 2*s* 6*d.*
—— **ERECTUM**, 6*d.*
—— **FULGIDUM** (SAPPHO), 6*d.*
—— **GRANDIFLORUM**, 6*d.*
—— **IMMACULATUM**, 6*d.*
—— **INCOMPARABILE**, 6*d.*
ELEGANS (THUNBERGIANUM), 1*s.* 6*d.*
—— (——) **ALICE WILSON**, 5*s.*
—— (——) **ALUTACEUM**, 6*d.*
—— (——) **ATROSANGUINEUM (FULGENS)**, 9*d.*
—— (——) **BICOLOR**, 2*s.* 6*d.* and 3*s.* 6*d.*
—— (——) **FORMOSUM**, 3*s.* 6*d.*
—— (——) **HÆMATOCHROUM**, 7*s.* 6*d.*
—— (——) **LATERITIUM** (BILIGULATUM), 1*s.*
—— (——) **MACULATUM**, 2*s* 6*d.*
—— (——) **PRINCE OF ORANGE** (CITRINUM), 9*d.*
—— (——) **SCINTILLANS**, 7*s.* 6*d.*
—— (——) **STAMINOSUM**, 2*s.* 6*d.*
EXCELSUM, *vide* testaceum
EXIMIUM, *vide* longiflorum eximium
GIGANTEUM, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
HANSONI, bright golden yellow, spotted with crimson, 7*s.* 6*d.*
HUMBOLDTII, a splendid species from Humboldt county, California; quite hardy, and produces fine spikes, of from 6 to 20 large golden yellow flowers, spotted with purple. 2*s.* 6*d.* and 3*s.* 6*d.*
KAMSCHATICUM (SARANA) The Black Lily, 3*s.* 6*d.*
KRAMERI, an exceedingly elegant Lily, with large trumpet-shaped blossoms of a beautiful soft rose colour; the lobes of the flowers gracefully recurved. 2*s.* 6*d.*&3*s.* 6*d.*
LANCIFOLIUM, *vide* speciosum
LEICHTLINI, very rare, 3*s.* 6*d.* and 5*s.*

LILIUMS—continued.

LONGIFLORUM FLORIBUNDUM. The handsome free-flowering Easter Lily of Bermuda, invaluable for pot culture, its pure white flowers being borne in the greatest profusion, *vide* illustration. 2*s.* 6*d.* & 3*s.* 6*d.* Gigantic bulbs, 5*s.* and 7*s.* 6*d.*

LONGIFLORUM, 6*d.*

—— **EXIMIUM,** 1*s.* 6*d.* and 2*s.* 6*d.*

—— **FOL. ALBO-MARGINATIS,** 2*s.* 6*d.* & 3*s.* 6*d.*

—— —— **ROSEO-MARGINATIS,** 2*s.* 6*d.*&3*s.* 6*d.*

—— **HARRISII,** 1*s.* 6*d.* and 2*s.* 6*d.*

—— **WILSONI,** one of the handsomest white Lilies known. 1*s.* 6*d.* and 2*s.* 6*d.*

MARTAGON (Turk's Cap Lily). 6*d.*

—— **ALBUM,** 5*s.*

—— **AURANTIACUM,** *vide* pyrenaicum

—— **COCCINEUM,** *vide* chalcedonicum

—— **DALMATICUM,** a very distinct and attractive Lily, producing beautiful flowers of a rich blackish purple colour. 2*s.* 6*d.* and 3*s.* 6*d.*

—— **DALMATICUM CATTANIÆ,** purple, 2*s.* 6*d.* and 3*s.* 6*d.*

MONADELPHUM SZOVITZIANUM, rich citron colour, spotted with black; anthers of a rich chocolate brown; flowers most deliciously fragrant; one of the best of the Lilies; when established, the flower stems grow from 3 to 4 feet high and produce as many as twenty of its attractive blossoms. 1*s.* 6*d.* and 2*s.* 6*d.*

NEILGHERRENSE, 3*s.* 6*d.* and 5*s.*

PARDALINUM, a very showy hardy Lily, freely producing its fine flowers, which are of a rich golden orange colour, attractively spotted with maroon-purple. 1*s.* 6*d.* and 2*s.* 6*d.*

—— **BOURGÆI,** 3*s.* 6*d.*

PARRYI, flowers deep citron-yellow, with a few scattered purplish spots, and chocolate anthers; a desirable species and easily cultivated, 3*s.* 6*d.* and 5*s.*

PHILADELPHICUM, 1*s.* and 1*s.* 6*d.*

POMPONIUM, an elegant species with bright scarlet flowers. 1*s.* 6*d.* and 2*s.* 6*d.* extra strong English grown bulbs, 3*s.* 6*d.*

PUBERULUM, 2*s.* 6*d.* and 3*s.* 6*d.*

PULCHELLUM, a pretty neat growing Lily, with brilliant vermilion flowers, spotted with black, 2*s.* 6*d.* and 3*s.* 6*d.*

PURPUREUM (RUBESCENS), 3*s.* 6*d.* and 5*s.*

PYRENAICUM, 9*d.* and 1*s.*

ROSEUM, *vide* Thompsonianum.

RUBESCENS, *vide* purpureum.

SPECIOSUM (LANCIFOLIUM) ALBUM, 1*s.* 6*d.* and 2*s.* 6*d.*

—— (——) **ALBUM CORYMBIFLORUM,** 1*s.*

—— (——) **CRUENTUM,** 3*s.* 6*d.*

—— (——) **KRÆTZERI,** exquisitely formed flowers, of snowy-whiteness; a great improvement on the ordinary white variety, 1*s.* 6*d.* and 2*s.* 6*d.*

—— (——) —— **SUPERBUM,** 5*s.*

—— (——) **MELPOMENE,** 5*s.*

—— (——) **PUNCTATUM,** 2*s.* 6*d.* and 3*s.* 6*d.*

—— (——) **PURPURATUM,** 2*s.* 6*d.* & 3*s.* 6*d.*

—— (——) **ROSEUM,** 9*d.* and 1*s.*

—— (——) **RUBRUM,** 9*d.* and 1*s.*

—— (——) —— **CORYMBIFLORUM,** 1*s.* 6*d.*

—— (——) —— **MAGNIFICUM,** 7*s.* 6*d.*

—— (——) —— **SUPERBUM,** 1*s.* 6*d.* and 2*s.* 6*d.*

—— (——) **SCHRYMAKERSI,** 2*s.* 6*d.*

SUPERBUM, 1*s.* and 1*s.* 6*d.*

—— **PYRAMIDALE,** 2*s.* 6*d.* and 3*s.* 6*d.*

SZOVITZIANUM, *vide* monadelphum Szovitzianum

TENUIFOLIUM, bright scarlet, of neat growth; a charming Lily, 1*s.* 6*d.* and 2*s.* 6*d.*

TESTACEUM (EXCELSUM), nankeen coloured flowers, 1*s.* 6*d.* and 2*s.* 6*d.*

THOMPSONIANUM (ROSEUM) 1*s.* 6*d.*

THUNBERGIANUM, *vide* elegans.

TIGRINUM, 4*d.* and 6*d.*

—— **FLORE-PLENO,** 9*d.* and 1*s.*

—— **FORTUNEI,** 6*d.* and 9*d.*

TIGRINUM LEOPOLDII, bright orange-scarlet; large dark spots; exceedingly attractive; this and the double-flowered variety are the most handsome of the *tigrinum* section, 2*s.*6*d.*

—— **SPLENDENS,** 1*s.*

VENUSTUM, 1*s.* 6*d.*

WALLACEI, 2*s.* 6*d.*

WALLICHIANUM, 7*s.* 6*d.* and 10*s.* 6*d.*

WASHINGTONIANUM, this noble Lily inhabits the Western slope of the Californian Sierra Nevada; the flowers are white, slightly flushed with lilac, and sweet-scented, 2*s.* 6*d.* and 3*s.* 6*d.*

Good and varied selections of Lilies made at 12s., 18s., 30s. and 42s. per dozen.

LIMONIA TRIFOLIATA, 3*s.* 6*d.*

MAGNOLIA CAMPBELLII, 10*s.* 6*d.* and 15*s.*
CONSPICUA, 3*s.* 6*d.*
LENNEI, 5*s.*
PURPUREA, 2*s.* 6*d.*
SOULANGEANA, 3*s.* 6*d.*
STELLATA (HALLEANA) 5*s.* and 7*s.* 6*d.*
of sorts, 3*s.* 6*d.* and 5*s.* to 10*s.* 6*d.*

MALUS FLORIBUNDUS, 1*s.* 6*d.*
HALLEANUS, a new and distinct Japanese sort, with narrow leaves and giving a profusion of pink flowers, 2*s.* 6*d.*

MAXIMOWICZIA CHINENSIS, 1*s.* 6*d.*

MILLA BIFLORA, 5*s.* per dozen.

MONTBRETIA CROCOSMÆFLORA, 1*s.* 6*d.*
CROCOSMÆFLORA AUREA, fine spikes of large golden yellow flowers. 5*s.*
—— BOUQUET PARFAIT, spikes of very large flowers, centre dark orange yellow, the upper part bright vermilion, 7*s.* 6*d.*
—— ETOILE DE FEU, large spikes of flowers, dark red on the exterior, the interior bright vermilion, centre clear yellow, 7*s.* 6*d.*
—— GERBE D'OR, a dwarf and proliferous variety, producing magnificent golden yellow flowers, 7*s.* 6*d.*

MONTBRETIA CROCOSMÆFLORA PHARE, a most effective variety with very rich coloring; the interior of the flower is brilliant red, the centre yellow, the exterior very bright reddish-crimson. 7*s.* 6*d.*
OCRCOSMÆFLORA PYRAMIDALIS, spikes of erect flowers of an apricot-salmon colour. 7*s.* 6*d.*
—— SOLFATARE, fine erect spikes of large orange-yellow flowers, a very distinct and attractive variety. 7*s.* 6*d.*
POTTSII, 1*s.* 6*d.*
—— GRANDIFLORA, very large flowers in erect spikes, exterior reddish-scarlet, interior orange yellow, very effective. 10*s.* 6*d.*

NEVIUSIA ALABAMENSIS, 3*s.* 6*d.*

NYMPHÆA ALBA, 3*s.* 6*d.* and 5*s.*

OPUNTIA RAFINESQUIANA, 2*s.* 6*d.*

PÆONIA ARBOREA (Tree Pæony), choice sorts, 5*s.* each, 42*s.* per dozen.

PASSIFLORA CÆRULEA, 1*s.* 6*d.* and 2*s.* 6*d.*
CONSTANCE ELIOTT, 1*s.* 6*d.* and 2*s.* 6*d.*

PHELLODENDRON AMURENSE, "The Cork Tree of the Amoor," 3*s.* 6*d.*

PHILADELPHUS CORONARIUS FOLIIS AUREUS 2*s.* 6*d.*
GRANDIFLORUS SPECIOSISSIMUS PLENUS, 3*s.* 6*d.*
KETELEERI FLORE-PLENO, 2*s.* 6*d.*
MULTIFLORUS PLENUS, 1*s.* 6*d.*
PRIMULÆFLORUS, 3*s.* 6*d.*

PHILADELPHUS MICROPHYLLUS.

A small-leaved species of dwarf and compact habit, introduced from California, freely produces large white flowers, most deliciously scented. 2*s.* 6*d.*

PHILADELPHUS ROSÆFLORUS PLENUS.

A splendid variety, producing fine large flowers which are very full and double, composed of large imbricated pure white petals. 3*s.* 6*d.*

PHLOXES (HERBACEOUS).

Selections of good and choice kinds at 12*s.* and 18*s.* per doz.

PIERIS OVALIFOLIA DENSIFLORA.

An evergreen shrub of elegant character and vigorous constitution, introduced from Assam. The leaves are acuminate, of firm texture, and slightly scabrous. The flowers are white, and grow in racemes at the ends of the branches. 3*s.* 6*d.* and 5*s.*

PIPER FUTOKADSURA, 3*s.* 6*d.* and 5*s.*

POLYCARPA MAXIMOWICZII, *vide* Idesia polycarpa

POLYGONUM MULTIFLORUM, 2*s.* 6*d.* and 3*s.* 6*d.*
SACHALINENSE, 1*s.* 6*d.* and 2*s.* 6*d.*

POPULUS CANADENSIS AUREUS VAN GEERTII, foliage of an attractive golden hue. 2*s.* 6*d.*

POTENTILLA, handsome double-flowered kinds. 1*s.* 6*d.* and 2*s.* 6*d.*

PRIMULA AMŒNA, *vide* P. Sieboldii
CORTUSOIDES HYBRIDA, 2*s.* 6*d.*
FLORIBUNDA, *vide* page 62
INTERMEDIA, 3*s.* 6*d.*
—— MINSTREL, 3*s.* 6*d.*
JAPONICA, 1*s.* and 1*s.* 6*d.*
—— of sorts, 3*s.* 6*d.*

PRIMULA SIEBOLDII, 1*s.* 6*d.*
SIEBOLDII ALBA, 3*s.* 6*d.*
—— CLARKIÆFLORA, 3*s.* 6*d.*
—— CÆRULEA ALBA, 3*s.* 6*d.*
—— FIMBRIATA OCULATA, 3*s.* 6*d.*
—— HERMIA, 3*s.* 6*d.*
—— LACINIATA, 3*s.* 6*d.*
—— —— PERFECTA, 3*s.* 6*d.*
—— —— ROSEA, 3*s.* 6*d.*
—— LAVATERA, 3*s.* 6*d.*
—— LILACINA MARGINATA, 3*s.* 6*d.*
—— OPHELIA, 3*s.* 6*d.*
—— PINK BEAUTY, 3*s.* 6*d.*
—— VENUS, 3*s.* 6*d.*
—— VIOLACEA, 3*s.* 6*d.*

PRUNUS PISSARDII.

A remarkably ornamental plant, introduced from Persia; it has splendid foliage of a deep crimson-scarlet colour, and will be found most effective for out-door decoration, the rich hue of its foliage being particularly attractive. 1*s.* 6*d.* and 2*s.* 6*d.*

PRUNUS SINENSIS ALBO-PLENA, 2*s.* 6*d.*

PRUNUS TRILOBA, 1*s.* 6*d.*

RHEUM OFFICINALE.

Very much interest attaches to this plant, as being the ascertained source whence is derived the true Turkey Rhubarb. *R. officinale*, which inhabits and is cultivated in Thibet and Western China, is a very distinct and well-marked plant, of ornamental character. It is a perennial, producing three to seven-lobed leaves, and flowering stems four to ten feet high, branching in a paniculate manner, the branches spreading, and densely packed with spike-like greenish flowers. 2*s*. 6*d*.

RHODODENDRONS, choice hybrids of sorts, to name, 3*s*. 6*d*. and 5*s*.
RHUS GLABRA LACINIATA, 1*s*. and 1*s*. 6*d*.
RIBES ALPINUM PUMILUM AUREUM, 5*s*.
RICHARDIA AFRICANA, 1*s*. and 1*s*. 6*d*.
ALBO-MACULATA, 1*s*. and 1*s*. 6*d*.
ROSA RUGOSA ALBA, 1*s*. 6*d*. and 2*s*. 6*d*.
RUGOSA (REGELIANA), 1*s*. 6*d*. and 2*s*. 6*d*.

RUBUS CRATÆGIFOLIUS.

Introduced from Mandchuria. It is erect in growth, with large shining dark-green leaves, turning red in autumn. It gives a quantity of transparent scarlet fruits of a sugary and agreeable taste, very ornamental. 1*s*. 6*d*. each. 12*s*. per dozen.

RUBUS FRUTICOSUS DENTATUS.

A very peculiar variety of our native Bramble; the stems are purple, and furnished with red thorns: the leaves are small, trifoliolate, with the leaflets deeply inciso-dentate. It is of comparatively slender growth, and will form a hardy climber of a very elegant character. 3*s*. 6*d*.

RUBUS FRUTICOSUS KITTATINNY, 1*s*. 6*d*.
FRUTICOSUS MAMMOTH, 2*s*. 6*d*.
—— NEW ROCHELLE, 2*s*. 6*d*.
—— SNYDER, 2*s*. 6*d*.
—— WILSON'S EARLY, 2*s*. 6*d*.
PARVIFOLIUS, the crimson fruited Bramble, 3*s*. 6*d*.
} highly esteemed American Blackberries.

SALIX BABYLONICA MASCULA, 2*s*. 6*d*.
PENTANDRA, 1*s*. 6*d*.
SAUROMATUM, *vide* Arisæma.
SAXIFRAGA CILIATA, 1*s*. 6*d*.
MONABIANA, 3*s*. 6*d*.
PELTATA, 1*s*. 6*d*.
SCHIZOPHRAGMA HYDRANGEOIDES, *vide* Hydrangea volubilis.
SCIRPUS (JUNCUS) TABERNÆMONTANI ZEBRINUS, 3*s*. 6*d*. and 5*s*.
SEDUM MAXIMOWICZII, 1*s*. 6*d*.
SPURIUM SPLENDENS, 1*s*. 6*d*.
SENECIO PULCHER, 1*s*. 6*d*.
See also page 66
SKIMMIA OBLATA, 2*s*. 6*d*. and 3*s*. 6*d*.
SPIRÆA AMURENSIS, 1*s*. 6*d*.
ASTILBOIDES, *vide* page 77
BARBATA, *vide* Astilbe barbata.
PALMATA, 1*s*. and 1*s*. 6*d*.
—— ALBA, 5*s*. and 7*s*. 6*d*.

SPIRÆA GIGANTEA.

A very remarkable species imported from Japan. It grows from 6 to 7 feet high, well furnished with large Aralia-like leaves. The flowers are produced in large cymes and are pure white. 7*s*. 6*d*.

SPIRÆA PALMATA ELEGANS.

A very distinct and pretty variety, in habit and foliage similar to *Spiræa palmata*, but with white flowers and conspicuous red stamens, which render it extremely effective. 2*s*. 6*d*.

STAPHYLEA COLCHICA, 2*s*. 6*d*. and 3*s*. 6*d*.
STATICE LATIFOLIA, 1*s*.
STAUNTONIA LATIFOLIA, 2*s*. 6*d*.
STYRAX CALIFORNICA, 7*s*. 6*d*.
STYRAX JAPONICA, 5*s*.
SYRINGA HYBRIDA HYACINTHIFLORA PLENA, 1*s*. 6*d*.
VULGARIS FLORE-PLENO LEMOINEI, *vide* page 78

SYRINGA VULGARIS FLORE-PLENO ALPHONSE LAVALLEE.

A very handsome and attractive variety bearing enormous thyrses of double flowers, much branched the shape of the bunch being all that could be desired. The buds are purple, opening a beautiful sky blue shaded with violet. 7*s*. 6*d*.

SYRINGA VULGARIS FLORE-PLENO LE GAULOIS.

An extremely attractive variety producing large close thyrses of very double flowers, of a dark peach colour, light centres. 5*s*.

SYRINGA VULGARIS FLORE-PLENO MATHIEU DE DOMBASLE.

A splendid double-flowered variety, producing immense thyrses nearly a foot long and from seven to nine inches broad; the expanded flowers of a beautiful reddish mauve colour. 3*s*. 6*d*.

SYRINGA VULGARIS FLORE-PLENO MICHEL BUCHNER.

A grand variety, producing fine erect pyramidal shaped thyrses of beautiful double flowers. The petals are prettily imbricated, pale lilac margined with rose; a vigorous grower of superior merit. 7*s*. 6*d*.



SPIRÆA ASTILBOIDES.

One of the most handsome of hardy herbaceous perennials, which has been certificated both by the Royal Horticultural and Royal Botanic Societies on account of its great merit. The stems grow from two to three feet high, and are terminated by compound feathery branches of elegant white flowers, produced in the greatest profusion. A charming plant for pot culture. This is one of the Twelve New Plants with which Mr. W. B. gained the First Prize at the Great Show of the Royal Horticultural Society, held at Kensington, in 1882. *5s.*

SYRINGA VULGARIS FLORE-PLENO LEMOINEI.

A beautiful variety of the *Lilac*, producing large branched spikes, well furnished with double rosette-like flowers; the buds before opening are rose-coloured, and the fully expanded flowers are of a soft lilac shade; but the plant is more particularly charming when forced, in which state the blossoms are pure white; exceedingly useful for all kinds of decoration. 3*s*. 6*d*. each; 30*s*. per dozen.

SYRINGA VULGARIS FLORE-PLENO M. MAXIME CORNU.

A vigorous variety, producing fine thyrses of beautiful rosy lilac double flowers, formed by corollas superposed one in the other; forces well. 10*s.* 6*d.*

SYRINGA VULGARIS FLORE-PLENO PRÉSIDENT GRÉVY.

Magnificent thyrses of flower attaining a length of one foot and a proportionate breadth. The individual flowers are three quarters of an inch in diameter, composed of several rows of petals of a beautiful cobalt blue colour, shading off to rose at the margins; the buds are of large size, rich violet crimson in colour. This variety is of surpassing merit, and by far the best yet raised. 15*s.*

SYRINGA VULGARIS FLORE-PLENO PYRAMIDAL.

An early flowering variety producing very dense pyramidal thyrses about ten inches long, composed of very large double flowers of a beautiful cærulean rose colour, the reverse of a paler colour; buds carmine. 10*s.* 6*d.*

SYRINGA VULGARIS FLORE-PLENO RENONCULE.

A fine variety, giving long erect thyrses of very full double flowers, which are of an azure-mauve colour and have a very strong perfume. 2*s.* 6*d.*

SYRINGA VULGARIS RUBELLA PLENA.

An extremely floriferous variety, producing long erect thyrses of full double flowers, of a clear reddish violet colour; the buds are purple. 2*s.* 6*d.*

TIGRIDIA CONCHIFLORA, 3*s.* per dozen.
GRANDIFLORA, 4*s.* per dozen.
—— ALBA, 4*s.* per dozen.
—— AURANTIACA, 4*s.* per dozen.

These can be supplied, when dormant, by the dozen or hundred at the proper season.

TRICYRTIS HIRTA, 1*s.*
HIRTA FLORE-NIGRO, 1*s.*

TRITOMA (KNIPHOFIA) BURCHELLII, 1*s.*
GRANDIS, 2*s.* 6*d.*
ROOPERI, 1*s.* 6*d.*
UVARIA GLAUCESCENS, 1*s.* 6*d.*
UVARIA GRANDIFLORA, 2*s.* 6*d.*

TRITONIA AUREA, *vide* CROCOSMIA AUREA.

TROPÆOLUM TUBEROSUM, 1*s.*

VERONICAS.

Where the climate is mild these make handsome decorative shrubs for the open border, and produce freely an abundance of showy flowers. They are well adapted for training against low walls or trellises. *Vide* page 67.

VIBURNUM SIEBOLDII.

A bold and effective evergreen shrub, with dark brown warted branches, and opposite dark green flat leaves, which are thick, coriaceous, and laurel-like in character. The leaf-stalks are about an inch long, the blades broadly oblong oval, entire in the lower half, and obscurely and bluntly serrated towards the apex. It is a native of Japan. 3*s.* 6*d.* and 5*s.*

VITIS JAPONICA, *vide* Ampelopsis tricuspidata

VITIS VINIFERA PURPUREA, 5*s.*

WEIGELAS, with handsome variegated foliage.

The following eight sorts have all beautifully variegated foliage, the leaves being margined and tinted with white and gold.

WEIGELA AMABILIS FOLIIS VARIEGATIS, 1*s.* 6*d.*
AMABILIS LOOYMANSII AUREA, 1*s.* 6*d.*
HORTENSIS NIVEA FOLIIS MARGINATIS, 3*s.* 6*d.*
—— RUBRA FOLIIS AUREO-MARGINATA, 3*s.* 6*d.*

WEIGELA KOSTERIANA FOLIIS VARIEGATIS, 3*s.* 6*d.*
LONGIFOLIA ARGENTEO-MARGINATA, 3*s.* 6*d.*
NANA FOLIIS VARIEGATIS, 2*s.* 6*d.*
SIEBOLDII FOLIIS ARGENTEO-MARGINATA, 2*s.* 6*d.*

WEIGELA ABEL CARRIERE, 1*s.* 6*d.*
AUG. WILHELM, 2*s.* 6*d.*

WEIGELA BERANGER, 2*s.* 6*d.*
DOCTEUR BAILLON, 1*s.* 6*d.*

WEIGELA CANDIDA.

An extremely distinct variety, of vigorous habit and very free-blooming, producing fine large pure white flowers. 1*s.* 6*d.* each; 12*s.* per dozen.

WEIGELA CONGO.

A fine variety of good habit, producing large purplish crimson flowers in the most floriferous manner. 7*s.* 6*d.*

WEIGELA DIDEROT, 3*s.* 6*d.*
EMILE GALLÈ, 2*s.* 6*d.*

WEIGELA GLOIRE DES BOSQUETS, 3*s.* 6*d.*
HORTENSIS NIVEA, 1*s.* 6*d.*

WEIGELA JEAN MACE.

A distinct and free-blooming variety, producing fine large purple flowers; the buds are of a very dark crimson-purple colour; it is the darkest Weigela in cultivation. 3*s.* 6*d.*

WEIGELA MONTESQUIEU.

Fine reddish crimson flowers of perfect shape; a very handsome and distinct variety. 5*s.*

WEIGELA LAVALLEI, 1*s.* 6*d.*
PURPUREA, 2*s.* 6*d.*
WISTARIA (GLYCINE) FRUTESCENS MAGNIFICA, 2*s.* 6*d.*
MULTIJUGA, a magnificent species, bearing bunches of bloom from two and a half to three feet long, 2*s.* 6*d.*
—— ALBA, 5*s.*
WISTARIA (GLYCINE) SINENSIS, 2*s.* 6*d.*
SINENSIS ALBA, 2*s.* 6*d.*
—— FLORE-PLENO, 3*s.* 6*d.*
XANTHOCERAS SORBIFOLIA, 3*s.* 6*d.*
YUCCA BREVIFOLIA, 5*s.*
MACROCARPA, 5*s.*
RECURVA, 3*s.* 6*d.* and 5*s.*
—— VARIEGATA, 7*s.* 6*d.*

OFFICINAL AND MEDICINAL PLANTS, TROPICAL FRUITS, &c.

Mr. WILLIAM BULL's collection of living economic plants contains specimens of nearly all the spices and condiments in domestic use, many of the most highly esteemed tropical esculent fruits, many of those from which furniture and other woods are obtained, the principal gums and medicinal products, the poison trees from Java, Brazil, and Madagascar, at one time only heard of in tales of fiction, and plants which supply our daily beverages and food, as well as many of historical interest.

The individual prices of the following depend upon the size of the plants and rarity of the species, particulars of which can be furnished on application.

Selections left to W. B. at 2, 3 and 4 guineas per dozen; collections made at 5, 7 and 10 guineas.

Abyssinian Banana	Músa Ensète	*Abyssinia*
African Mangosteen	Garcinia Livingstóni	*Africa*
African Rubber	Landolphia Watsonii	*Africa*
Allspice	Eugenia Pimenta	*W. Indies*
Arabian Coffee	Coffea arábica	*Yemen*
Arrowroot	Maránta arundinácea	*S. America*
Arnotto Dye Plant	Bixa Orellána	*Tropical America*
Australian Banyan	Ficus macrophylla	*Australia*
Avocado Pear	Persea gratissima	*West Indies*
Balsam of Peru	Myróxylon Pereira	*Peru*
Banyan Tree	Ficus indica	*E. Indies*
Bark of Commerce	Cinchóna officinális	*Tropical America*
Bengal Quince	Ægle Marmelos	*E. Indies*
Betle Pepper	Piper Bétle	*E. Indies*
Bitter Quassia	Quássia amára	*Guiana*
Black Pepper	Piper nigrum	*E. Indies*
Brazil Nut	Bertholléția excélsa	*Brazil*
Cabbage Palm	Eutérpe edúlis	*Brazil*
Camphor	Cámphora officinális	*Japan*
Candle Tree	Parmentiéra cereifera	*Panama*
Cannon Ball Tree	Couroupita guianensis	*British Guiana*
Caoutchouc	Castillóa elástica	*Honduras*
Cape Chestnut	Calodendron capense	*Cape Colony*
Captain Cook's Tea Plant	Leptospérmum scopárium	*New Zealand*
Cardamon	Amómum Cardamómum	*E. Indies*
Cascarilla Bark	Croton Elutéria	*Bahama Islands*
Cassia	Cinnamomum Cassia	*East Indies*
Ceara Rubber	Manihot Glaziovii	*Brazil*
Chinese Plantain Tree	Músa Cavendishii	*China*
Cinnamon	Cinnamómum zeylanicum	*Ceylon*
Clove Tree	Caryophyllus aromáticus	*E. Indies*
Coca	Erythróxylon Cóca	*Peru*
Cocoa	Theobróma Cacáo	*Tropical America*
Coffee	Coffea arábica	*Yemen*
Contrayerva Root	Dorsténia Contrayérva	*S. America*
Cuba Bast	Paritium elátum	*W. Indies*
Cubeb Pepper	Piper Cubéba	*Java*
Cundurango	Gonólobus Cundurángo	*S. America*
Date	Phœnix dactylifera	*Levant*
Durian	Durio zibethinus	*India*
Edible-fruited Passion Flower	Passiflóra edúlis	*Brazil*
Edible Vanguéria	Vanguéria edúlis	*Madagascar*
Elephant Apple	Feronia elephantum	*E. Indies*

Fiddle Wood	Citharéxylon quadranguláre	*Jamaica*
Fig, Sacred	Ficus religiosa	*E. Indies*
Flame Tree	Brachychiton accrifólium	*New South Wales*
Fustick Wood	Chlorophora (Maclúra) tinctória	*W. Indies*
Gamboge	Zanthóchymus pictórius	*E. Indies*
Gigantic Granadilla	Passiflóra macrocárpa	*Rio Negro*
Ginger	Zingiber officinále	*E. Indies*
Granadilla	Passiflóra quadranguláris	*W. Indies*
Guarana Tea Plant	Paullinia sórbilis	*Brazil*
Guava	Psídium Cattleyanum	*Brazil*
Gum Arabic Tree	Acacia arabica	*Arabia*
Ipecacuanha	Cephaëlis Ipecacuànha	*Brazil*
Ivory Nut Palm	Phytelephas macrocárpa	*Peru*
Jack Fruit	Artocarpus integrifolia	*W. Indies*
Jalap	Exogónium púrga	*Mexican Andes*
Japan Cinnamon	Cinnamómum sericeum	*Japan*
Japanese Pepper	Piper Futokadsura	*Japan*
Kokum Oil	Garcinia indica	*E. Indies*
Kola Nut	Cola acuminata	*Niger*
Latanier Palm	Latánia borbónica	*Bourbon*
Ledger's Bark	Cinchóna Ledgeriana	*S. America*
Lemon Grass	Cymbopógon Schœnánthus	*E. Indies*
Liberian Coffee	Coffèa libérica	*Africa*
Litchi	Nephélium Litchi	*China*
Loquat	Eriobótrya japónica	*Japan*
Mahogany Tree	Swietenia Mahágoni	*W. Indies*
Malabar Silk Cotton Tree	Bombax malabaricum	*Malabar*
Mangosteen	Garcinia Mangostána	*Java*
Manilla Hemp	Músa textilis	*Philippine Isles.*
Matico	Artánthe elongáta	*Peru*
Milk Tree	Galactodendron utile	*S. America*
Moreton Bay Chestnut	Castanospermum australe	*Australia*
Mustard Tree of Scripture	Salvadóra pérsica	*Persia*
Nardoo	Marsilea macrópus	*Australia*
Natal Plum	Arduina grandiflora	*Natal*
Netted-leaved Custard Apple	Anona reticulata	*S. America*
New Caledonian Apple	Eugénia magnifica	*New Caledonia*
Nutmeg	Myristica moschàta	*E. Indies*
Palissander Wood	Machærium firmum	*S. America*
Para Rubber	Hévea brasiliénsis	*Brazil*
Patchouli Scent Plant	Pogostémon Pátchouli	*E. Indies*
Poison Bulb	Buphàne (Brunsvigia) toxicaria	*Natal*
Poison Nut	Thevetia neriifolia	*W. Indies*
Queensland Nut	Macadámia ternifólia	*Queensland*
Queensland Plum	Davidsonia pruriens	*Queensland*
Rhea Fibre Plant	Böhmeria nivea	*India*
Rhubarb	Rhéum officinále	*China*
Sand Box Tree	Hura crepitans	*S. America*
Sandal Wood	Santalum album	*E. Indies.*
Sarsaparilla	Smilax Sarsaparilla	*N. America*
Satin Wood	Chloróxylon Switénia	*E. Indies*
Snake Wood	Cecrópia palmáta	*S. America*
Soap Berry	Quillaja Saponaria	*S. America*
Sour Sop	Anóna muricáta	*W. Indies*
Star Apple	Chrysophyllum Cainito	*W. Indies*
Sugar Cane	Sáccharum officinárum	*India*
Sweet Sop	Anona squamosa	*S. America.*
Sycamore Tree of Scripture	Ficus Sycomórus	*Egypt*
Tamarind Tree	Tamarindus indica	*E. Indies*
Tea	Théa Bohéa	*China*
Telegraph or Moving Plant	Desmódium gyrans	*E. Indies*
Tonga	Epipremnum mirábile	*South Sea Islands*
Tonquin Bean	Dipterix odorata	*Guiana*
Traveller's Tree	Ravenála madagascariénsis	*Madagascar*
Turpentine Tree	Pistácia Terebinthus	*S. Europe*
Vanilla	Vanilla aromática	*S. America*
Zerumbet Ginger	Zingiber Zerumbet	*E. Indies*

Purchasers of Officinal and Medicinal Plants, Tropical Fruits, &c., can have selections of living specimens made by W. B. from the preceding at 2, 3 and 4 guineas per dozen; or collections made at 5, 7 and 10 guineas. The difference in price principally depends upon the size of the plants, and the rarity of the species.

ORCHIDS.

In Mr. WILLIAM BULL'S Establishment will be found the largest and best stock in Europe of good established plants—tens of thousands of plants to select from. His Orchid Houses are always quite a sight, from the large number of plants in flower, and he will be pleased to show them to anyone interested in this beautiful class.

Mr. W. B. recommends those desirous of having their houses gay with Orchid flowers, to purchase good established well-cultivated plants, which bloom well, are more satisfactory, and comparatively cheaper than newly-imported or semi-established plants.

Besides plants at the prices enumerated, Mr. W. B. has a large quantity of very fine specimens (some of them unique), at 5, 10, 15 and 20 guineas each, and upwards.

S, distinguishes the stove kinds; I, intermediate house; C, cool house.
Those marked thus (*) are winter-blooming kinds.

I	**ACANTHEPHIPPIUM** JAVANICUM	Java	10*s.* 6*d.* and 15*s.*
I	**ACINETA** BARKERI	Mexico	10*s.* 6*d.* and 15*s.*
I	DENSA	South America	21*s.*
I	ERYTHROXANTHA	South America	
I	HUMBOLDTII (superba)	Colombia	7*s.* 6*d.* and 10*s.* 6*d.*
I	**ACROPERA** LODDIGESII	Mexico	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	LUTEOLA	Mexico	10*s.* 6*d.* and 15*s.*
**C*	**ADA** AURANTIACA	Pamplona	7*s.* 6*d.* and 10*s.* 6*d.*
S	**AËRANTHUS** LEONIS, *vide* Angræcum Leonis.		
I	**AËRIDES** AFFINE	Sylhet	5*s.*, 7*s.* 6*d.* to 21*s.*
I	AFFINE ROSEUM	Sylhet	10*s.* 6*d.* and 15*s.*
I	—— SUPERBUM	Sylhet	31*s.* 6*d.* and 42*s.*
S	CRASSIFOLIUM	Burmah	3*s.* 6*d.*, 5*s.* to 21*s.*
I	CRISPUM (Brookei)	Bombay	3*s.* 6*d.*, 5*s.* to 10*s.* 6*d.*
S	CYLINDRICUM (Vandarum)	East Indies	63*s.* and 84*s.*
S	EMERICII	Andaman Islands	42*s.* and 63*s.*
S	EXPANSUM LEONIÆ	East Indies	42*s.* and 63*s.*
I	FIELDINGII (Fox Brush)	East Indies	7*s.* 6*d.*, 10. 6*d.* to 21*s.*
I	FIELDINGII RUBRUM	East Indies	
S	GODEFROYANUM	Cochin China	31*s.* 6*d.*, 42*s.* and 63*s.*
S	HOULLETIANUM	Cochin China	42*s.*, 63*s.* and 84*s.*
S	HUTTONI	East Indies	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	JAPONICUM	Japan	7*s.* 6*d.* and 10*s.* 6*d.*
S	LARPENTÆ	East Indies	
S	LAWRENCEÆ	East Indies	
S	LEEANUM, *vide* A. HUTTONI		
I	LINDLEYANUM	Coonoor	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	LOBBII	Monlmein	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— MAGNIFICUM	Moulmein	
S	—— RUBRUM	Monlmein	
S	MACULOSUM	Bombay	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	—— SUPERBUM	Bombay	
S	NOBILE	India	21*s.* and 31*s.* 6*d.*
S	ODORATUM (cornutum)	East Indies	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	—— MAJUS	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
S	—— PURPURASCENS	East Indies	15*s.* and 21*s.*
S	ORNITHORRHYNCHUM	East Indies	21*s.* and 31*s.* 6*d.*
S	QUINQUEVULNERUM	Philippine Islands	5*s.*, 7*s.* 6*d.* to 21*s.*
S	REGNIERI	Cochin China	
S	ROHANIANUM	East Indies	
S	RUBRUM	Bombay	63*s.* and 84*s.*
S	SANDERIANUM	East Indies	
S	SUAVISSIMUM	East Indies	15*s.* and 21*s.*
S	THIBAUTIANUM	East Indies	
S	VANDARUM, *vide* CYLINDRICUM		

S	**AËRIDES** VEITCHII	East Indies	10*5s.*
S	VIRENS	Java	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	—— DAYANUM	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
S	—— SUPERBUM	East Indies	15*s.* and 21*s.*
I	WARNERI	Bombay	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**AGANISA** CÆRULEA	Brazil	
S	**ANŒCTOCHILUS** DAWSONIANUS, *vide* GOODYERA		
S	PETOLA	Borneo	21*s.*
S	**ANGRÆCUM** ARCUATUM	Africa	
S	ARTICULATUM	Madagascar	10*s.* 6*d.*, 15*s.* and 21*s.*
S	CHAILLUANUM	West Coast of Africa	
S	CITRATUM	Madagascar	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— MAJUS	Madagascar	
S	DISTICHUM	West Coast of Africa	10*s.* 6*d.*, 15*s.* and 21*s.*
**S*	EBURNEUM (SUPERBUM)	Madagascar	21*s.* and 31*s.* 6*d.*
S	ELLISII	Madagascar	31*s.* 6*d.*, 42*s.* and 63*s.*
I	FALCATUM	Japan	10*s.* 6*d.* and 15*s.*
S	GRANDIFLORUM	Madagascar	105*s.*
S	LEONIS	Comoro Island	31*s.* 6*d.*, 42*s.* and 63*s.*
S	PERTUSUM	West Coast of Africa	
S	SANDERIANUM	West Coast of Africa	
**S*	SESQUIPEDALE	Madagascar	42*s.*, 63*s.* and 84*s.*
**S*	—— MAJUS	Madagascar	
**S*	VIRENS (BRONGNIARTIANUM)	Madagascar	21*s.* and 31*s.* 6*d.*
I	**ANGULOA** CLOWESII	Colombia	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	RUCKERII	South America	
I	UNIFLORA	Colombia	15*s.* and 21*s.*
I	—— ALBA	Colombia	
I	—— SUPERBA	Colombia	42*s.*
**S*	**ANSELLIA** AFRICANA	Sierra Leone	
I	**ARPOPHYLLUM** GIGANTEUM	Mexico	21*s.* and 31*s.* 6*d.*
I	SPICATUM	Mexico	10*s.* 6*d.* and 15*s.*
C	**BARKERIA** ELEGANS	Mexico	21*s.* and 31*s.* 6*d.*
**C*	LINDLEYANA	Mexico	31*s.* 6*d.*
**C*	SKINNERI	Guatemala	10*s.* 6*d.*, 15*s.* and 21*s.*
C	SPECTABILIS	Mexico	
I	**BIFRENARIA** AURANTIACA	Brazil	15*s.* and 21*s.*
C	**BLETIA** HYACINTHINA	China	5*s.* and 7*s.* 6*d.*
I	SHEPHERDII	West Indies	21*s.*
I	SHERRATTIANA	Colombia	10*s.* 6*d.* and 15*s.*
**I*	TANKERVILLÆ, *vide* PHAIUS GRANDIFOLIUS		
I	**BOLLEA** LALINDEI	Colombia	
I	**BRASAVOLA** CUCULLATA	Mexico	15*s.*
S	DIGBYANA	Honduras	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	GLAUCA	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— OCULATA	Mexico	
I	NODOSA	South America	10*s.* 6*d.* and 15*s.*
I	RHOPALORRHACHIS	Mexico	21*s.*
I	**BRASSIA** BRACHIATA	Guatemala	63*s.* and 84*s.*
I	CAUDATA	South America	10*s.* 6*d.* and 15*s.*
I	GIREOUDIANA	Costa Rica	31*s.* 6*d.*
I	KEILIANA	South America	
S	LANCEANA	Guiana	
S	LAWRENCEANA	Demerara	
S	MACULATA	West Indies	10*s.* 6*d.* and 15*s.*
I	SIGNATA	South America	31*s.* 6*d.*
C	VERRUCOSA	Guatemala	10*s.* 6*d.* and 15*s.*
I	WRAYÆ	South America	42*s.* and 63*s.*
S	**BROUGHTONIA** SANGUINEA	Jamaica	10*s.* 6*d.* to 21*s.*
S	**BULBOPHYLLUM** LOBBII, *vide* SARCOPODIUM LOBBII		
I	**BURLINGTONIA** CANDIDA	Demerara	
I	DECORA	Brazil	15*s.* and 21*s.*
I	—— IMPERIALIS	Brazil	
I	FRAGRANS	Brazil	15*s.* and 21*s.*
I	VENUSTA	Brazil	15*s.* and 21*s.*
C	**CALANTHE** DISCOLOR	Japan	
S	DOMINII	Hybrid	21*s.* and 31*s.* 6*d.*
I	MASUOA	Nepal, Sikkim	31*s.* 6*d.*
**I*	NIVALIS	Tavoy, Java	15*s.* and 21*s.*
C	PLEIOCHROMA	Japan	21*s.*

C	**CALANTHE** PLEIOCHROMA BREVIOR	Japan	21*s.*
**I*	REGNIERI	Cochin China	21*s.* and 31*s.* 6*d.*

A new and attractive species, in growth and habit similar to *C. vestita*, but with different flowers, these are about two inches across, white, with large bright carmine centre.

**I*	REGNIERI PURPUREA	Cochin China	
C	SIEBOLDII, *vide* PHAIUS SIEBOLDII		
**I*	STEVENSIANA	Cochin China	
**I*	TURNERI	India	15*s.* and 21*s.*
I	VEITCHII	Hybrid	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	VERATRIFOLIA	East Indies	
**I*	VESTITA INTERMEDIA	Tavoy, Java	21*s.*
**I*	—— LUTEO-OCULATA	Tavoy, Java	5*s.* and 7*s.* 6*d.*
**I*	—— OCULATA GIGANTEA	Tavoy, Java	31*s.* 6*d.*
**I*	—— RUBEO-OCULATA	Tavoy, Java	5*s.* and 7*s.* 6*d.*
**I*	WILLIAMSII	Cochin China	
S	**CAMAROTIS** PURPUREA	Sylhet	21*s.* and 31*s.* 6*d.*
I	**CATASETUM** CALLOSUM	South America	42*s.*
I	CERNUUM, *vide* MYANTHES CERNUIS		
I	FIMBRIATUM	South America	
I	GLAUCOGLOSSUM	Mexico	10*s.* 6*d.*
I	GNOMUS	South America	21*s.*
I	LONGIFOLIUM	South America	31*s.* 6*d.*
I	MACROCARPUM	Brazil	21*s.*
I	MACULATUM	Mexico	10*s.* 6*d.*
I	MEDIUM	Brazil	
I	SANGUINEUM	Brazil	
I	SERRATUM	South America	
I	**CATTLEYA** ACLANDIÆ	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	AMABILIS	Colombia	31*s.* 6*d.* and 42*s.*
I	AMETHYSTINA	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	AMETHYSTOGLOSSA	Brazil	21*s.*, 31*s.* 6*d.* and 42*s.*
I	AUREA	Colombia	31*s.* 6*d.*, 42*s.* and 63*s.*
I	—— MARMORATA	Colombia	
I	BASSETTII, *vide* SPECIOSISSIMA		
I	BICOLOR	Brazil	31*s.* 6*d.* and 42*s.*
I	—— MEASURESIANA	Brazil	
**I*	BOGOTENSIS	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
I	BOOTHIANA, *vide* LOBATA		
I	BOWRINGIANA	Central America	
I	BULBOSA, *vide* WALKERIANA		
I	CHOCOENSIS	Colombia	15*s.* and 21*s.*
C	CITRINA	Oaxaca	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
I	CRISPA	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— SUPERBA	Brazil	21*s.*, 31*s.* 6*d.* and 42*s.*
I	DOLOSA	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	DORMANIANA	Brazil	21*s.* and 31*s.* 6*d.*
S	DOWIANA	Costa Rica	21*s.*, 31*s.* 6*d.* and 42*s.*
I	ELDORADO	Rio Negro	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— AUREA	Rio Negro	63*s.* and 84*s.*
I	—— CARNEA	Rio Negro	
I	—— ROSEA	Rio Negro	
I	—— SPLENDENS	Rio Negro	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— SUPERBA	Rio Negro	
I	—— WALLISII (ALBA)	Rio Negro	
I	ELEGANS, *vide* LÆLIA ELEGANS		
I	FORBESII	Brazil	10*s.* 6*d.*
I	GASKELLIANA	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— CARNEA	Brazil	
I	—— PICTA	Brazil	
I	—— PULCHRA	Brazil	
I	—— ROSEA	Brazil	
I	—— SUPERBA	Brazil	
I	GIGAS (Warscewiczii)	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— ATROPURPUREA	Colombia	
I	—— CHELSONI	Colombia	
I	—— FORMOSA	Colombia	
I	—— IMPERIALIS	Colombia	
I	—— MAGNIFICA	Colombia	
I	—— MARGINATA	Colombia	
I	—— NORMANII	Colombia	

I	**CATTLEYA** GIGAS PICTURATA	Colombia	
I	OIGAS REGALIS	Colombia	
I	—— REGINÆ	Colombia	
I	—— ROSEA	Colombia	
I	—— SANDERIANA	Colombia	
I	—— SPLENDENS	Colombia	
I	—— TYRIANTHINA	Colombia	
I	GRANDIS, *vide* LÆLIA GRANDIS		
I	GUTTATA	Brazil	21*s.* and 31*s.* 6*d.*
I	HARRISONIANA	Brazil	15*s.*, 21*s.* and 31*s.* 6*d.*
I	HOLFORDI, *vide* C. LUTEOLA		
I	INTERMEDIA	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	LABIATA, *vide* C. WARNERII		
I	LAWRENCEANA	Roraima	63*s.* and 84*s.*
I	LEMONIANA, *vide* C. SPECIOSISSIMA		
I	LEOPOLDII	Brazil	10*s.* 6*d.* and 15*s.*
I	LOBATA	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	LODDIGESII	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	LÜDDEMANNIANA, *vide* C. SPECIOSISSIMA		
I	LUTEOLA	South America	31*s.* 6*d.* and 42*s.*
**I*	MAROINATA, *vide* LÆLIA MARGINATA		
I	MAXIMA (Quindos)	Ecuador, Popayan	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— PULCHERRIMA	Ecuador, Popayan	
I	—— SUPERBA	Ecuador, Popayan	42*s.* and 63*s.*
I	MENDELII	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— ALEXANDRÆ	South America	
I	—— AMPLIATA	South America	
I	—— DELICATA	South America	
I	—— EXCELLENS	South America	
I	—— GIGANTEA	South America	
I	—— MACULATA	South America	
I	—— MAONIFICA	South America	
I	—— OCULATA	South America	
I	—— ORNATA	South America	
I	—— PICTA	South America	
I	—— PRINCEPS	South America	
I	—— REX	South America	
I	—— SUPERBA	South America	
I	—— SUPERBISSIMA	South America	
I	MOSSIÆ	Venezuela	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* fine plants, 21*s.*, 31*s.* 6*d.*, 42*s.* and 63*s.*
I	—— ALBO-MARGINATA	Venezuela	63*s.* and 84*s.*
I	—— ALEXANDRA	Venezuela	
I	—— AMŒNA	Venezuela	
I	—— AURANTIACA	Venezuela	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— CHELSONI	Venezuela	
I	—— CLEOPATRA	Venezuela	
I	—— CONSPICUA	Venezuela	
I	—— DELICATA	Venezuela	
I	—— FLAMMEA	Venezuela	
I	—— GIGANTEA	Venezuela	
I	—— GRANDIFLORA	Venezuela	42*s.* and 63*s.*
I	—— GRANDIS	Venezuela	
I	—— INSIGNIS	Venezuela	
I	—— LAWRENCEANA	Venezuela	105*s.* and 147*s.*
I	—— MAGNIFICA	Venezuela	
I	—— MARGINATA	Venezuela	
I	—— MAXIMA	Venezuela	
I	—— PICTA	Venezuela	
I	—— PICTURATA	Venezuela	63*s.* and 84*s.*
I	—— PULCHERRIMA	Venezuela	63*s.* and 84*s.*
I	—— ROSEA	Venezuela	63*s.* and 84*s.*
I	—— —— ELEGANS	Venezuela	
I	—— RUBRA	Venezuela	105*s.* and 147*s.*
I	—— SPECIOSA	Venezuela	
I	—— SPLENDENS	Venezuela	42*s.* and 63*s.*
I	—— SUPERBA	Venezuela	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— VENOSA	Venezuela	
I	NOBILIOR	Brazil	42*s.* and 63*s.*
	PERCIVALIANA	South America	10*s.* 6*d.*, 15*s.* and 21*s.*

I	**CATTLEYA** PERCIVALIANA MARGINATA	South America	
I	PERCIVALIANA NIGRA	South America	
I	—— PICTA	South America	
I	—— SPLENDENS	South America	
I	PERRINII, *vide* LÆLIA PERRINII		
**I*	PINELII, *vide* LÆLIA PINELII		
I	SCHILLERIANA (REGNELLII)	Brazil	15*s.*, 21*s.* and 31*s.* 6*d.*
I	SCHOFIELDIANA	Brazil	
I	SKINNERI	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— ALBA	Mexico	
I	—— OCULATA	Mexico	
I	—— SPLENDENS	Mexico	
I	SPECIOSISSIMA (Bassettii, Lemoniana, Lüddemanniana)	Caracas	10*s.* 6*d.*, 15*s.* and 21*s.*
	STELZNERIANA, *vide* LÆLIA		
S	SUPERBA	Essequibo	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— SPLENDENS	Essequibo	
**I*	TRIANÆ	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
**I*	—— ALBA	Colombia	
**I*	—— ATALANTA	Colombia	42*s.* and 63*s.*
**I*	—— BELLA	Colombia	105*s.*
**I*	—— CLEOPATRA	Colombia	63*s.* and 84*s.*
**I*	—— CONSPICUA	Colombia	
**I*	—— DELICATA	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
**I*	—— ELEOANS	Colombia	63*s.* and 84*s.*
**I*	—— EXCELLENS	Colombia	
**I*	—— FIMBRIATA	Colombia	
**I*	—— FLAMMEA	Colombia	
**I*	—— GEMMA	Colombia	
**I*	—— GRANDIS	Colombia	42*s.* and 63*s.*
**I*	—— ILLUSTRIS	Colombia	
**I*	—— INSIGNIS	Colombia	
**I*	—— MAGNIFICA	Colombia	105*s.* and 147*s.*
**I*	—— MARGINATA	Colombia	42*s.* and 63*s.*
**I*	—— MINIATA	Colombia	
**I*	—— NIVEA	Colombia	
**I*	—— PICTA	Colombia	63*s* and 84*s.*
**I*	—— PRINCEPS	Colombia	
**I*	—— QUADRICOLOR	Colombia	31*s.* 6*d.* and 42*s.*
**I*	—— ROSALIND	Colombia	
**I*	—— ROSEA	Colombia	42*s.* and 63*s.*
**I*	—— —— SUPERBA	Colombia	84*s.* and 105*s.*
**I*	—— RUBESCENS	Colombia	
**I*	—— RUBRA	Colombia	42*s.*
**I*	—— SCHRŒDERÆ	Colombia	
**I*	—— SPECIOSA	Colombia	63*s.* and 84*s.*
**I*	—— SPLENDENS	Colombia	42*s.* and 63*s.*
**I*	—— SUPERBA	Colombia	31*s.* 6*d.* and 42*s.*
**I*	—— TRICOLOR	Colombia	
**I*	—— TYRIANTHINA	Colombia	31*s.* 6*d.* and 42*s.*
**I*	—— VENUS	Colombia	63*s.* and 84*s.*
**I*	—— VESTA	Colombia	63*s.* to 105*s.*
**I*	—— VICTORIA	Colombia	
**I*	—— VIRGINALIS	Colombia	63*s.* and 84*s.*
I	VELUTINA	Brazil	
I	WALKERIANA (bulbosa)	Brazil	
I	WARNERII (labiata)	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— MAGNIFICA	Brazil	
I	—— PICTA	Brazil	
I	—— SPLENDENS	Brazil	
I	WARSCEWICZII, *vide* C. GIGAS.		
I	XANTHINA		
I	**CHYSIS** AUREA	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
I	BRACTESCENS	Peru	10*s.* 6*d.*, 15*s.* and 21*s.*
I	LÆVIS	Mexico	15*s.* and 21*s.*
I	LIMMINGHEI	Mexico	42*s.* and 63*s.*
S	**CIRRHÆA** TRISTIS	East Indies	15*s.* and 21*s.*
I	**CIRRHOPETALUM** ORNATISSIMUM	East Indies	
I	PICTURATUM	East Indies	
S	THOUARSII	Manilla	

S	**CŒLOGYNE** ASPERATA (Lowii)	Borneo	21*s.* and 31*s.* 6*d.*
**I*	BARBATA	Assam	10*s.* 6*d.*, 15*s.* and 21*s.*
I	CORRUGATA	Khasya	10*s.* 6*d.* and 15*s.*
**C*	CRISTATA	Nepal, Sylhet	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**C*	—— Chatsworth variety	East Indies	21*s.*, 31*s.* 6*d.* and 42*s.*
**C*	—— HOLOLEUCA (alba)	East Indies	
**C*	—— LEMONIANA	East Indies	31*s.* 6*d.* and 42*s.*
**C*	—— MAXIMA	East Indies	
**C*	—— Trentham variety	East Indies	
I	ELATIOR	Assam	21*s.* and 31*s.* 6*d.*
**I*	FLACCIDA	Assam	10*s.* 6*d.* and 15*s.*
I	FULIGINOSA	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
I	GARDNERIANA	East Indies	21*s.*
I	MASSANGEANA	Assam	84*s.* and 105*s.*
I	OCELLATA	Assam	7*s.* 6*d.* and 10*s.* 6*d.*
I	—— MAXIMA	Assam	
S	PANDURATA	Borneo	31*s.* 6*d.* and 42*s.*
I	SANDERIANA	East Indies	
I	SPECIOSA	Java	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— MAJOR	Java	
I	**COMPARETTIA** MACROPLECTRON	South America	15*s.* and 21*s.*
C	**COLAX** JUGOSUS	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s*
C	VIRIDIS	Brazil	10*s.* 6*d.* and 15*s.*
S	**CORYANTHES** MACRANTHA	Caracas	
C	**CRYPTOCHILUS** SANGUINEUS	Assam	21*s.*
S	**CYCNOCHES** CHLOROCHILON	South America	31*s.* 6*d.* and 42*s.*
I	**CYMBIDIUM** ALOIFOLIUM	East Indies	5*s.* and 7*s.* 6*d.*
S	CANALICULATUM	Queensland	10*s.* 6*d.* and 15*s.*
I	DEVONIANUM	Assam	21*s.*, 31*s.* 6*d.* and 42*s.*
**C*	EBURNEUM, *vide* page 88	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
**C*	—— DAYANUM	East Indies	
**C*	—— MACULATUM	East Indies	
**C*	—— PICTUM	East Indies	
**C*	GIGANTEUM	Assam	21*s.* and 31*s.* 6*d.*
C	HOOKERIANUM	Sikkim, Himalaya	42*s.* and 63*s.*
C	LOWIANUM	Burmah	
C	—— ATROPURPUREUM	Burmah	
I	MADIDUM	Queensland	
**C*	MASTERSII	East Indies	10*s.* 6*d.*, 15*s.* and 21*s*
S	PENDULUM ATROPURPUREUM	Java	
I	TIGRINUM	East Indies	21*s.* and 31*s.* 6*d.*
I	**CYPRIPEDIUM** ALBO-PURPUREUM	Hybrid	84*s.* and 105*s.*
**I*	AMANDUM, *vide* page 10		
**I*	ARGUS	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	ARTHURIANUM	Hybrid	
I	ASHBURTONIÆ	Hybrid	31*s.* 6*d.* and 42*s.*
I	BARBATUM	Mount Ophir	5*s.*
I	—— BIFLORUM	Mount Ophir	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— GRANDIFLORUM	Java	21*s.* and 31*s.* 6*d.*
I	—— —— NANUM	Java	42*s.*
I	—— MAJUS	Mount Ophir	10*s.* 6*d.*
I	—— NIGRUM	Mount Ophir	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— PICTUM	Mount Ophir	15*s.*
I	—— PLUMOSUM	Mount Ophir	21*s.* and 31*s.* 6*d.*
I	—— PULCHERRIMUM	Mount Ophir	15*s.* and 21*s.*
I	—— PURPUREUM	Mount Ophir	10*s.* 6*d.* and 15*s.*
I	—— SUPERBUM	Mount Ophir	7*s.* 6*d.* and 10*s.* 6*d.*
I	—— VIOLACEUM	Mount Ophir	
**I*	—— WARNERIANUM	East Indies	10*s.* 6*d.* 15*s.* and 21*s.*
C	BOXALLII	Burmah	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
**I*	BULLENIANUM	Borneo	3*s.* 6*d.* and 5*s.*
I	CALLOSUM	Hybrid	
I	CALOPHYLLUM	Hybrid	
I	CALURUM	Hybrid	42*s.* and 63*s.*
**I*	CARICINUM, *vide* C. PEARCEI		
I	CAUDATUM	Panama	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— ROSEUM	Panama	21*s.*, 31*s.* 6*d.* and 42*s.*
I	CILIOLARE	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
I	CONCHIFERUM	Hybrid	
I	CONCOLOR	Moulmein	21*s.* and 31*s.* 6*d.*

CYMBIDIUM EBURNEUM.

The large and attractive ivory-white flowers of this handsome species are always charming, and, being deliciously fragrant, it is a universal favourite. 10*s.* 6*d.*, 15*s.* and 21*s.*

I	**CYPRIPEDIUM** CONCOLOR REGNEIRII	Moulmein	
I	CONCOLOR TONQUINENSE	Tonquin	
I	CONOINNUM, *vide* page 10		
**I*	CROSSIANUM	Hybrid	31*s.* 6*d.* and 42*s.*
C	DAUTHIERII	Hybrid	21*s.* and 31*s.* 6*d.*
I	DAYANUM	Borneo	31*s.* 6*d.* and 42*s.*
I	—— SUPERBUM	Borneo	
I	DOMINII	Hybrid	10*s.* 6*d.*, 15*s.* and 21*s.*
I	DRURYI	East Indies	42*s.* and 63*s.*
S	EURYANDRUM	Hybrid	63*s.* and 84*s.*
S	GEMMIFERUM	Hybrid	
S	GODEFROYÆ	Siam	
S	GRANDE	Hybrid	84*s.* and 105*s.*
C	HARRISIANUM	Hybrid	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— NIGRUM	Hybrid	
S	HARTWEGII	Ecuador	
S	HAYNALDIANUM	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
I	HIRSUTISSIMUM	Assam	21*s.* and 31*s.* 6*d.*
S	HOOKERÆ	Borneo	7*s.* 6*d.* and 10*s.* 6*d.*
I	HYBRIDUM	Hybrid	15*s.* and 21*s.*
**C*	INSIGNE	Nepal	3*s.* 6*d.* and 5*s.*
**C*	—— ALBO-MARGINATUM	Nepal	15*s.* and 21*s.*
**C*	—— FUSCATUM	Nepal	10*s.* 6*d.* and 15*s.*
**C*	—— GUTTULATUM	Nepal	
**C*	—— MACULATUM	Nepal	
**C*	—— MAULEI	Nepal	31*s.* 6*d.* and 42*s.*
**C*	—— —— CHANTINII	Nepal	42*s.* and 63*s.*
**C*	—— MAXIMUM	Nepal	10*s.* 6*d.*
**C*	—— PICTURATUM	Nepal	15*s.* and 21*s.*
**C*	—— PUNCTATUM VIOLACEUM	Nepal	63*s.*
**C*	—— SYTHETENSE	Sylhet	
I	JAVANICUM	Java	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	LÆVIGATUM (philippinense)	Philippine Islands	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	LAWRENCEANUM	Borneo	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— MAJUS	Borneo	
I	—— MARMORATUM	Borneo	
I	—— SUPERBUM	Borneo	
I	LEEANUM	Hybrid	84*s.* and 105*s.*
I	—— SUPERBUM	Hybrid	
S	LINDLEYANUM	British Guiana	
I	LONGIFOLIUM	Costa Rica	7*s.* 6*d.* and 10*s.* 6*d.*
S	LOWII	Borneo	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
S	MARMOROPHYLLUM	Hybrid	
S	MORGANLÆ	Hybrid	
**S*	NIVEUM	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	ŒNANTHUM SUPERBUM	Hybrid	
S	PARISHII	East Indies	15*s.* and 21*s.*
I	PEARCEI (caricinum)	Peru	10*s.* 6*d.* and 15*s.*
S	PETRI	Hybrid	
S	PHILIPPINENSE, *vide* LÆVIGATUM		
I	PORPHYREUM	Hybrid	
S	PRÆTSANS	New Guinea	
I	PURPURATUM	Hong Kong	21*s.*, 31*s.* 6*d.* and 42*s.*
I	REGALE, *vide* page 10		
S	RÖBELENII	Malay Archipelago	21*s.*, 31*s.* 6*d.* and 42*s.*
I	ROEZLII	South America	10*s.* 6*d.* and 15*s.*
S	SANDERIANUM	Malay Archipelago	
C	SCHLIMII	Colombia	21*s.* and 31*s.* 6*d.*
C	—— ALBUM	Colombia	42*s.* and 63*s.*
C	SEDENI	Hybrid	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— PORPHYREUM	Hybrid	
C	—— SUPERBUM	Hybrid	21*s.* and 31*s.* 6*d.*
I	SELLIGERUM	Hybrid	31*s.* 6*d.*
I	—— MAJUS	Hybrid	
**I*	SPICERIANUM	East Indies	15*s.*, 21*s.* and 31*s.* 6*d.*
**I*	—— GRANDIFLORUM	East Indies	
**I*	—— MAGNIFICUM	East Indies	
**I*	—— NIGRESCENS	East Indies	
**I*	—— VIRESCENS	East Indies	
I	STENOPHYLLUM	Hybrid	
S	STONEI	Borneo	10*s.* 6*d.* and 15*s.*

I	**CYPRIPEDIUM** SUPERBIENS (Veitchii)	Java	21*s.*, 31*s.* 6*d.* and 42*s.*
I	SUPERBIENS "PRINCE DEMIDOFF'S VARIETY"	Java	
I	SWANIANUM	Hybrid	
I	SUPERCILIARE	Hybrid	42*s.* and 63*s.*
**C*	VENUSTUM	Nepal	5*s.* and 7*s.* 6*d.*
**C*	—— PARDINUM	Assam	5*s.* and 7*s.* 6*d.*
I	VERNIXIUM	Hybrid	42*s.* and 63*s.*
I	VEXILLARIUM	Hybrid	
C	VILLOSUM	Moulmein	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
**S*	VIRENS	Borneo	15*s.* and 21*s.*
I	**CYRTOPODIUM** ANDERSONI	Brazil	21*s.* and 31*s.* 6*d.*
I	PUNCTATUM	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
I	**DENDROBIUM** AGOREOATUM	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
I	AGOREOATUM MAJUS	East Indies	10*s.* 6*d.* and 15*s.*
I	AINSWORTHII	Hybrid	63*s.* and 84*s.*
I	—— ROSEUM	Hybrid	
I	ALBO-SANGUINEUM	Moulmein	10*s.* 6*d.*, 15*s.* and 21*s.*
I	ALBUM	East Indies	21*s.* and 31*s.* 6*d.*
S	ANGULARE	North Australia	21*s.*
S	ANOSMUM (DAYANUM)	Manilla	31*s.* 6*d.* and 42*s.*
I	AUREUM (HETEROCARPUM)	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	BENSONIÆ	Arracan Hills	7*s.* 6*d.* and 10*s.* 6*d.*
S	—— ALBUM	Arracan Hills	
S	BICAMERATUM	Burmah	42*s.* and 63*s.*
S	BIGIBBUM	Torres Straits	10*s.* 6*d.* and 15*s.*
S	BOXALLII	Burmah	15*s.* and 21*s.*
I	BRISBANENSE	North Australia	21*s.*
S	BRYMERIANUM	Burmah	
I	CALCEOLARIA	East Indies	10*s.* 6*d.* and 15*s.*
I	CAMBRIDGEANUM	Chittagong	7*s.* 6*d.* and 10*s.* 6*d.*
I	CARINIFERUM	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
I	CHRYSANTHUM	Nepal	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**I*	—— MICROPHTHALMUM	Khasya Hills	10*s.* 6*d.* and 15*s.*
I	CHRYSOTIS, *vide* D. HOOKERIANUM		
S	CHRYSOTOXUM	East Indies	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	—— SUPERBUM	East Indies	10*s.* 6*d.* and 15*s.*
I	CLAVATUM	East Indies	15*s.*, 21*s.* and 31*s.* 6*d.*
**S*	CRASSINODE	Arracan&SiamMountains	7*s.* 6*d.* and 10*s.* 6*d.*
**S*	—— ALBUM	Arracan&SiamMountains	
**S*	—— BARBERIANUM	Arracan&SiamMountains	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	CREPIDATUM	East Indies	5*s.* and 7*s.* 6*d.*
S	CRETACEUM	Burmah	5*s.* and 7*s.* 6*d.*
S	CUCULLATUM, *vide* D. PIERARDII		
S	CRYSTALLINUM	Arracan Mountains	7*s.* 6*d.* and 10*s.* 6*d.*
I	CUPREUM	East Indies	
S	DALHOUSIANUM	East Indies	10*s.* 6*d.* 15*s.* and 21*s.*
S	DAYANUM, *vide* D. ANOSMUM		
S	DEAREI	Philippine Islands	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	DENSIFLORUM	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	—— ALBUM, *vide* D. SCHRÖDERI		
I	DEVONIANUM	Khasya	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	DIXANTHUM	East Indies	10*s.* 6*d.* and 15*s.*
S	DRACONIS (eburneum)	Burmah	10*s.* 6*d.*, 15*s.* and 21*s.*
I	FALCONERI	East Indies	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	FARMERI	India	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— ALBUM	India	
S	—— AUREUM	India	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	FIMBRIATUM	Nepal	10*s.* 6*d.* and 15*s.*
I	—— OCULATUM	Nepal	10*s.* 6*d.* and 15*s.*
S	FINDLEYANUM	Moulmein	15*s.*, 21*s.* and 31*s.* 6*d.*
S	FORMOSUM BERKELEYI	Andaman Islands	21*s.* and 31*s.* 6*d.*
I	—— GIGANTEUM	Burmah	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	FREEMANI	Assam	10*s.* 6*d.*, 15*s.* and 21*s.*
I	FYTCHIANUM	Burmah	10*s.* 6*d.*, 15*s.* and 21*s.*
I	GIBSONI	Tenasserim	21*s.* and 31*s.* 6*d.*
I	GRIFFITHIANUM	East Indies	
I	GUIBERTIANUM	East Indies	
S	HARVEYANUM	Burmah	
S	HEDYOSMUM	East Indies	15*s.* and 21*s.*
I	HETEROCARPUM, *vide* AUREUM		
**C*	HILLII, *vide* SPECIOSUM HILLII		

C	**DENDROBIUM** INFUNDIBULUM	Moulmein	10*s.* 6*d.*, 15*s.* and 21*s.*
C	JAMESIANUM	Moulmein	10*s.* 6*d.*, 15*s.* and 21*s.*
C	JAPONICUM, *vide* MONILIFORME		
S	JENKINSII	Gualpara	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	JOHANNIS	Queensland	
I	KINOIANUM	Australia	10*s.* 6*d.*. 15*s.* and 21*s.*
S	LEUCOLOPHOTUM	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
I	LINAWIANUM (moniliforme, HORT.)	China and Japan	31*s.* 6*d.* and 42*s.*
I	LITUIFLORUM	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
I	LONOICORNE	Khasya Hills	21*s.* and 31*s.* 6*d.*
S	LOWII	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
I	LUTEOLUM	Moulmein	10*s.* 6*d.* and 15*s.*
S	MACROPHYLLUM (superbum)	Manilla	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
S	McCARTHIÆ	Ceylon	
I	MARMORATUM	Assam	7*s.* 6*d.* and 10*s.* 6*d.*
C	MONILIFORME (japonicum)	Japan	5*s.* and 7*s.* 6*d.*
S	MORTII	North Australia	
I	MOSCHATUM	East Indies	10*s.* 6*d.* and 15*s.*
**I*	NOBILE	Assam	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**I*	—— CÆRULESCENS	Assam	21*s.* and 31*s.* 6*d.*
**I*	—— ELEGANS	Assam	21*s.*
**I*	—— EXCELLENS	Assam	
**I*	—— GRANDIFLORUM	Assam	21*s.* and 31*s.* 6*d.*
**I*	—— HYACINTHINUM	Assam	
**I*	—— INSIGNIS	Assam	
**I*	—— NOBILIUS	Assam	
**I*	—— PENDULUM	Assam	21*s.* and 31*s.* 6*d.*
**I*	—— PULCHERRIMUM	Assam	21*s.* and 31*s.* 6*d.*
**I*	—— RUBELLUM	Assam	31*s.* 6*d.* and 42*s.*
**I*	—— SPLENDENS	Assam	
**I*	—— WALLICHII	Assam	21*s.* and 31*s.* 6*d.*
I	NODATUM	Moulmein	7*s.* 6*d.* and 10*s* 6*d.*
I	PARISHII	Moulmein	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— DIVES	Moulmein	
S	PARTHENIUM	Borneo	
I	PAXTONI	Khasya	10*s.* 6*d.* and 15*s.*
I	PHILIPPINENSE	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
**I*	PIERARDI	Delta of Ganges	5*s.* and 7*s.* 6*d.*
**I*	—— LATIFOLIUM	Delta of Ganges	21*s.*
I	PRIMULINUM	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	—— GIGANTEUM	East Indies	21*s.* and 31*s.* 6*d.*
I	PULCHELLUM	Assam	7*s.* 6*d.* and 10*s.* 6*d.*
I	SCHRÖDERI (densiflorum album)	East Indies	
I	SECUNDUM	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
**C*	SPECIOSUM	Australia	10*s.* 6*d.* and 15*s.*
**C*	—— HILLII	Australia	31*s.* 6*d.* and 42*s.*
S	STRATIOTES	New Guinea	
S	SUAVISSIMUM	Burmah	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	SULCATUM	Assam	15*s.* and 21*s.*
S	SUPERBIENS	Torres Straits	42*s.* and 63*s.*
S	SUPERBUM, *vide* MACROPHYLLUM		
S	TETRAGONUM	North Australia	21*s.*
I	TERETIFOLIUM	Australia	10*s.* 6*d.*, 15*s.* and 21*s.*
I	THYRSIFLORUM	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— CARNEUM	East Indies	
I	—— WALKERIANUM	East Indies	
S	TORTILE	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	—— ROSEUM	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	TRANSPARENS	Nepal	7*s.* 6*d.* and 10*s.* 6*d.*
I	VEITCHIANUM	Java	21*s.* and 31*s.* 6*d.*
**I*	WARDIANUM	Assam	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**I*	—— ALBUM	Assam	
**I*	—— GRANDIFLORUM	Assam	
**I*	—— SUPERBUM	Assam	
I	**DENDROCHILUM** ARACHNITES	East Indies	15*s.* and 21*s.*
I	COBBIANUM	East Indies	10*s.* 6*d.* and 15*s.*
I	—— GIGANTEUM	East Indies	
I	CONVALLARIOIDES	East Indies	15*s.*
I	CUCUMERINUM	East Indies	21*s.*
S	FILIFORME	Manilla	21*s.* and 31*s.* 6*d.*

*S	**DENDROCHILUM** GLUMACEUM	Philippine Islands	10*s.* 6*d.*, 15*s.* & 21*s.*
S	UNOATUM	East Indies	
S	**DICHÆA** VAGINATA	Mexico	10*s.* 6*d.*
C	**DISA** GRANDIFLORA	Cape of Good Hope	10*s.* 6*d.*, 15*s.* & 21*s.*
C	GRANDIFLORA MINIATA	Cape of Good Hope	21*s.* and 31*s.* 6*d.*
C	**EPIDENDRUM** ATROPURPUREUM, *vide* MACROCHILUM		
S	BICORNUTUM	South America	10*s.* 6*d.*, 15*s.* & 21*s.*
I	BRASAVOLÆ	Guatemala	63*s.*
I	CHRISTII	South America	
I	COCHLEATUM	West Indies	7*s.* 6*d.* and 10*s.* 6*d.*
I	CRASSIFOLIUM	South America	7*s.* 6*d.* and 10*s.* 6*d.*
I	CRINIFERUM	Costa Rica	
I	CUSPIDATUM	Costa Rica	7*s.* 6*d.* and 10*s.* 6*d.*
I	DICHROMUM	Bahia	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	DIOTUM	South America	
I	EVECTUM	South America	10*s.* 6*d.* and 15*s.*
I	FALCATUM (Parkinsonianum)	Mexico	15*s.*, 21*s.* and 31*s.* 6*d.*
I	FALS-LOQUUM	South America	42*s.* and 63*s.*
I	FRIDERICI GUILIELMI	South America	
I	GLUMACEUM	South America	
I	IBAGUENSE	Colombia	
I	IONOSMUM	Mexico	21*s.*
I	LEUCOCHILUM	South America	
I	LEUCOGLOSSUM	South America	
C	MACROCHILUM (atropurpureum)	South America	5*s.*, 7*s.* 6*d.* & 10*s.* 6*d.*
I	MYRIANTHUM	Guatemala	84*s.* and 105*s.*
I	NEMORALE	Mexico	21*s.*, 31*s.* 6*d.* and 42*s.*
I	PANICULATUM	South America	21*s.* and 31*s.* 6*d.*
I	PRISMATOCARPUM	Chiriqui	10*s.* 6*d.*, 15*s.* and 21*s.*
I	PSEUDO-EPIDENDRUM AURATUM	South America	
I	RANIFERUM	Mexico	
I	RHIZOPHORUM (radicans)	Mexico	21*s.* and 31*s.* 6*d.*
I	SCEPTRUM	Colombia	15*s.* and 21*s.*
I	STAMFORDIANUM	South America	21*s.* and 31*s.* 6*d.*
I	—— WALLACEI	South America	21*s.* and 31*s.* 6*d.*
I	SYRINGOTHYRSUS	South America	
I	TOVARENSE	Venezuela	15*s.* and 21*s.*
I	WALLISII	Colombia	
C	VITELLINUM MAJUS	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	XANTHINA	South America	
I	**ERIA** OLAVIOAULIS	Assam	21*s.* and 31*s.* 6*d.*
S	**EULOPHIA** DREGEANA	Natal	
S	FLAVA	Madagascar	
I	SCRIPTA	Madagascar	21*s.* and 31*s.* 6*d.*
S	**GALEANDRA** BAUERII	Guatemala	
S	DEVONIANA	Guiana	10*s.* 6*d.*, 15*s.* & 21*s.*
S	DIVES	South America	31*s.* 6*d.* and 42*s.*
S	**GEODORUM** DUPERREANUM	Cochin China	15*s.* and 21*s.*
I	**GONGORA** PORTENTOSA	South America	15*s.* and 21*s.*
I	PUNCTATA	South America	
C	**GOODYERA** CALIFORNICA	California	10*s.* 6*d.*
S	(ANŒCTOCHILUS) DAWSONIANA	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
S	(——) DAWSONIANA SUPERBA	East Indies	10*s.* 6*d.* and 15*s.*
I	DISCOLOR	South America	5*s.* and 7*s.* 6*d.*
C	**GOVENIA** DELICIOSA	Mexico	5*s.* and 7*s.* 6*d.*
S	**GRAMMATOPHYLLUM** ELLISII	Madagascar	
S	**GYMNADENIA** MACRANTHA	Sierra Leone	10*s.* 6*d.*
I	**HARTWEGIA** PURPUREA	Mexico	31*s.* 6*d.*
C	**HELCIA** SANGUINOLENTA	Andes of Guayaquil	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	**HOULLETIA** BROCKLEHURSTIANA	Brazil	15*s.* and 21*s.*
I	CHRYSANTHA	South America	31*s.* 6*d.* and 42*s.*
C	ODORATISSIMA	Colombia	
I	**HUNTLEYA** CERINA, *vide* PESCATORIA CERINA		
I	**IONOPSIS** PANICULATA	Brazil	15*s.* and 21*s.*
*C	**LÆLIA** ACUMINATA	Mexico	10*s.* 6*d.*, 15*s.* & 21*s.*
*C	ACUMINATA ROSEA	Mexico	10*s.* 6*d.*, 15*s.* & 21*s.*
*C	ALBIDA	Guatemala	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
*C	—— BELLA	Guatemala	
*C	—— MARIANÆ	Guatemala	21*s.* and 31*s.* 6*d.*
I	AMANDA	Brazil	
*C	ANCEPS	Mexico	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

*C	**LÆLIA** ANCEPS ALBA	Mexico		
*C	ANCEPS BARKERI	Mexico		
*C	—— DAWSONI	Mexico		
*C	—— HILLII	Mexico		
*C	—— MAJOR	Mexico		
*C	—— OCULATA	Mexico		31*s.* 6*d.* and 42*s.*
*C	—— PERCIVALIANA	Mexico		
*C	—— SANDERIANA	Mexico		
*C	—— SCHRÖDERIANA	Mexico		
*C	—— SPLENDENS	Mexico		
*C	—— STELLA	Mexico		
*C	—— ROSEA	Mexico		
*C	—— RUBRA	Mexico		
*C	—— VENUSTA	Mexico		
*C	AUTUMNALIS	Mexico		10*s.* 6*d.*, 15*s.* and 21*s.*
*C	—— ATRORUBENS	Mexico		21*s.*, 31*s.* 6*d.* and 42*s.*
I	BOOTHIANA, *vide* CATTLEYA LOBATA			
I	CINNABARINA	Brazil		10*s.* 6*d.* and 15*s.*
I	CRISPA, *vide* CATTLEYA CRISPA			
I	CRISPILABIA (LAWRENCEANA)	Brazil		31*s.* 6*d.* and 42*s.*
*I	DAYANA	Brazil		7*s.* 6*d.*, 10*s.* 6*d.* and 15*s*
*I	—— SUPERBA	Brazil		21*s.*
I	ELEOANS	Brazil		
I	—— ALBA	Brazil		
I	—— CARNEA	Brazil		
I	—— IRRORATA	Brazil		
I	—— MACROLOBA	Brazil		
I	—— PRASIATA	Brazil		
I	—— SCHILLERIANA	Brazil		
I	—— TURNERI	Brazil		
I	—— STELZNERIANA	Brazil		
I	FLAVA	Brazil		
I	ORANDIS	Brazil		
I	HARPOPHYLLA	Brazil		10*s.* 6*d.* and 15*s.*
I	LINDLEYANA	Brazil		
I	LOBATA, *vide* CATTLEYA LOBATA			
C	MAJALIS OF FLOR DE MAIO	Oaxaca		7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— RUBRA	Oaxaca		21*s.* and 31*s.* 6*d.*
*I	MARGINATA	Oaxaca		10*s.* 6*d.*, 15*s.* and 21*s.*
I	PATINII	Colombia		
I	PERRINII	Brazil		21*s.* and 31*s.* 6*d.*
I	—— SUPERBA	Brazil		31*s.* 6*d.* and 42*s.*
*I	PINELII (præstans, pumila)	Brazil		15*s.*, 21*s.* and 31*s.* 6*d.*
I	PURPURATA	Brazil		10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— ALBA	Brazil		
I	—— —— EXCELLENS	Brazil		
I	—— —— GLORIOSA	Brazil		
I	—— BRYSIANA	Brazil		
I	—— CHELSONI	Brazil		
I	—— ORANDIS	Brazil		
I	—— NELISII	Brazil		
I	—— NIORA	Brazil		
I	—— MAXIMA	Brazil		
I	—— RUSSELLIANA	Brazil		
I	—— ROSEA	Brazil		
I	—— SPLENDENS	Brazil		
I	SCHILLERIANA, *vide* L. ELEGANS			
I	SUPERBIENS	Malacatan		31*s.* 6*d.* and 42*s.*
S	**LÆLIOPSIS** DOMINOENSIS	West Indies		
I	**LEPTOTES** BICOLOR	South America		10*s.* 6*d.* and 15*s.*
*I	**LIMATODIS** ROSEA	Moulmein		5*s.* and 7*s.* 6*d.*
I	**LISSOCHILUS** KREBSII	Natal		
S	**LUISIA** PLATYOLOSSA	East Indies		10*s.* 6*d.*
C	**LYCASTE** AROMATICA	Mexico		10*s.* 6*d.* and 15*s.*
I	BARRINOTONIÆ	West Indies		21*s.* and 31*s.* 6*d.*
C	COSTATA	South America		15*s.*, 21*s.* and 31*s.* 6*d.*
C	CRUENTA	Guatemala		10*s.* 6*d.* and 15*s.*
C	DEPPEI	Mexico		10*s.* 6*d.* and 15*s.*
C	OIOANTEA	South America		15*s.* and 21*s.*
C	(MAXILLARIA) HARRISONIÆ	South America		7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*

C	**LYCASTE** (Maxillaria) Harrisoniæ eburnea	South America	42*s.*
C	lanipes	Guayaquil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Lawrenceana	South America	21*s.* and 31*s.* 6*d.*
I	leucanthe	South America	
*C	mesochlæna	Guayaquil	21*s.* and 31*s.* 6*d.*
I	Schilleriana	South America	21*s.* and 31*s.* 6*d.*
*C	Skinneri	Guatemala	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
*C	—— alba	Guatemala	
*C	—— —— marginata	Guatemala	
*C	—— delicata	Guatemala	63*s.*
*C	—— fulgens	Guatemala	
*C	—— grandis	Guatemala	63*s.*
*C	—— maculata	Guatemala	31*s.* 6*d.*
*C	—— magnifica	Guatemala	
*C	—— marginata	Guatemala	
*C	—— marmorata	Guatemala	
*C	—— picta	Guatemala	42*s.* and 63*s.*
*C	—— purpurata	Guatemala	63*s.*
*C	—— rosea	Guatemala	21*s.*
*C	—— —— superba	Guatemala	
*C	—— rubella	Guatemala	31*s.* 6*d.* and 42*s.*
*C	—— —— picta	Guatemala	
*C	—— splendens	Guatemala	63*s.*
*C	—— superba	Guatemala	21*s.*
*C	—— tinctum	Guatemala	
*C	—— vivicans	Guatemala	
C	**MASDEVALLIA** abbreviata	Colombia	5*s.* and 7*s.* 6*d.*
C	amabilis	Colombia	3*s.* 6*d.* and 5*s.*
C	—— lineata	Colombia	7*s.* 6*d.* and 10*s.* 6*d.*
C	Armini	Colombia	
C	attenuata	Colombia	7*s.* 6*d.* and 10*s.* 6*d.*
C	Backhousiana, *vide* Chimæra Backhousiana		
C	bella	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	Benedictii, *vide* psittacina		
C	Bonplandii	Colombia	5*s.* and 7*s.* 6*d.*
C	calura	Colombia	
I	candida, *vide* tovarensis		
C	chelsoni	Hybrid	31*s.* 6*d.*, 42*s.* and 63*s.*
C	Chimæra	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	—— Backhousiana	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
C	—— Roezlii	Colombia	21*s.* and 31*s.* 6*d.*
C	—— Wallisii	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
C	—— Winniana	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
C	Colibri, *vide* Trochilus		
C	coriacea	Colombia	3*s.* 6*d.* and 5*s.*
C	corniculata	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	Crossii, *vide* racemosa		
C	Davisii	South America	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	Dayana	Colombia	63*s.* and 84*s.*
C	elephanticeps	Colombia	
C	Ephippium, *vide* Trochilus		
C	erythrochlæte	Colombia	21*s.* and 31*s.* 6*d.*
C	Estradæ	South America	15*s.*, 21*s.* and 31*s.* 6*d.*
C	—— delicata	South America	15*s.*, 21*s.* and 31*s.* 6*d.*
C	Gorgona, *vide* nycterina		
C	Harryana	Colombia	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— acanthifolia.—A charming variety of this beautiful Orchid, producing very fine flowers of a rich shining violet rose colour; the very bright glossy texture of the blooms renders them remarkably attractive	Colombia	
C	—— acuminata	Colombia	42*s.* and 63*s.*
C	—— atropurpurea	Colombia	63*s.* and 84*s.*
C	—— atrosanguinea	Colombia	63*s.* and 84*s.*
C	—— aurantiaca	Colombia	42*s.* and 63*s.*
C	—— brilliantissima	Colombia	
C	—— cærulescens	Colombia	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— —— atroviolacea	Colombia	63*s.* and 84*s.*
C	—— —— conoolor	Colombia	42*s.* and 63*s.*
C	—— —— gigantea	Colombia	84*s.* and 105*s.*
C	—— —— grandiflora	Colombia	63*s.* and 84*s.*

C **MASDEVALLIA** HARRYANA CÆRULESCENS MAGNIFICA ..... Colombia ..... 42*s.* and 63*s.*
C HARRYANA CÆRULESCENS MAXIMA ..... Colombia ..... 63*s.* and 84*s.*
C —— —— SUPERBA ..... Colombia ..... 42*s.* and 63*s.*
C —— CHELSONI ..... Colombia ..... 63*s.* and 84*s.*
C —— COCCINEA ..... Colombia ..... 31*s.* 6*d.* and 42*s.*
C —— COMET ..... Colombia .....
C —— CONCHIFLORA.—This fine variety produces splendid blossoms of a rich rosy lake shade; the large showy flowers are, as the name implies, somewhat shell-like in appearance ..... 15*s.* and 21*s.*
C —— DECORA ..... Colombia ..... 42*s.* and 63*s.*
C —— DELICATA ..... Colombia ..... 42*s.* and 63*s.*
C —— DENISONIANA ..... Colombia ..... 31*s.* 6*d.* and 42*s.*
C —— ELEGANS ..... Colombia ..... 42*s.* and 63*s.*
C —— FORMOSA ..... Colombia ..... 42*s.* and 63*s.*
C —— GEMMA ..... Colombia .....
C —— GLORIOSA ..... Colombia .....
C —— ILLUSTRIS ..... Colombia .....
C —— INSIGNIS ..... Colombia .....
C —— LILACINA ..... Colombia ..... 31*s.* 6*d.* and 42*s.*
—— LUTEO-OCULATA ..... Colombia ..... 42*s.* and 63*s.*
—— MAGNIFICA ..... Colombia ..... 63*s.* and 84*s.*
C —— METEOR ..... Colombia .....
C —— MINIATA ..... Colombia .....
C —— MIRABILIS ..... Colombia .....
C —— OCULATA ..... Colombia ..... 31*s.* 6*d.* and 42*s.*
C —— ORNATA ..... Colombia ..... 42*s.* and 63*s.*
C —— PATENS ..... Colombia .....
C —— PRINCEPS ..... Colombia .....
C —— PURPUREA ..... Colombia ..... 10*s.* 6*d.* and 15*s.*
C —— —— MAGNIFICA ..... Colombia .....
C —— REGALIS.—A magnificent variety, with very large and broad flowers of good form and substance; their colour is peculiarly striking and attractive, being an extremely rich shade of dark glowing crimson ..... Colombia ..... 42*s.* and 63*s.*
C —— REGINÆ ..... Colombia .....
C —— ROSEA ..... Colombia ..... 42*s.* and 63*s.*
C —— SALMONEA ..... Colombia .....
C —— SANGUINEA ..... Colombia ..... 10*s.* 6*d.* and 15*s.*
C —— —— AURANTIACA ..... Colombia ..... 63*s.* and 84*s.*
C —— SPLENDENS ..... Colombia ..... 42*s.* and 63*s.*
C —— SUPERBA ..... Colombia ..... 42*s.* and 63*s.*
C —— TRIUMPHANS ..... Colombia ..... 63*s.* and 84*s.*
C —— VIOLACEA ..... Colombia ..... 31*s.* 6*d.* and 42*s.*
C —— —— MAGNIFICA ..... Colombia ..... 63*s.* and 84*s.*
C —— —— OCULATA ..... Colombia ..... 42*s.* and 63*s.*
C —— —— SUPERBA ..... Colombia ..... 42*s.* and 63*s.*
C —— VERSICOLOR ..... Colombia ..... 42*s.* and 63*s.*
C —— VIVICANS ..... Colombia ..... 31*s.* 6*d.* and 42*s.*
C —— WALKERIANA ..... Colombia .....
C HOUTTEANA, *vide* PSITTACINA.
C IGNEA ..... Colombia ..... 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C —— AURANTIACA ..... Colombia ..... 10*s.* 6*d.* and 15*s.*
C —— CITRINA ..... Colombia .....
C —— MASSANGEANA ..... Colombia ..... 21*s.* and 31*s.* 6*d.*
C —— —— SUPERBA ..... Colombia .....
C —— MILITARIS ..... Colombia ..... 63*s.* and 84*s.*
C —— —— PURPUREA ..... Colombia ..... 84*s.* and 105*s.*
C —— —— SPLENDENS ..... Colombia .....
C —— PENANTHE ..... Colombia .....
C —— STOBARTIANA ..... Colombia .....
C INFLATA ..... Colombia .....
C INFRACTA ..... Colombia ..... 10*s.* 6*d.* and 15*s.*
C IONOCHARIS ..... South America .....
C LINDENI ..... Colombia ..... 5*s.*, 7*s.* 6*d.* & 10*s.* 6*d.*
C MACRURA ..... Colombia .....
C MACULATA ..... South America ..... 3*s.* 6*d.* and 5*s.*
C —— FLAVA ..... South America ..... 7*s.* 6*d.* and 10*s.* 6*d.*
C —— SUPERBA ..... South America .....
C MELANOPUS ..... Colombia ..... 10*s.* 6*d.*
C NYCTERINA (GOROONA) ..... Colombia ..... 10*s.* 6*d.* and 15*s.*

C	**MASDEVALLIA** PERISTERIA	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	POLYSTICTA	Colombia	7*s.* 6*d.* and 10*s.* 6*d.*
C	—— BREVIOR	Colombia	15*s.* and 21*s.*
C	—— CAUDATA	Colombia	21*s.*
C	PORCELLICEPS	Colombia	
C	PSITTACINA (BENEDICTII, HOUTTEANA)	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	RACEMOSA	Colombia	42*s.* and 63*s.*
C	RADIOSA	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
C	REICHENBACHIANA	South America	7*s.* 6*d.* and 10*s.* 6*d.*
C	ROSEA	Ecuador	10*s.* 6*d.* and 15*s.*
C	SCHLIMII	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
C	SEVERA	Colombia	
C	SHUTTLEWORTHII	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
C	—— XANTHOCORYS	Colombia	
C	SIMULA	South America	
C	SWERTICIFOLIA	Colombia	21*s.* and 31*s.* 6*d.*
C	TORTA	Colombia	
I	TOVARENSIS (CANDIDA)	Venezuela	5*s.*, 7*s.* 6*d.* & 10*s.* 6*d.*
C	TRIADACTYLITES	South America	31*s.* 6*d.* and 42*s.*
I	TRIANGULARIS	Venezuela	5*s.* and 7*s.* 6*d.*
C	TRICHÆTE	Colombia	31*s.* 6*d.* and 42*s.*
C	TROCHILUS (Colibri, Ephippium)	Colombia	31*s.* 6*d.*, 42*s.* and 63*s.*
C	VEITCHIANA	Peru	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
C	—— GRANDIFLORA	Peru	21*s.*, 31*s.* 6*d.* and 42*s.*
I	WAGNERIANA	Venezuela	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
C	WALLISII, *vide* M. CHIMÆRA WALLISII		
C	XANTHINA	Colombia	42*s.* and 63*s.*
C	**MAXILLARIA** GRANDIFLORA	South America	10*s.* 6*d.*, 15*s.* & 21*s.*
C	HARRISONIÆ, *vide* LYCASTE HARRISONIÆ		
C	LEHMANNI	South America	
I	LEONTOGLOSSA	South America	10*s.* 6*d.* and 15*s.*
**C*	LUTEO-ALBA	Colombia	10*s.* 6*d.* and 15*s.*
C	—— GRANDIFLORA	Colombia	21*s.*
C	—— PURPUREA	Colombia	21*s.*
C	NIGRESCENS	Merida	10*s.* 6*d.* and 15*s.*
C	PICTA	Brazil	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	SANDERIANA	South America	
I	TENUIFOLIA	Mexico	10*s.* 6*d.* and 15*s.*
C	TURNERI	Mexico	21*s.*
C	VENUSTA	Colombia	15*s.* and 21*s.*
**C*	**MESOSPINIDIUM** SANGUINEUM	Ecuador	7*s.* 6*d.* and 10*s.* 6*d.*
C	VULCANICUM	Ecuador	15*s.* and 21*s.*
S	**MICROSTYLIS** CALOPHYLLA	East Indies	10*s.* 6*d.* and 15*s.*
S	CHLOROPHRYS	Borneo	7*s.* 6*d.* and 10*s.* 6*d.*
S	METALLICA	Borneo	10*s.* 6*d.* and 15*s.*
I	**MILTONIA** CANDIDA	Brazil	21*s.* and 31*s.* 6*d.*
I	CANDIDA GRANDIFLORA	Brazil	42*s.* and 63*s.*
I	CLOWESII	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	CUNEATA	Brazil	10*s.* 6*d.* and 15*s.*
I	FESTIVA	Brazil	21*s.*
I	FLAVESCENS (stellata)	Brazil	10*s.* 6*d.* and 15*s.*
I	MORELIANA	Brazil	31*s.* 6*d.* and 42*s.*
I	—— ATROPURPUREA	Brazil	
I	—— ATRORUBENS	Brazil	
I	—— ROSEA	Brazil	
I	REGNELLII (cereola)	Brazil	31*s.* 6*d.* and 42*s.*
I	SPECTABILIS	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— BICOLOR	Brazil	31*s.* 6*d.* and 42*s.*
I	—— INTERMEDIA	Brazil	31*s.* 6*d.*
I	—— MARGINATA	Brazil	
I	—— VIRGINALIS	St. Catherine's	31*s.* 6*d.*
I	WARSCEWIOZII, *vide* ONCIDIUM WELTONI		
I	**MORMODES** LUXATUM	Mexico	21*s.* and 31*s.* 6*d.*
I	LUXATUM EBURNEUM	Mexico	21*s.* and 31*s.* 6*d.*
I	—— PUNCTATUM	Mexico	
I	PARDINUM	Mexico	21*s.* and 31*s.* 6*d.*
I	—— UNICOLOR	Mexico	21*s.* and 31*s.* 6*d.*
I	**MYANTHES** CERNUUS	Brazil	
S	**NEPHELAPHYLLUM** PULCHRUM	Java	10*s.* 6*d.* and 15*s.*
I	**NANODES** MEDUSÆ	South America	31*s.* 6*d.* and 42*s.*
**C*	**ODONTOGLOSSUM** ALEXANDRÆ, *vide* O. CRISPUM		

C	**ODONTOGLOSSUM** ANDERSONIANUM	Bogota	42*s.* and 63*s.*
C	ANDERSONIANUM LOBATUM	Bogota	
C	ANGUSTATUM	Colombia	42*s.*
C	ASTRANTHIUM	Colombia	
C	BAPHICANTHUM (*hybrid*)	Colombia	42*s.* and 63*s.*
**C*	BICTONENSE	Guatemala	10*s.* 6*d.* and 15*s.*
**C*	—— ALBUM	Guatemala	
C	BLANDUM	Colombia	63*s.* and 84*s.*
I	BLEPHARICANTHUM	Venezuela	42*s.* and 63*s.*
**C*	BLUNTII, *vide* O. CRISPUM		
C	CARINIFERUM	South America	7*s.* 6*d.* and 10*s.* 6*d.*
**C*	CERVANTESII	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
**C*	—— DECORUM	Mexico	
C	CHESTERTONI (*hybrid*)	Colombia	63*s.* and 84*s.*
C	CIRRHOSUM	Ecuador	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— GEMMATUM	Ecuador	63*s.*
C	—— KLABOCHORUM	Ecuador	10*s.* 6*d.*, 15*s.* and 21*s.*
C	CITROSMUM (PENDULUM)	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— ALBUM	Mexico	
C	—— CARNEUM	Mexico	
C	—— PUNCTATUM	Mexico	
C	—— MAXIMUM	Mexico	
C	—— ROSEUM	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
C	—— RUBRUM	Mexico	
C	CONSTRICTUM	South America	7*s.* 6*d.* and 10*s.* 6*d.*
C	CORADINEI	Colombia	42*s.* and 63*s.*
C	—— HEMILEUCUM	Colombia	
C	—— MACULATUM	Colombia	
**C*	CORDATUM	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
**C*	—— AUREUM	Mexico	
**C*	—— KIENASTIANUM	Mexico	
**C*	—— NIGRUM	Mexico	
**C*	—— SUPERBUM	Mexico	
C	CORONARIUM	Colombia	42*s.* and 63*s.*
C	—— DAYANUM	Colombia	
C	—— MINIATUM	Colombia	63*s.* and 84*s.*
**C*	CRISPUM (ALEXANDRÆ, BLUNTII)	Colombia	3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*, and various sizes from 21*s.* upwards.
**C*	—— ALBUM	Colombia	
**C*	—— AUREO-PURPUREUM	Colombia	
**C*	—— AMŒNUM	Colombia	63*s.* and 84*s.*
**C*	—— CONCINNUM	Colombia	
**C*	—— DENISONIÆ	Colombia	
**C*	—— FLAVEOLUM	Colombia	
**C*	—— GRANDIFLORUM	Colombia	84*s.* and 105*s.*
**C*	—— GUTTATUM	Colombia	84*s.* and 105*s.*
**C*	—— INTERMEDIUM	Colombia	
**C*	—— LEHMANNI	Colombia	
**C*	—— NIVALE	Colombia	42*s.* and 63*s.*
**C*	—— PICTUM	Colombia	
C	—— PICTURATUM	Colombia	
**C*	—— PURPUREUM	Colombia	
**C*	—— ROSEUM	Colombia	
**C*	—— SPECIOSUM	Colombia	84*s.* and 105*s.*
**C*	—— SPLENDENS	Colombia	
**C*	—— SUPERBUM	Colombia	63*s.* and 84*s.*
**C*	—— TRIANÆ	Colombia	63*s.* and 84*s.*
C	CRISTATELLUM	Colombia	
C	CRISTATUM	Peru	21*s.* and 31*s.* 6*d.*
C	OROCATUM	Colombia	
C	CROCIDIPTERUM	South America	15*s.* and 21*s.*
C	DECORUM (*hybrid*)	Colombia	
C	DELTOGLOSSUM (*hybrid*)	Colombia	
C	DIADEMA (*hybrid*)	Colombia	
C	EDOUARDII	Ecuador	42*s.* and 63*s.*
C	EXIMIUM (*hybrid*)	Colombia	
C	FACETUM	Colombia	42*s.* and 63*s.*
C	FLAVEOLUM (*hybrid*)	Colombia	
C	GLORIOSUM	Ocaña	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— ALBUM (NÆVIUM MAJUS)	Ocaña	
C	—— AUREUM	Ocaña	

C	**ODONTOGLOSSUM** GLORIOSUM NIORUM	Ocaña	
C	GLORIOSUM PICTUM	Ocaña	42*s.* and 63*s.*
C	—— SUPERBUM	Ocaña	21*s.*, 31*s.* 6*d.* and 42*s.*
C	ORANDE	Guatemala	5*s.*, 7*s.* 6*d.* to 21*s.*
C	—— MACROLOBUM	Guatemala	
C	—— PICTUM	Guatemala	
C	—— SUPERBUM	Guatemala	
C	HALLII	Ecuador	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— LEUCOGLOSSUM	Ecuador	42*s.* and 63*s.*
C	—— MAROINATUM	Ecuador	
C	—— NIGRUM	Ecuador	
C	—— XANTHOGLOSSUM	Ecuador	31*s.* 6*d.* and 42*s.*
C	HASTILABIUM	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	HEBRAICUM (*hybrid*)	Colombia	
C	—— ALBENS (*hybrid*)	Colombia	
C	HYSTRIX (RADIATUM)	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	IMPERATOR (*hybrid*)	Colombia	
C	IOPLOCON	Colombia	
**C*	INSLEAYI	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	—— LEOPARDINUM	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— SPLENDENS	Mexico	
I	KARWINSKII	South America	15*s.* and 21*s.*
I	KRAMERI	Costa Rica	
C	LIGULARE	South America	
C	LINDENI	Colombia	10*s.* 6*d.* and 15*s.*
C	LINDLEYANUM	Colombia	3*s.* 6*d.* and 5*s.*
C	—— SPECIOSUM	Colombia	15*s.* and 21*s.*
**C*	LONDESBOROUGHIANUM	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
C	LUTEO-PURPUREUM	Colombia	10*s* 6*d.*, 15*s.* and 21*s.*
**C*	MACULATUM	Mexico	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— ANCEPS	Mexico	
**C*	—— EROSUM	Mexico	31*s.* 6*d.* and 42*s.*
**C*	—— STENANTHUM	Mexico	21*s.* and 31*s.* 6*d.*
**C*	—— SUPERBUM	Mexico	21*s.* and 31*s.* 6*d.*
C	MADRENSE (MAXILLARE)	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— MAJUS	Mexico	42*s.* and 63*s.*
C	MEMBRANACEUM	Mexico	15*s.* and 21*s.*
C	MIRABILE (*hybrid*)	Colombia	
C	MIRANDUM	Colombia	
C	MULUS	Colombia	
C	—— CROCATUS	Colombia	
C	—— CUSPIDATUS	Colombia	
C	NÆVIUM	Ocaña	63*s.* and 84*s.*
C	—— MAJUS, *vide* O. OLORIOSUM ALBUM		
C	NEBULOSUM	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— CANDIDUM	Mexico	15*s.* and 21*s.*
C	—— ORANDIFLORUM	Mexico	
C	—— OUTTATUM	Mexico	
C	—— PARDINUM	Mexico	42*s.* and 63*s.*
C	—— PUNCTATUM	Mexico	
C	ODORATUM	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— GIGANTEUM	Colombia	
C	ŒRSTEDII	Costa Rica	5*s.* and 7*s.* 6*d.*
C	—— MAJUS	Costa Rica	
C	PENDULUM, *vide* O. CITROSMUM		
C	PESCATOREI	Colombia	5*s.*, 7*s.* 6*d.* to 21*s.*
C	—— AURANTIACUM	Colombia	
C	—— GRANDIFLORUM	Colombia	63*s.* and 84*s.*
C	—— LIMBOSUM	Colombia	
C	—— OCULATUM	Colombia	
C	—— NIVALE	Colombia	63*s.* and 84*s.*
C	—— SPLENDENS	Colombia	42*s.* and 63*s.*
I	PHALÆNOPSIS	Ocaña	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	POLYXANTHUM	Ecuador	
C	PRETIOSUM, *vide* O. SCHLEIPERIANUM		
C	PRINCEPS (*hybrid*)	Colombia	
**C*	PULCHELLUM	Mexico	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— EGERTONI	Mexico	7*s.* 6*d.* and 10*s.* 6*d.*
**C*	—— MAJUS	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
C	RADIATUM, *vide* O. HYSTRIX		
C	RAMOSISSIMUM	Colombia	

ODONTOGLOSSUM VEXILLARIUM INSIGNE.

A splendid variety of this popular Orchid. The flowers are of a deep rosy blush colour, with a prominent transverse band of bright yellow across the base of the lip, above the yellow band are two parallel crimson lines, and below the band on the white basal part of the lip is a broad transverse semicircular blotch of deep purplish red. Price on application.

G

C	**ODONTOGLOSSUM** RAMOSISSIMUM ALBUM	Colombia	
C	RAMULOSUM	Ocaña	15*s.* and 21*s.*
C	REICHENHEIMII	Mexico	31*s.* 6*d.* and 42*s.*
S	ROEZLII	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— ALBUM	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— DELICATUM	Colombia	15*s.* and 21*s.*
S	—— SPLENDENS	Colombia	63*s.* and 84*s.*
C	ROSEUM	Mexico	10*s.* 6*d.* and 15*s.*
**C*	ROSSII	Mexico	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
**C*	—— MAJUS	Mexico	7*s.* 6*d*, 10*s.* 6*d.* & 15*s*
**C*	—— —— MUSAICUM	Mexico	
**C*	—— —— NIVOSUM	Mexico	
**C*	—— —— PICTUM	Mexico	
**C*	—— —— ROSEUM	Mexico	
**C*	—— —— RUBESCENS	Mexico	
**C*	—— —— SPLENDENS	Mexico	
C	RUBESCENS (*hybrid*)	South America	
C	RUCKERIANUM (*hybrid*)	Colombia	
C	—— GIGANTEUM (*hybrid*)	Colombia	
C	SANDERIANUM	Colombia	21*s.* and 31*s.* 6*d.*
C	SCEPTRUM	Colombia	31*s.* 6*d.*, 42*s.* and 63*s.*
C	SCHLEIPERIANUM (PRETIOSUM)	Costa Rica	15*s.* and 21*s.*
C	—— FLAVIDUM	South America	
C	SPECTABILIS (*hybrid*)	Colombia	
**C*	TRIPUDIANS	Peru	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
**C*	—— GRANDIFLORUM	Peru	
C	TRIUMPHANS	Ocaña	10*s.* 6*d.*, 15*s.* and 21*s.*
C	UROSKINNERI	Guatemala	10*s.* 6*d.*, 15*s.* and 21*s.*
I	VEXILLARIUM	Colombia	10*s.* 6*d.*, 15*s.*, 21*s.* and various sizes from 42*s.* upwards
I	—— ALBESCENS	Colombia	
I	—— AMABILE	Colombia	
I	—— AMŒNUM	Colombia	
I	—— BICOLOR	Colombia	
I	—— CHELSONIENSE	Colombia	
I	—— COBBIANUM	Colombia	
I	—— CONSPICUUM	Colombia	
I	—— GIGANTEUM	Colombia	
I	—— GRANDIFLORUM	Colombia	
I	—— INSIGNE, *vide* page 99		
I	—— KLABOCHORUM	Colombia	
I	—— MAROINATUM	Colombia	
I	—— MARMORATUM	Colombia	
I	—— PICTUM	Colombia	
I	—— PICTURATUM	Colombia	
I	—— PULCHERRIMUM	Colombia	
I	—— PURPUREUM	Colombia	
I	—— RADIATUM	Colombia	
I	—— ROSEUM	Colombia	42*s.*, 63*s.* and 84*s.*
I	—— RUBELLUM (Autumn-flowering)	Colombia	21*s.*, 42*s.* and 63*s.*
I	—— RUBRUM	Colombia	
I	—— SUPERBUM	Colombia	
I	—— VENOSUM	Colombia	
C	VICTOR (*hybrid*)	Colombia	
C	WALLISII	Colombia	
C	WILCKEANUM (*hybrid*)	Colombia	
C	—— ALBENS (*hybrid*)	Colombia	
C	—— PALLENS (*hybrid*)	Colombia	
I	WARSCEWICZII		
C	**ONCIDIUM** ÆMULUM, *vide* O. SUPERBIENS		
S	ALTISSIMUM	West Indies	10*s.* 6*d.* and 15*s.*
S	AMPLIATUM	Panama	10*s.* 6*d.*, 15*s.* & 21*s.*
S	—— MAJUS	Panama	10*s.* 6*d.*, 15*s.* and 21*s.*
C	ANCIFERUM	South America	42*s.*
I	ARMILLARE	South America	21*s.* and 31*s.* 6*d.*
I	ASCENDENS	South America	15*s.* and 21*s.*
C	AUROSUM (EXCAVATUM)	Ecuador	7*s* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	BALDERRAMÆ	Colombia	
I	BARBATUM	Brazil	10*s.* 6*d.* and 15*s.*
**C*	BARKERI, *vide* O. TIGRINUM		
C	BATEMANNIANUM	Brazil	15*s.* and 21*s.*

I	**ONCIDIUM** BICALLOSUM	Guatemala	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	BICOLOR	Brazil	21*s.* and 31*s.* 6*d.*
C	CALOOLOSSUM	Brazil	
I	CARTHAGINENSE	Mexico	10*s.* 6*d.* and 15*s.*
I	CAVENDISHIANUM	Guatemala	10*s.* 6*d.*, 15*s.* and 21*s.*
I	CEBOLLETA	Brazil	10*s.* 6*d.* and 15*s.*
**C*	CHEIROPHORUM	Ecuador	10*s.* 6*d.*, 15*s.* and 21*s.*
I	CHRYSOMORPHUM	South America	21*s.* and 31*s.* 6*d.*
C	CONCOLOR	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	CORNIGERUM	Brazil	15*s.* and 21*s.*
C	CRISPUM	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— GRANDIFLORUM	Brazil	15*s.* and 21*s.*
I	CROCODILICEPS	South America	
C	CRUENTUM (PELICANUM)	Mexico	15*s.* and 21*s.*
C	CUCULLATUM	South America	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— GRANDIFLORUM	South America	
C	—— MACULOSUM	South America	21*s.* and 31*s.* 6*d.*
C	—— PUNCTATUM	South America	21*s.* and 31*s.* 6*d.*
C	—— PURPUREUM	South America	42*s.* and 63*s.*
C	CURTUM	Brazil	21*s.*, 31*s.* 6*d.* and 42*s.*
C	DASYTYLE	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
C	DIADEMA, *vide* SERRATUM		
I	DIVARICATUM	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
C	EXCAVATUM, *vide* AUROSUM		
C	FLEXUOSUM	Brazil	7*s.* 6*d.* 10*s.* 6*d.*, and 15*s.*
C	FORBESII	Brazil	5*s.*, 7*s.* 6*d.* to 21*s.*
C	—— GRANDIFLORUM	Brazil	42*s.* and 63*s.*
I	FUSCATUM	Colombia	5*s.*, 7*s.* 6*d.* to 21*s.*
C	GARDNERI	Brazil	21*s.*, 31*s.* 6*d.* and 42*s.*
C	HARRISONIANUM	Mexico	21*s.*
C	HASTATUM, *vide* STELLIGERUM		
C	INCURVUM	Oaxaca	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	JANEIRENSE, *vide* LONGIPES		
I	JONESIANUM	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
I	JUNCIFOLIUM	South America	15*s.* and 21*s.*
S	KRAMERIANUM	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
S	LANCEANUM	Surinam	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— SUPERBUM	Surinam	21*s.* and 31*s.* 6*d.*
C	LEUCOCHILUM	Mexico	21*s.* and 31*s.* 6*d.*
C	—— DAWSONIANUM	Mexico	
C	—— SPLENDENS	Mexico	63*s.* and 84*s.*
I	LONGIPES (JANEIRENSE)	Brazil	21*s.* and 31*s.* 6*d.*
S	LURIDUM (OUTTATUM)	West Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
C	MACRANTHUM	Ecuador	31*s.* 6*d.*, 42*s.* and 63*s.*
C	—— AUROSUM	Ecuador	
C	—— GRANDIFLORUM	Ecuador	
C	—— HASTIFERUM	Ecuador	63*s.* and 84*s.*
C	MARSHALLIANUM	Brazil	15*s.*, 21*s.* and 42*s.*
I	MELIOSMUM	Brazil	21*s.* and 31*s.* 6*d.*
I	NIGRATUM	British Guiana	15*s.*, 21*s.* and 31*s.* 6*d.*
C	NUBIGENUM (PHALÆNOPSIS)	Ecuador	
C	ORNYZATUM	Colombia	21*s.* and 31*s.* 6*d.*
C	OCHTHODES	Colombia	21*s.*
**C*	ORNITHORRHYNCHUM	Guatemala	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**C*	—— MAJUS	Guatemala	
**C*	—— RUBRUM	Guatemala	
S	PAPILIO	Panama	10*s.* 6*d.* and 15*s.*
S	—— MAJUS	Panama	15*s.* and 21*s.*
I	PELICANUM, *vide* CRUENTUM		
C	PHALÆNOPSIS, *vide* NUBIGENUM		
I	PHILIPSIANUM	South America	10*s.* 6*d.* and 15*s.*
I	PHYLLOGLOSSUM	South America	
C	PHYMATOCHILUM	Brazil	21*s.* and 31*s.* 6*d.*
C	PLAGIANTHUM	Colombia	
C	PRÆTEXTUM	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— MACULOSUM	Brazil	
C	—— SUPERBUM	Brazil	
I	PUBES	Brazil	7*s.* 6*d.* and 10*s.* 6*d.*
I	—— ELATUM	Brazil	
I	PULVINATUM	Brazil	10*s.* 6*d.* and 15*s.*
I	PUMILUM	Brazil	42*s.*

I	**ONCIDIUM** REFLEXUM	Mexico	10*s.* 6*d.* and 15*s.*
C	REICHENBACHII	Colombia	15*s.* and 21*s.*
I	ROSEUM	Mexico	10*s.* 6*d.* and 15*s.*
I	SARCODES	Brazil	21*s.*, 31*s.* 6*d.* and 42*s.*
I	SCHILLERIANUM	South America	15*s.* and 21*s.*
I	SCHLIMII	South America	15*s.* and 21*s.*
C	SERRATUM (DIADEMA)	Peru	15*s.*, 21*s.* and 31*s.* 6*d.*
I	SESSILE	Santa Martha	21*s.*, 31*s.* 6*d.* and 42*s.*
I	SPHACELATUM	Mexico	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	SPHEGIFERUM	South America	15*s.* and 21*s.*
C	STELLIGERUM (HASTATUM)	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— AMŒNUM	Mexico	
C	—— ORNATUM	Mexico	12*s.* and 63*s.*
C	—— PICTUM	Mexico	
C	SUPERBIENS (ÆMULUM)	Colombia	
I	TECTUM	South America	15*s.*
C	TETRACOPIS	Colombia	
S	TETRAPETALUM	West Indies	21*s.*
I	TIGRATUM	South America	15*s.* and 21*s.*
**C*	TIORINUM (BARKERI)	Mechoacan	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	TRILINOUE	Colombia	15*s.* and 21*s.*
**I*	UNGUICULATUM	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	UNICORNE	Brazil	7*s.* 6*d.* and 10*s.* 6*d.*
C	VARICOSUM	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— PICTUM	Brazil	
C	—— ROGERSII	Brazil	
I	VIRGULATUM	South America	15*s.* and 21*s.*
I	WARNERI	South America	21*s.* and 31*s.* 6*d.*
I	WELTONI (MILTONIA WARSCEWICZII)	Colombia	5*s.*, 7*s.* 6*d.* to 21*s.*
C	WENTWORTHIANUM	Guatemala	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
C	ZEBRINUM	Colombia	15*s.*, 21*s.* and 31*s.* 6*d.*
I	**ORNITHOCEPHALUS** GRANDIFLORUS	Brazil	
I	**PALUMBINA** CANDIDA	Mexico	15*s.* and 21*s.*
S	**PAPHINIA** CRISTATA	West Indies	21*s.* and 31*s.* 6*d.*
S	CRISTATA GRANDIS	Brazil	42*s.* and 63*s.*
S	RUGOSA	Colombia	
S	—— SANDERIANA	Colombia	
S	**PERISTERIA** ELATA (The Dove Flower)	Panama	10*s.* 6*d.*, 15*s.* and 21*s.*

El Spirito Santo (Holy Ghost Flower) of the Spaniards. The centre of each blossom bears a striking resemblance to a waxen dove, hence its name.

I	**PESCATORIA** (HUNTLEYA) CERINA	South America	31*s.* 6*d.* and 42*s.*
I	DAYANA	South America	
I	**PHAIUS** ALBUS, *vide* THUNIA ALBA		
S	BENSONIÆ, *vide* THUNIA BENSONIÆ		
I	BLUMEI	Assam	
**I*	GRANDIFOLIUS (BLETIA TANKERVILLIÆ)	Hong Kong	7*s.* 6*d.* and 10*s.* 6*d.*
S	MARSHALLIANUS, *vide* THUNIA MARSHALLIANA		
C	SIEBOLDII	Japan	10*s.* 6*d.* and 15*s.*
C	—— MACULATUS	Japan	
I	WALLICHII	Sylhet	21*s.* and 31*s.* 6*d.*
I	WOODFORDII	East Indies	10*s.* 6*d.* and 15*s.*
I	—— MACULATUS	East Indies	10*s.* 6*d.* and 15*s.*
S	**PHALÆNOPSIS** AMABILIS	Sunda Islands	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	AMABILIS DAYANA	Sunda Islands	
S	BOXALLII	East Indies	
S	ESMERALDA	Cochin China	15*s.* and 21*s.*
S	GRANDIFLORA	Borneo	10*s.* 6*d.* and 15*s.*
S	LEUCORHODA	East Indies	
S	LÜDDEMANNIANA	Philippine Islands	21*s.* and 31*s.* 6*d.*
S	PARISHII	East Indies	
S	ROSEA	East Indies	21*s.*
S	SANDERIANA	East Indies	21*s.*, 42*s.* and 63*s.*
**S*	SCHILLERIANA	Manilla	15*s.* and 21*s.*
**S*	—— SUPERBA	Manilla	
S	SPECIOSA	Andamans	
S	STUARTIANA	East Indies	21*s.*, 31*s.* 6*d.* and 42*s.*
S	TETRASPIS	East Indies	84*s.* and 105*s.*
S	VIOLACEA	East Indies	15*s.*, 21*s.* and 31*s.* 6*d.*
S	**PHOLIDOTA** IMBRICATA	East Indies	5*s.* and 7*s.* 6*d.*
C	**PILUMNA** (TRICHOPILIA) FRAGRANS	Merida	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	NOBILIS	South America	21*s.*, 31*s.* 6*d.* and 42*s.*

*C	**PLEIONE** Hookeri	East Indies	21*s.*
*C	humilis	East Indies	10*s.* 6*d.* and 15*s.*
*C	—— tricolor	Assam	31*s.* 6*d.*
*C	lagenaria	Khasya	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
*C	maculata	Assam, Khasya	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	præcox tenera	East Indies	15*s.*, 21*s.* and 31*s.* 6*d.*
*C	Reichenbachiana	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
*C	Wallichiana	Arracan Mountains	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	**PLEUROTHALLIS** Barberiana	South America	21*s.*
I	ornata	South America	
I	scapha	South America	105*s.*
S	**POLYSTACHYA** bracteosa	Africa	15*s.* and 21*s.*
S	**PROMENÆA** citrina	Brazil	
S	stapelioides	Brazil	
S	**RENANTHERA** coccinea	Cochin China	21*s.* and 31*s.* 6*d.*
C	**RESTREPIA** antennifera	Colombia	31*s.* 6*d.* and 42*s.*
C	elegans	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
C	leopardina	Colombia	
I	ophiocephala	Mexico	15*s.* and 21*s.*
S	**RODRIGUEZIA** planifolia	South America	7*s.* 6*d.* and 10*s.* 6*d.*
S	secunda	West Indies	10*s.* 6*d.* and 15*s.*
S	**SACCOLABIUM** ampullaceum	Rangoon	7*s.* 6*d.* and 10*s.* 6*d.*
S	Blumei	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	—— Dayi	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— javanense	Java	31*s.* 6*d.* and 42*s.*
S	—— longiracemosum	East Indies	31*s.* 6*d.* and 42*s.*
S	—— majus	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
S	—— pulchrum	East Indies	21*s.* and 31*s.* 6*d.*
S	—— roseum	East Indies	
S	—— splendens	East Indies	42*s.* and 63*s.*
S	cæleste	Cochin China	
S	curvifolium	Nepal, Ceylon	10*s.* 6*d.*, 15*s.* and 21*s.*
*S	gigantkum (Vanda densiflora)	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
*S	—— illustre	East Indies	
S	guttatum	East Indies	21*s.*, 31*s.* 6*d.* and 42*s.*
S	—— gigantkum	East Indies	
S	—— Holfordianum	East Indies	
S	—— superbum	Ceylon	63*s.* and 84*s.*
S	Harrisonianum	Pulo, Copang	31*s.* 6*d.* and 42*s.*
S	Hendersonianum	Borneo	63*s.* and 84*s.*
S	miniatum citrinum	Cochin China	
S	præmorsum	Java	42*s.* and 63*s.*
S	retusum	Java	42*s.* and 63*s.*
S	ringens		
S	violaceum	Manilla	31*s.* 6*d.* and 42*s.*
S	**SARCANTHUS** laxus	East Indies	21*s.* and 31*s.* 6*d.*
S	**SARCOCHILUS** unguiculatus	East Indies	21*s.* and 31*s.* 6*d.*
S	**SARCOPODIUM** Dearei	East Indies	
S	Lobbii	East Indies	21*s.*, 31*s.* 6*d.* and 42*s.*
I	**SCHOMBURGKIA** crispa	Guiana	10*s.* 6*d.*, 15*s.* and 21*s.*
I	gloriosa	South America	42*s.* and 63*s.*
I	tibicina	Mexico	21*s.* and 31*s.* 6*d.*
I	**SCUTICARIA** Hadwenii	Brazil	21*s.* and 31*s.* 6*d.*
I	Steelii	Brazil	21*s.* and 31*s.* 6*d.*
	SELENIPEDIUM, *vide* Cypripedium.		
I	**SOBRALIA** macrantha	Guatemala	21*s.* and 31*s.* 6*d.*
I	macrantha magnifica	Guatemala	
I	—— nana	Guatemala	42*s.* and 63*s.*
I	—— rosea	Guatemala	
I	—— rubra	Guatemala	
I	—— splendens	Guatemala	42*s.* and 63*s.*
C	**SOPHRONITIS** cernua	Brazil	10*s.* 6*d.* and 15*s.*
*C	grandiflora	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
*C	—— coccinea	Brazil	
*C	—— maroinatæ	Brazil	
*C	—— militaris	Brazil	
*C	—— superba	Brazil	
C	violacea	Brazil	
S	**SPATHOGLOTTIS** Fortunei	Hong Kong	21*s.* and 31*s.* 6*d.*
S	Lobbii	Borneo	84*s.* and 105*s.*
S	pacifica	Pacific Islands	

S	**SPATHOGLOTTIS** PLICATA	Cochin China	10*s.* 6*d.*, 15*s.* and 21*s.*
I	**STANHOPEA** AUREA	South America	10*s.* 6*d.* and 15*s.*
I	BUCEPHALUS	South America	10*s.* 6*d.* and 15*s.*
I	DECORA	South America	
I	ECORNUTA	South America	
I	GRANDIFLORA (EBURNEA)	South America	
I	GRAVEOLENS	South America	10*s.* 6*d.*
I	GUTTULATA	South America	10*s.* 6*d.* and 15*s.*
I	INSIGNIS	Brazil	10*s.* 6*d.* and 15*s.*
I	MACULATA	South America	
C	MARTIANA	Mexico	10*s.* 6*d.* and 15*s.*
C	OCULATA	Xalapa	10*s.* 6*d.* and 15*s.*
I	PUNCTATA	South America	10*s.* 6*d.*
C	TIGRINA	Xalapa	10*s.* 6*d.* and 15*s.*
C	—SUPERBA	Xalapa	21*s.*
I	WARDII	La Guayra	10*s.* 6*d.* and 15*s.*
S	**THRIXSPERMUM** BERKELEYII	Andaman Islands	
I	**THUNIA** (PHAIUS) ALBA	India	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	ALBA STRIATA	India	5*s.* and 7*s.* 6*d.*
S	BENSONIÆ	Moulmein	10*s.* 6*d.* and 15*s.*
S	INTERMEDIA	India	
S	MARSHALLIANA	India	15*s.*, 21*s.* and 31*s.* 6*d.*
S	—— IONOPHLEBIA	India	
S	—— TRICOLOR, *vide* page 12		
S	PULCHRA	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**TRICHOCENTRUM** ALBO-PURPUREUM	South America	15*s.*, 21*s.* and 31*s.* 6*d.*
S	**TRICHOGLOTTIS** FASCIATA	Java	
I	**TRICHOPILIA** AUREOPHYLAX	Mexico	
C	COCCINEA	Costa Rica	7*s.* 6*d.*, 10*s.* 6*d.*, and 15*s.*
I	CRISPA (GLOXINIÆFLORA)	Costa Rica	42*s.*, 63*s.* and 84*s.*
I	—— MAROINATA	Costa Rica	
I	FRAGRANS, *vide* PILUMNA FRAGRANS.		
I	GALEOTTIANA (PICTA)	Costa Rica	21*s.*, 31*s.* 6*d.* and 42*s.*
I	(PILUMNA) LAXA	South America	5*s.* and 7*s.* 6*d.*
I	SUAVIS	Costa Rica	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— SUPERBA	Costa Rica	21*s.* and 31*s.* 6*d.*
C	TORTILIS	Mexico	10*s.* 6*d.* and 15*s.*
C	—— ALBA	Mexico	
C	**TRICHOSMA** SUAVIS	Assam	21*s.* and 31*s.* 6*d.*
I	**TRIGONIDIUM** RINGENS	Assam	15*s.* and 21*s.*
I	**UROPEDIUM** LINDENI	Colombia	21*s.* and 31*s.* 6*d.*
S	**VANDA** BATEMANNI	Moluccas	21*s.* and 31*s.* 6*d.*
S	BENSONI	Burmah	10*s.* 6*d.*, 15*s.* and 21*s.*
S	BOXALLII	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	CATHCARTII	Sikkim	42*s.* and 63*s.*
I	CÆRULEA	Khasya	15*s.*, 21*s.* and 31*s.* 6*d.*
I	CÆRULESCENS	Burmah	
I	—— BOXALLII	Burmah	
S	CONCOLOR	East Indies	42*s*, and 63*s.*
S	DENISONIANA	India	21*s.*, 31*s.* 6*d.* and 42*s.*
S	DENSIFLORA, *vide* SACCOLABIUM GIGANTEUM		
S	GIGANTEA	Moulmein and Rangoon	15*s.* and 21*s.*
S	HOOKERI	Borneo	42*s.* and 63*s.*
S	INSIGNIS	East Indies	
S	PARISHII	Burmah	31*s.* 6*d.* and 42*s.*
S	—— MARRIOTTIANA	Burmah	42*s.* and 63*s.*
S	ROXBURGHII	Bengal	21*s.* and 31*s.* 6*d.*
S	—— CÆRULEA	Bengal	21*s.* and 31*s.* 6*d.*
S	SANDERIANA	Eastern Archipelago	
S	SUAVIS	Java	31*s.* 6*d.* and 42*s.*
S	—— (CHATSWORTH VARIETY)	Java	
S	—— MAXIMA	Java	
S	TERES	Sylhet	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— ANDERSONI	Sylhet	31*s.* 6*d.* and 42*s.*
S	TESTACEA	East Indies	21*s.* and 31*s.* 6*d.*
I	TRICOLOR	Java	21*s.* and 31*s.* 6*d.*
I	—— AUREA	Java	
I	—— CHELSONIENSIS	Java	
I	—— FORMOSA	Java	31*s.* 6*d.* and 42*s.*
I	—— GUTTATA	Java	
I	—— INSIGNIS	Java	21*s.* and 31*s.* 6*d.*

I	**VANDA** TRICOLOR LIMBATA	Java	
I	TRICOLOR MARGINATA	Java	
I	—— MELEAGRIS	Java	
I	—— MULTIFLORA	Java	31*s.* 6*d.* and 42*s.*
I	—— NEBULOSA	Java	42*s.* and 63*s.*
I	—— OCHRACEA	Java	
I	—— PLANILABRIS	Java	
I	—— SPLENDENS	Java	
I	—— SUPERBA	Java	31*s.* 6*d.* and 42*s.*
I	UNDULATA	Assam	
S	**VANILLA** AROMATICA	Brazil	7*s.* 6*d.* and 10*s.* 6*d.*
S	PLANIFOLIA	South America	10*s.* 6*d.* and 15*s.*
I	**WARREA** CYANEA	Colombia	
I	CYANEA ALBA	Colombia	
I	LINDENIANA	Colombia	21*s.* and 31*s.* 6*d.*
I	TRICOLOR	Brazil	
I	**WARSCEWICZELLA** DISCOLOR	Colombia	21*s.* and 31*s.* 6*d.*
I	**ZYGOPETALUM** CRINITUM	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	CRINITUM CÆRULEUM	Brazil	42*s.* and 63*s.*
I	—— SUPERBUM	Brazil	
I	GAUTIERI	Brazil	15*s.*, 21*s.* and 31*s.* 6*d.*
I	INTERMEDIUM	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
C	MACKAYI	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— MAJUS	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	MAXILLARE	Brazil	15*s.*, 21*s.* and 31*s.* 6*d.*
I	ROSTRATUM	South America	21*s.*

CHOICE ORCHIDS.

EAST INDIAN | **WEST INDIAN** | **COLOMBIAN**
MEXICAN | **PERUVIAN** | **BRAZILIAN**

Collections made at 3, 4, 6, 9 and 12 guineas per dozen.

ORCHIDS FOR COOL HOUSES.

It being well known that many Orchids can be easily and successfully cultivated in a cool temperature, with scarcely any artificial heat during a great part of the year, Mr. W. B. has devoted several houses to this beautiful and desirable class, and will be pleased to make good selections of them at 3, 4, 6, 9 *and* 12 *guineas per dozen.*

SPHAGNUM MOSS FOR ORCHIDS.

3*s.* 6*d.* *per bushel;* 12*s per sack.*

BEST FIBROUS PEAT FOR ORCHIDS.

10*s.* *per sack.*

THE ORCHID EXHIBITION AT

Mr. WILLIAM BULL'S Establishment

FOR

NEW AND RARE PLANTS,

536, KING'S ROAD, CHELSEA, LONDON, S.W.,

WILL OPEN TO

PATRONS OF THE ESTABLISHMENT

AND THOSE RECEIVING CARDS OF INVITATION,

TUESDAY, MAY 3rd, 1887.

And continue on view every TUESDAY, THURSDAY, and SATURDAY, throughout MAY, JUNE, and JULY.

"GARDENERS' CHRONICLE."

"We have no hesitation in saying that the Exhibition which Mr. Bull opened on Tuesday eclipses all his previous efforts in the same direction. His show-house is a scene of the greatest Orchidic beauty, baffling description, and we had almost said defying exaggeration. In truth, it is a marvellous display for any Nurseryman to create single-handed, and it speaks volumes for the resources of Mr. Bull's Establishment."

NEW AND CHOICE ACHIMENES.

COQUETTE, clear violet purple flowers, the throat being surrounded with very bright purple. 3*s.* 6*d.*

PHŒBUS, very large flowers, purple, merging into orange at the centre; the throat is dark yellow, the mouth of the throat marked blackish crimson. 3*s.* 6*d.*

VIOLETTA, a very pretty and free-flowering new variety of vigorous growth, producing an abundance of rich violet-purple flowers, the centre of each lobe and the mouth of the throat being very darkly veined. 3*s.* 6*d.*

Good selections made at 6*s.*, 9*s. and* 12*s. per dozen, according to sorts.*
New and choice sorts, 18*s. and* 30*s. per dozen, according to sorts.*

ADMIRATION
AMBROISE VERSCHAFFELT
ARGUS
AURORA
AUTUMNALIS
BELLE CRACOVIENNE
CARL WOLFARTH
CARMINATA ELEGANS
CHARM
CHERUB
CHIRITA
DAZZLE
DENTONIANA
ECLIPSE
EDWARD BOISSIER
EVELINE
EXCELSIOR
FRANCOIS CARDINAUX
GEORGIANA
GIBSONII
GRANDIFLORA
—— FLORE PLENO
GRANDIS
HARRY WILLIAMS
HENDERSONI
LABYRINTHICUM
LADY LYTTLETON
LEOPARD
LONGIFLORA
—— ALBA

LONGIFLORA ALBA MAXIMA
—— MACRANTHA

LONGIFLORA MAJOR
—— ROSEA
LOUIS VAN HOUTTE
LOVELINESS
MADAME JEHENNE
MARVEL
MAUVE PERFECTION
—— QUEEN
MASTERPIECE
METEOR
MINIATA
NESIDA
NINA
OBERON
PURPUREA ELEGANS
—— MULTIFLORA
RIENZII
RIVAL
ROLLISSONI
ROSEA ELEGANS
—— MAGNIFICA
SCARLET PERFECTION
SIR TREHERNE THOMAS
SKINNERI
SPARKLER
STELLA
UNIQUE
VENUSTA
VIVICANS
WILLIAMSII

EUCODONIAS.

A free-flowering and dwarf growing section of Gesneraceous plants, with attractive flowers intermediate between Tydæas and Gloxinias. 1*s.* and 1*s.* 6*d.* each.

EHRENBERGII
NÆGELIOIDES

NÆGELIOIDES DIAMANTINA
—— LILACINELLA

NÆGELIOIDES NANA MULTIFLORA
VAN HOUTTEI.

GESNERAS (NÆGELIAS).

The value of Gesneras as decorative plants can scarcely be over estimated. Most of them have rich velvet-like foliage, which, in the respective kinds, varies from green to crimson. If only grown for the foliage they are very attractive, but they produce splendid pyramidal spikes of blossom, which are extremely handsome. Originally the principal colour was orange-scarlet; now, as the result of fertilisation, there are various colours and shades, added to which the spotting on the flowers of some of the varieties is extremely pretty. Selections of good varieties at 30*s.* and 42*s.* per dozen, according to sorts.

GESNERAS, see also page 35.

NEW HYBRID GESNERAS.

PYRAMIDAL, a vigorous growing variety, freely developing numerous lateral branches, which become covered with rose coloured flowers, shaded with purple; the throat is golden-yellow with small crimson spots. 3*s*. 6*d*.

SOUVENIR DE MADAME JOIGNOT, this variety has handsome bronze-green leaves, the Achimenes-like flowers, which are abundantly produced, being of a rich carmine-purple colour. 3*s*. 6*d*.

NEW AND CHOICE GLOXINIAS.

NEW VARIETIES.

WITH ERECT FLOWERS.

ACTIVE, white lobes freckled with bluish purple, the markings smaller and lighter towards the margin; light throat spotted with purple. 5*s*.

AMETHYST, azure blue, lighter towards the edges of the lobes; throat pure white, extending to the centre of each lobe. 5*s*.

CYGNET, pure white, the lobes broadly margined with soft pink; very pretty. 5*s*.

HYDRA, white, the lobes margined with pale rose, marked with bright rose at the intersections of the lobes. 5*s*.

LYDIA, very large drooping flower, upper lobes deep rose, lower lobes rose shaded with deep crimson; light throat, prettily speckled with crimson. 5*s*.

MALABAR, lobes pale rose; centre of lobes and mouth bright crimson; light throat shaded with violet. 5*s*.

MODIOLA, flowers erect, deep rich velvety crimson, the lobes margined with rose, the mouth being shaded with dark maroon; light throat, freckled with crimson. 5*s*.

SABRINA, intensely deep crimson, the lobes margined with pale rose; light throat freckled crimson. 5*s*.

Choice selections made by Mr. W. B. at 18s., 30s. and 42s. per dozen according to sorts.

ANNA DE CONDEIXA
ARCHIMEDES.
ARIADNE
AURELIA
BARON DE ROTHSCHILD.
BERENICE
BIJOU
CALYPSO
CASILDA
CECILE MICHAUX
CHATEAUBRIAND
CHAUCER
CLEOPATRA
COMTE DE MONTESQUIEU
CONQUEST
CORDON LAVANDE
COWPER
DANTE
DARING
DIADEME
DIAMANT
DIDON
DRYDEN
EDEN
ELFIN
ETHEL
FANTOME
FAVORI
FLAMBOYANT
FLORE
GEORGES SAND
GRACIEUX
HECLA
HERON
JEANNE D'ARC
JUPITER
LA BOËTIE
LA FRANCE
LE GAULOIS
LEONORA
LEOPARD
MAD. BLEU
MAD. BOYD
MAD. CECILE GONDOUIN
MAD. PH. HÉBERT
MAGENTA
MARCEL
MARGUERITE D'ELCHINGEN
MARQUIS DE CHENNEVIERES
MATODOR
MENTOR
MILTON
MINOS
MOGUL
MON CAPRICE
MONSIEUR BERGMAN
M. G. MORLET
M. LUCIEN LINDEN.
NEPTUNE
NOIROT
ODIN
ORACLE
OSCAR
PARTHENIA
PERFECTION
PERLE
PHŒNIX
PLINE
PORTEND
PRESIDENT LAVALLÉE
PRINCE DE GALLES
ROMOLA
RUBIS
SEMIRAMIS
STANLEY
SYLPHIDE
TAMAR
TEMPLAR
TENNYSON
THEMIS
VELINDRA
VICOMTE DE CONDEIXA
VICOMTESSE DE BELLEVAL
ZIBELINE

GLOXINIA INSIGNIS, this distinct variety produces its flowers during the autumn and winter; colour bluish lilac, marked with a large crimson blotch at the base of the tube. 2*s*. 6*d*.

MACULATA SCEPTRUM, a magnificent hybrid, with extra large erect cordate foliage; it produces a rigid terminal inflorescence, exceeding 20 inches in height, which bears majestically its large, clear lilac, well-formed blooms. 1*s*. 6*d*.

TYDÆAS.

These can be cultivated so as to produce an abundance of bloom throughout the winter, their flowering season principally depending on the time of year their tubers are started into growth. With a little management a succession of blooming plants can be had nearly throughout the year. 18*s*., 24*s*., 30*s*. and 42*s*. per dozen, according to sorts.

AILSA
ALARM
ALEXANDRE
AMARANTE ET CANNELLE
AMAZON
BELLONA
CECILIA
CLOVIS
COQUETTE
CYNTHIA
DAPHNE
DORIS
ELAINE
EUTERPE
GIGANTEA
HOTSPUR
ITACULUMI
JULIETTE
LIEFKIN
LORENZO
MANCINUS
MARQUIS DE GUIADIARO
MINERVE
MIRANA
M. RICHARD LARIOS
OPHIR
PAREPA
PLUTON
PORTIA
ROBERT LE DIABLE
SABINA
THALIE
UKARA
VIOLET ET MARRON
WONDER
XENOPHON

NEW AND CHOICE REGAL PELARGONIUMS.

This name is applied to that magnificent group of Pelargoniums, the flowers of which are of large size, with very rich and showy colours, and which, although they are not really double, yet have the appearance of being so from their full and crispy form, and the extra number of their frilled petals.

ALEXANDRE DE NAPADIEWICZ, a fine flower of a salmon-carmine colour, widely margined with white; upper petals blotched with maroon; large white centre. 3*s*. 6*d*.

BEAUTY OF OXTON, upper petals rich maroon, darkly blotched; under petals dark crimson, shaded with maroon; light centre, tinted with rose; all the petals regularly margined white, and beautifully fringed. 1*s*.

CAPTAIN RAIKES, a fine large full flower; upper petals deep fiery crimson, flaked with purplish black, and bordered with carmine; lower petals clear bright fiery crimson. 1*s*.6*d*.

COUNTESS OF ROSEBERY, a desirable variety, producing large trusses of pure white flowers, with a spot of delicate rose in the upper petals, the margin of the flower being prettily fringed. 2*s*. 6*d*.

DR. MASTERS, the upper petals have large black blotches in the centre, with a narrow margin of rich crimson; the lower petals have a smaller blotch, with a broader margin of the same colour as the upper. 1*s*.

DUCHESS OF BEDFORD, a very useful and charming variety; its blossoms are of the purest white, prettily fringed, with feathered spot of delicate rose on upper petals. 1*s*. 6*d*.

DUKE OF ALBANY, deep rich crimson-maroon, margined with rosy lake; light centre surrounded with violet-rose shading; all the petals beautifully undulated and fringed; fine full flower; extremely showy. 1*s*. 6*d*.

GLOIRE DU TOURS, flowers of a bright vermilion, with light centre and edges; upper petals blotched with blackish maroon. 5*s*.

KARL KLEIN, a splendid variety, producing very bright red flowers, darkly spotted; extremely showy. 2*s*. 6*d*.

MADAME EVRARD, very full flower, with beautiful crispy petals of bright purplish crimson colour, spotted with dark maroon. 1*s*. 6*d*.

MADAME THIBAUT, white blotched and marbled with rose; upper petals marked with crimson maroon; large white centre. 1*s*.

MAID OF KENT, an attractive variety, of neat dwarf habit and extremely free blooming; the flowers are pure white, with bright rose-coloured spots on all the petals, which are beautifully undulated and fringed. 2*s*. 6*d*.

PRINCE OF PELARGONIUMS, large flowers with elegantly fringed margins; brilliant vermilion-scarlet ground colour, finely relieved by a blush-white centre, with violet veins; the upper petals flushed with rich crimson. 2*s*. 6*d*.

MISS LILY CANNELL, a very pretty flower; crimson-scarlet petals shaded with rosy-purple and edged with white, light centre. 1*s*. 6*d*.

PRINCE OF TECK, rich deep crimson, shaded with violet; upper petals blotched and feathered with dark blackish maroon; centre shaded with violet. 2*s*. 6*d*.

PRINCE OF WALES, an exceedingly handsome variety, freely producing good trusses of flowers of a bright vermilion colour, with light centre and edge to the petals, the superior ones being marked with light crimson, and darkly blotched. 1*s*. 6*d*.

PRINCESS BEATRICE, upper petals crimson-lake blotched with maroon and margined with white, under petals blush white; a large and full flower, the petals being beautifully undulated and fringed. 5*s*.

PRINCESS OF WALES, an extremely beautiful variety, very large and effective flowers of a rosy lake colour, marbled and reticulated with white; large, clear, and distinct white centre; all the petals margined with white, and the upper ones blotched with maroon; an exceedingly attractive flower. 3*s*. 6*d*.

QUEEN VICTORIA, the flowers of this handsome and distinct variety have peculiarly crispy petals of a rich vermilion colour, broadly margined with pure white, the upper ones blotched with maroon. 2*s*. 6*d*.

VOLONTÉ NATIONALE ALBUM, a sport from the well-known favourite *Volonté Nationale*, with large and beautifully fringed flowers of the purest white. A free grower and very floriferous. 2*s*. 6*d*.

NEW AND CHOICE ATTRACTIVE COLOURED AND SPOTTED PELARGONIUMS.

For New Varieties, offered for the first time, vide page 12.

AGATHA, a fine flower of good form; upper petals bright crimson, blotched with maroon and margined with white; under petals blush-white, spotted with bright crimson. 2*s*. 6*d*.

ALFONSO, pure white free-blooming variety, upper petals marked with rich rosy crimson, under petals faintly feathered with rose; a large finely formed flower. 5*s*.

ANGUS, delicate rose; upper petals blotched dark crimson and shaded rose; under petals spotted with dark crimson. 1*s*. 6*d*.

ARBACES, a very attractive flower of a bright rosy purple colour, with light margin; the upper petals blotched and feathered with dark crimson. 1*s*. 6*d*.

ARVON, upper petals bright crimson, blotched with blackish maroon and edged with rose; under petals soft rose, spotted crimson. 1*s*.6*d*.

ATRATO, upper petals rich purplish crimson, blotched with maroon, and margined with white; under petals violet rose, spotted with crimson, and margined with white. 5*s*.

CATRINA, upper petals dark maroon, margined with rosy crimson; under petals rosy crimson, blotched with maroon. 1*s*. 6*d*.

CERES, blush ground, upper petals blotched and feathered with maroon surrounded with crimson lake; lower petal slightly spotted with lake. 5*s*.

CHARGER, upper petals dark maroon, surrounded with crimson and edged rose; under petals deep rose, blotched with maroon. 1*s*. 6*d*.

CLOVIS, upper petals blackish maroon edged with bright crimson, lower petals bright rosy crimson blotched with maroon. 7*s*. 6*d*.

CYMBA, upper petals dark crimson, surrounded with bright crimson and edged with rose; under petals rose, blotched and feathered with crimson; light centre; a fine, large well-formed flower. 2*s*. 6*d*.

CYPRIA, a fine flower of a rich rosy crimson colour; upper petals blotched with maroon; under petals spotted dark crimson. 1*s*. 6*d*.

DACIA, upper petals dark maroon shaded with bright crimson, margined with rose; under petals rosy pink, cleanly spotted with dark crimson. 2*s*. 6*d*.

DAMON, upper petals bright crimson, blotched with maroon; under petals rosy crimson, white centre; all the petals edged white. 1*s*. 6*d*.

DAURUS, flower rich crimson, shaded with maroon; light centre, shaded rosy purple. 2*s*.6*d*.

DINORAH, upper petals blotched with maroon, surrounded with bright rosy purple, and edged with rose; under petals light rose, spotted with bright rosy purple. 1*s*. 6*d*.

DOLPHIN, flower salmon-pink, upper petals blotched with maroon, surrounded with fiery crimson; under petals spotted crimson. 5*s*.

EBOR, upper petals maroon margined with white; lower petals white heavily veined with violet purple, spotted with dark crimson; light centre. 5*s*.

ECLIPSE, upper petals blackish maroon, edged with fiery crimson; under petals deep crimson, shaded with scarlet, and blotched with dark maroon; light centre. 1*s*. 6*d*.

ELLA, *vide* page 12.

ELVINA, upper petals rich bright crimson, blotched with maroon and margined with white; under petals blush, tinted rose and spotted with crimson. 1*s*. 6*d*.

ENSIGN, all the petals blotched with maroon, surrounded with crimson and rose. 1*s*. 6*d*.

FORWARD, upper petals maroon edged with soft rose; under petals rosy crimson, heavily spotted with maroon. 2*s*. 6*d*.

GIDOUR, upper petals deep maroon, surrounded with fiery crimson, and margined with deep rose; under petals bright rosy pink, spotted with dark crimson; a splendid flower. 2*s*.6*d*.

GRANTA, maroon upper petals, surrounded with rosy crimson, and edged with lavender; under petals rich rose, spotted with dark crimson; white centre. 1*s*. 6*d*.

GRISON, light rosy pink, all the petals blotched with very dark blackish maroon, and shaded with crimson; a very fine flower. 1*s*. 6*d*.

HECLA, light rosy purple, veined with deep purple, upper petals blotched with maroon, surrounded with crimson and margined with rose; under petals spotted with maroon. 2*s*.6*d*.

IO, *vide* page 12.

JESSICA, upper petals dark maroon, surrounded with crimson, and margined with rose; under petals rosy pink, spotted dark crimson. 1*s*.6*d*.

KENNETH, upper petals purplish crimson, margined and feathered crimson; under petals violet-crimson, edged with rosy lavender; white centre. 1*s*. 6*d*.

LEONARD, flesh-coloured flower, the upper petals being blotched with dark crimson, surrounded with bright crimson; under petals spotted with bright rosy crimson. 5*s*.

LEONIS, flower soft rosy purple, surrounded with pale rose, the upper petals blotched with maroon. 1*s*. 6*d*.

LUCULLUS, fiery crimson; upper petals blotched with blackish maroon; under petals spotted crimson-maroon; light centre. 1*s*. 6*d*.

MABEL, flower bright rose, upper petals blotched with blackish maroon; lower petals spotted with crimson lake. 5*s*.

MALCOLM, upper petals rosy pink, blotched with maroon; under petals soft rosy pink, spotted with deep crimson. 1*s*. 6*d*.

MARSUS, upper petals white, blotched with rosy-crimson; under petals blush white, spotted with crimson. 1*s*. 6*d*.

MEDINA, upper petals maroon, shaded with crimson and edged with rose; under petals rose, blotched with dark crimson. 1*s*. 6*d*.

MINARET, upper petals crimson, with maroon blotch; under petals rosy crimson marked and spotted with maroon. 1*s*. 6*d*

NEW AND CHOICE SPOTTED PELARGONIUMS—continued.

MYRA, upper petals dark maroon surrounded with bright crimson and edged with rose; lower petals soft pink, spotted with crimson; light centre. *5s.*

NEPTUNE, flower rosy purple, upper petals blotched and feathered with maroon; under petals spotted with maroon. *5s.*

NIZZA, flower bright rosy purple; upper petals feathered with dark crimson. *2s. 6d.*

ONDINE, upper petals dark crimson, surrounded with fiery crimson, edged with pink; under petals rose suffused with crimson, and spotted with dark crimson. *5s.*

ORISSA, upper petals light purplish crimson, feathered and blotched with maroon; under petals soft violet-rose, marked with crimson; a rich-looking and attractive flower. *2s. 6d.*

OSCAR, upper petals crimson, margined with rose and blotched with maroon; under petals rose, spotted crimson; light centre. *1s. 6d.*

PEERLESS, the upper petals blackish maroon, surrounded with fiery crimson; under petals rich crimson, with maroon spot. *1s. 6d.*

PERA, *vide* page 12.

PHŒNIX, deep rosy purple, upper petals blotched and feathered with dark crimson: under petals edged with white, light centre. *2s. 6d.*

PINNACE, light scarlet-crimson; upper petals blotched with maroon and edged with rose; under petals carmine, spotted crimson. *1s. 6d.*

PIONEER, fiery crimson, upper petals blotched with maroon; under petals slightly spotted with crimson; light centre. *1s. 6d.*

PLATEAU, upper petals rich bright crimson, blotched maroon; under petals bright crimson, shaded dark crimson; light centre. *1s. 6d.*

RENDIGO, upper petals nearly black, with crimson edge; under petals crimson, blotched with maroon. *1s. 6d.*

RUMOUR, upper petals carmine-crimson, blotched with maroon and margined with rose; under petals rose-pink, spotted dark crimson. *1s. 6d.*

SABINE, upper petals dark crimson-maroon, edged with bright crimson; under petals rosy crimson, blotched with maroon. *1s. 6d.*

SERENA, rosy lake, with slight purplish shade; upper petals blotched with maroon; under petals spotted with deep crimson. *1s. 6d.*

SIRIUS, upper petals fiery crimson, edged with rose and blotched maroon; lower petals rose, spotted with crimson. *5s.*

SPORTSMAN, a deep rosy purple flower, light centre, the upper petals marked and feathered with maroon edged with rose. *5s.*

TELAMON, upper petals blackish maroon, margined with fiery crimson; under petals light red, slightly shaded with orange and spotted with dark maroon; a very fine flower. *1s. 6d.*

TENNYSON, upper petals dark maroon, margined with rose and edged with white; under petals pure clear white, with a small blotch of bright lake in the centre of each. *1s. 6d.*

TREASURE, upper petals violet-purple, blotched maroon and edged lavender; under petals light rosy purple, spotted maroon. *5s.*

TYRANT, upper petals dark crimson-maroon, edged with rose; under petals salmon-rose, spotted with dark crimson. *1s. 6d.*

VINCENT, upper petals maroon, edged with rosy crimson; under petals rich rosy crimson; the centre shaded with violet. *1s. 6d.*

ZENOBIA, upper petals blackish maroon, surrounded with fiery crimson and edged with rose; under petals rosy crimson spotted with maroon, rose centre. *5s.*

ZORA, upper petals bright rosy carmine, blotched with dark crimson, and widely margined with white; under petals blush white. *1s. 6d.*

Selections of other good varieties can be made from Mr W. B.'s general collection at 18s., 24s. and 30s. per dozen, according to sorts.

NEW AND CHOICE SHOW PELARGONIUMS.

For New Varieties, offered for the first time, *vide* page 12.

ADALIA, upper petals maroon, edged with crimson; under petals deep rose, slightly shaded with crimson; white centre. *1s. 6d.*

ADVENTURER, maroon spot on top petals; narrow rose edge; rose lower petals; white centre, large and fine form. *1s. 6d.*

AGAR, upper petals dark maroon, surrounded with fiery crimson, edged with pale rose; lower petals, soft rose slightly veined with crimson, light centre. *5s.*

AMPHION, upper petals blackish maroon, surrounded crimson and margined magenta rose; lower petals rose; light centre. *5s.*

ATALANTA, upper petals maroon, edged bright rose; under petals deep rose; white centre. *3s. 6d.*

BANQUET, upper petals crimson-maroon, edged with rose; under petals bright rose. *1s. 6d.*

CECILIA, upper petals dark velvety maroon, surrounded bright crimson and edged rose; under petals rosy pink; white centre. *1s. 6d.*

CHARTER, rich maroon upper petals margined with violet-rose; under petals violet-rose; shaded crimson; large white centre. *1s. 6d.*

CLAUDIA, *vide* page 12.

COMUS, upper petals dark crimson, margined with bright crimson; lower petals bright pink shaded with crimson. *3s. 6d.*

CONDUCTOR, dark crimson upper petals margined with bright rose; under petals delicate rose; pure white centre. *1s. 6d.*

COSSACK, upper petals very dark maroon, surrounded with bright crimson; under petals bright rose; large white centre. *1s. 6d.*

CREUSA, light rose; the upper petals blotched with dark crimson; light centre. *1s. 6d.*

DARDAN, upper petals black-maroon, bordered with rosy crimson; under petals light bright rose; large white centre. *1s. 6d.*

DIANA, *vide* page 12.

EDIE, upper petals blackish maroon, surrounded with crimson, edged with rose; lower petals pale pink, light centre. *5s.*

NEW AND CHOICE SHOW PELARGONIUMS—continued.

EMBASSY, pure white, the two upper petals blotched with deep violet maroon. 1*s.* 6*d.*

EMBLEM, bright rose, shaded with violet; upper petals blotched with dark crimson; light centre. 1*s.* 6*d.*

EXCHEQUER, maroon upper petals, surrounded with crimson and margined with rose; under petals rose; white centre. 1*s.* 6*d.*

FALCON, upper petals blackish maroon, shaded bright crimson and edged pale rose; under petals soft rosy pink; light centre. 1*s.* 6*d.*

GARNET, maroon upper petals, surrounded with crimson, and margined with violet-rose; bright rose under petals; light centre. 1*s.* 6*d.*

HECTOR, bright orange, with dark spot on upper petals, and bright crimson edge; white centre; very attractive. 1*s.* 6*d.*

HUMPHREY, upper petals dark maroon, bordered with rose; under petals bright rose, shaded with crimson; light centre. 1*s.* 6*d.*

INSTANCE, upper petals violet crimson, shaded with maroon and edged with white; under petals blush-white; very pretty. 1*s.* 6*d.*

INVENTOR, upper petals maroon, shaded with bright crimson and margined with rose; under petals salmon-pink; white centre. 1*s.* 6*d.*

IRIS, upper petals bright rose, blotched with maroon, surrounded with fiery crimson; under petals soft rose; light centre. 5*s.*

JOVIAL, a rosy purple flower, upper petals blotched with maroon, the entire flower edged white; light centre. 5*s.*

JUNIUS, *vide* page 12.

KESTREL, upper petals blotched with maroon, surrounded with fiery crimson and edged with rose; lower petals deep rosy pink; light centre. 3*s.* 6*d.*

LAURETTA, upper petals bright crimson blotched with blackish maroon and edged with pale rose; under petals soft rose; light centre; a splendid variety. 2*s.* 6*d.*

LEANDER, upper petals dark maroon, surrounded with rosy purple, widely margined with pale rose; under petals pale blush; light centre. 5*s.*

LESSEE, a magnificent flower of a bright fiery crimson colour, the upper petals blotched with dark crimson; petals slightly edged rose; light centre, shaded with violet. 2*s.* 6*d.*

LORA, upper petals maroon, margined with scarlet and edged with rose, under petals rosy pink, white eye. 1*s.* 6*d.*

MADELINA, upper petals blotched with maroon, surrounded with fiery crimson and edged with bright rose; under petals rosy lake; pure white centre; a fine flower. 2*s.* 6*d.*

MATHON, upper petals blackish maroon, surrounded with rosy crimson; under petals white, feathered with soft purple. 1*s.* 6*d.*

MIRANA, upper petals dark maroon, surrounded with crimson, margined with rose; lower petals rose, suffused with pink; light centre. 5*s.*

MURILLO, maroon upper petals, surrounded with crimson and margined with rose; under petals bright rose; pure white centre. 1*s.* 6*d.*

NABOB, fiery crimson, the upper petals shaded with dark crimson and blotched with fiery maroon; light centre. 5*s.*

NEPTUNE, rich scarlet, small black spot, fine quality and free. 5*s.*

PALATINE, upper petals rich maroon, surrounded with fiery crimson and edged rose; under petals soft pink; light centre. 1*s.* 6*d.*

PAREPA, upper petals bright crimson shading off to a margin of rose, blotched and feathered with maroon; lower petals blush pink; light centre. 5*s.*

PAULINE, upper petals dark crimson, blotched with maroon and margined with white; under petals white, suffused with rose. 2*s.* 6*d.*

PENSION, rich deep crimson; the upper petals marked with velvety maroon; large light centre; a fine flower. 1*s.* 6*d.*

PERIM, upper petals blackish maroon, margined with lavender-rose; under petals deep rose, shaded with crimson. 1*s.* 6*d.*

PILOT, bright rosy pink, blotched with dark velvety crimson on the upper petals; light centre. 1*s.* 6*d.*

RUSTIC, a fine flower; upper petals rich crimson, shaded maroon; under petals rich crimson; light centre, shaded with violet. 1*s.* 6*d.*

RUTULIA, upper petals crimson-maroon, bordered with rosy crimson; under petals scarlet-crimson; light centre, shaded violet. 1*s.* 6*d.*

SPHINX, upper petals maroon, edged with rose; under petals bright salmon rose, shaded with crimson; light centre. 5*s.*

SPLENDENT, upper petals maroon, surrounded with scarlet and edged with pink; under petals salmon-rose; white centre. 1*s.* 6*d.*

SUBLIME, upper petals violet-crimson, blotched with maroon and edged with lavender; under petals lavender blush. 1*s.* 6*d.*

TEMPLAR, upper petals white blotched with maroon and feathered with crimson lake; lower petals white, faintly suffused with blush. 5*s.*

THEODOSIA, upper petals velvety crimson, blotched with blackish maroon and edged with rose; under petals bright rose, slightly shaded with crimson. 1*s.* 6*d.*

Selections of other good varieties can be made from Mr. W. B.'s general collection, at 18s., 24s. and 30s. per dozen.

NEW AND CHOICE FANCY PELARGONIUMS.

CORDELIA, flower soft rosy pink edged with white; white centre. 5*s.*

LENA, upper petals rosy carmine, light edge; under petals white, suffused with rosy carmine; light centre. 5*s.*

PENGUIN, white, upper petals beautifully marked with rosy carmine; fine large flower. 5*s.*

Selections made by Mr. W. B. from General Collection at 18s., 24s., 30s., 42s. and 60s. per dozen, according to sorts.

CAPE SPECIES, HYBRID, SELF-COLOURED, STRIPED AND PERPETUAL-FLOWERING PELARGONIUMS.

Selections made by Mr. W. B. at 18s. and 30s. per dozen.

NEW AND CHOICE ZONAL PELARGONIUMS.

NEW VARIETIES.

ADRIEN DE MORTILLET, large rosy magenta flowers, the top petals maculated with orange salmon; white centre. *5s.*
ALPHONSE DAUDET, a beautiful variety with large trusses of reddish salmon flowers. *5s.*
CALYPSO, large trusses of medium sized flowers, pure white. *5s.*
EDEN, large crimson scarlet flowers, white centre; the top petals suffused and maculated with orange; a new colour. *5s.*
GOLCONDE, flowers yellowish orange; large trusses. *5s.*
JULES FERRY, enormous trusses of dark reddish scarlet flowers. *2s. 6d.*
LOUIS ULBACH, brilliant scarlet flowers, very large trusses. *2s. 6d.*
M. HERVÉ MANGON, large flowers, salmon bordered with white, dwarf and floriferous. *2s. 6d.*
PALAIS DE L'INDUSTRIE, enormous trusses of beautifully shaped soft rosy pink flowers, white centre, surrounded with crimson scarlet. *5s.*
RENAN, large trusses of rich apricot salmon flowers, very floriferous. *2s. 6d.*
VICTOR HUGO, large trusses of bright orange scarlet flowers, dwarf, and very floriferous. *2s. 6d.*

WHITE BEDDING PELARGONIUM.

WHITE PERFECTION, a most excellent free-flowering white variety of vigorous growth and good habit; the trusses are of medium size, the individual flowers being perfect in shape. Being of extra merit, it was awarded a First Class Certificate by the Floral Committee of the Royal Horticultural Society, and cannot fail to become of the greatest value for bedding purposes, and pot culture. *3s. 6d.*

Selections made by Mr. W. B. from General Collection of Zonal Pelargoniums at 9s., 12s., 18s. and 30s. per dozen, according to sorts.

NEW AND CHOICE NOSEGAY PELARGONIUMS.

This section is admirably adapted for bedding, as the flowers are borne in the greatest profusion and in immense trusses, and hence produce great effect.

Selections made by Mr. W. B. at 9s., 12s., 18s. and 30s., per doz., according to sorts.

NEW AND CHOICE DOUBLE-FLOWERED IVY-LEAVED PELARGONIUMS.

For New Variety, vide page 12.

ABEL CARRIÈRE, crimson, with violet shade; fine flowers; dwarf habit and free. *1s.*
ABONDANCE, fine trusses of beautiful violet-lilac undulated flowers. *1s.*
ALBERT CROUSSE, a fine flower of a bright carmine colour, darker towards the centre. *1s.*
ALGERINE, white, slightly feathered in the upper petals with rosy crimson. *1s. 6d.*
ALICE CROUSSE, very large double flower, petals of great size violet purple and amaranth, very floriferous; extra fine. *2s. 6d.*
ALMA, *vide* page 12.
ALPHONSE FAILLE, dark cerise, shaded with carmine and amaranth. *2s. 6d.*
BERTHA, large bright rosy purple flower. *5s.*
BERTHELOT, large full violet magenta flowers, of good form, very floriferous. *7s. 6d.*
CHARM, a large flower of bright pink colour, with rich crimson markings on upper petals. *1s.*
CLEOPATRA, rich soft rose-pink, feathered with crimson on the upper petals. *1s.*
COMTE HORACE DE CHOISEUL, a fine large full flower of an orange-salmon colour. *1s.*
COMTESSE HORACE DE CHOISEUL, soft satiny rose colour, paler towards the edges. *1s.*
COMUS, soft rosy purple flower, upper petals feathered with dark maroon. *3s. 6d.*

NEW AND CHOICE DOUBLE IVY-LEAVED PELARGONIUMS—continued.

CONGO, a fine, large, full, well-formed flower of a beautiful bright rosy lilac colour. 1*s.*
CRÉPUSCULE, bright rosy salmon flowers, very large and double. 1*s.* 6*d.*
CUVIER, large and full dark violet flowers: a vigorous grower. 7*s.* 6*d.*
DE BRAZZA, fine trusses of large full soft rose flowers, brighter towards the centre. 1*s.*
EDMOND ABOUT, fine double flowers, rose, shaded with violet, centre salmon. 1*s.* 6*d.*
EMILE LEMOINE, enormous trusses of dazzling carmine-cerise flowers; very fine. 1*s.*
FINETTE, blush-white, the upper petals flushed with rose and feathered with dark crimson. 1*s.*
FLOURENS, large irregular flowers, salmon shaded with rose; large petals. 5*s.*
FRANCISQUE SARCEY, very large and full brilliant rosy-crimson flowers of good shape. 1*s.*
FÜRSTIN JOSEPHINE VON HOHENZOLLERN, finely shaped reddish magenta flowers. 2*s.* 6*d.*
GALILÉE, fine trusses of very large double flowers, deep rose feathered in the top petals with crimson; the most beautiful variety of its colour. 7*s.* 6*d.*
GAY-LUSSAC, clear crimson lake, flowers very double and of good shape; dwarf vigorous habit. 5*s.*
GENÉRAL BRIÉRE DE L'ISLE, beautiful carmine double flowers, shaded with gold. 3*s.* 6*d.*
GÉNÉRAL DE NEGRIER, large rosy-magenta semi-double flowers. 1*s.*
GENERAL GORDON, very fine rich orange-red flowers of perfect shape. 1*s.*
GLOIRE DE NANCY, bright cerise-red colour, shaded with amaranth on the upper petals. 1*s.*
HANÖI, orange tinted with carmine, very double imbricated flowers. 1*s.*
HUMBER, blush pink; upper petals feathered with rosy purple; large flower. 2*s.* 6*d.*
ISABEL, soft pink, with crimson marking on the upper petals; a fine showy flower. 1*s.*
ISIDORE FÉRAL, soft rose, with silvery reflections, the reverse of the petals white. 1*s.*
JACINTO, pale rose-pink; a very pretty shade of colour. 1*s.*
JEANNE D'ARC, robust-growing, producing large trusses of full milky white flowers. 1*s.*
LANG-SON, well-formed double flowers, of a brilliant cinnabar red. 1*s.*
LAPLACE, flowers cup-shaped crimson lake; of vigorous habit and extremely floriferous. 5*s.*
LAVOISIER, very large full flowers of perfect form; fine trusses of orange salmon flowers. 5*s.*
LA ROSIÈRE, a very large full flower of a satiny lilac-rose colour. 1*s.*
LE PRINTEMPS, rose suffused with salmon, large trusses and very floriferous. 1*s.*
LOUIS THIBAUT, fine large flower of a deep red colour. 1*s.*
MADAME BOUCHARLAT, large full flower of a bright rosy cerise shade; very floriferous. 2*s.* 6*d.*
MADAME COCHIN, a dwarf-growing and free-blooming white variety, shaded with lilac. 1*s.*
MADAME JULES MENOREAU, a large full flower of a beautiful clear rosy cerise colour. 1*s.*
MADAME LEMOINE, a splendid flower of a bright rose colour, shaded with orange. 1*s.*
MADAME MONNIER, bright salmon-rose colour, blotched with carmine; light centre. 1*s.*
MADAME PAGES, lilac-mauve, reticulated and blotched with amaranth. 1*s.*
MADAME THIBAUT, fine full flower, large soft rose petals; dark centre. 1*s.*
MADAME THOUVENIN, rich rosy carmine, shaded with reddish carmine; trusses immense. 1*s.*
MDLLE. GAUTHIER, a fine well-formed flower, with large petals of a beautiful bright satiny rose colour, shaded with salmon. 2*s.* 6*d.*
MARGUERITE JACQUOT, silvery rose, with salmon centre. 1*s.*
MARINER, rich rosy magenta, upper petals feathered with dark crimson; fine flower. 3*s.* 6*d.*
M. BARRAL, free blooming, producing fine trusses of large full rich rose flowers. 1*s.*
META, bright cerise flowers, upper petals faintly feathered with maroon. 5*s.*
PLUTUS, this splendid variety produces fine large rosette-like flowers of a violet-rose colour. 1*s.*
PSYCHE, deep rosy pink, with crimson marking on the upper petals. 1*s.*
SABINE, bright rosy carmine, a large well-formed round flower of a most pleasing colour. 3*s.* 6*d.*
SATELLITE, rosy pink, upper petals feathered with purplish crimson. 2*s.* 6*d.*
SHEI-POO, large round double flowers; suffused carmine. 1*s.*
SIDONIE, a free-blooming variety, producing fine full flowers of a deep mauve-pink colour. 1*s.*
SOLEIL COUCHANT, large umbels of very double flowers, mauve suffused with rosy carmine, lilac reflections. 1*s.*
SOURCE TOULOUSAINE, a large full flower of a bright carmine-rose shade, with salmon centre; reverse of petals silvery white. 1*s.* 6*d.*
STEPHENSON, a well-formed flower of a carmine-rose colour, shaded with bright rosy red. 1*s.*
THALIA, pale rosy pink, the upper petals marked with crimson; pretty and effective. 1*s.*
VICE-PRESIDENT JOLY, a beautiful variety, clear rosy lilac flowers; very fine. 1*s.*
WRANGLER, soft pink, faintly marked in upper petals with crimson. 2*s.* 6*d.*

NEW AND CHOICE IVY-LEAVED PELARGONIUMS.

"PELARGONIUM LATERIPES."

Ivy-leaved Pelargoniums, on account of their graceful drooping growth, are extremely useful for vases, and rustic or suspended baskets; the rich wax-like foliage alone is ornamental, but added to that, they have pretty flowers, and the different varieties present a contrast and charm obtained by few other plants.

BEAUTE DE LYON, a beautiful variety; flowers of a bright scarlet colour with purple shade. 1*s.*
BUTTERFLY, bright rose, striped with crimson on upper petals, and blotched with rosy violet. 1*s.*
CAPTIVE, rose, marked with pink on the upper petals, and feathered with carmine. 1*s.*

NEW AND CHOICE IVY-LEAVED PELARGONIUMS—continued.

CASSIDY, rose-pink, with white centre; blotched on upper petals with purplish crimson. 1*s.*
CEDARO, deep rose, shaded with purple; upper petals feathered with crimson and white. 1*s.*
COLONEL ROUDAIRE, large fiery-red flowers. 1*s.*
DUCHESSE, violet-pink, feathered with bright red on the upper petals. 1*s.*
ESPOIR, rosy pink; upper petals barred with dark crimson, large flower. 1*s.* 6*d.*
FLORINDA, delicate pink, with white centre; upper petals marked with purplish crimson. 1*s.*
FUTURE FAME. Flowers borne in immense trusses, being individually of very large size and of a most pleasing brilliant amaranth-purple colour. It was awarded a First Class Certificate by the Floral Committee in recognition of its superior merit. 3*s.* 6*d.*
MASTERPIECE, a very large and fine flower of a beautiful rich magenta-crimson colour. 1*s.*
MEDINA, bright rosy lavender, with white centre; the upper petals marked with violet-rose. 1*s.*
MONA, bright magenta-pink, upper petals feathered with crimson. 5*s.*
MORA, a large flower of a soft pink colour, with crimson marking on the upper petals. 1*s.*
PERA, delicate blush; the upper petals blotched and feathered with rich purplish crimson. 1*s.*
RUPERT, rosy carmine, shaded with magenta; upper petals barred with dark crimson. 1*s.* 6*d.*

NEW AND CHOICE DOUBLE-FLOWERED ZONAL PELARGONIUMS.

AÉROLITHE, irregular orange scarlet semi-double flowers. 2*s.* 6*d.*
ADMIRAL SEYMOUR, dark amaranth-purple colour, marked with red in the upper petals. 1*s.* 6*d.*
AMI HOSTE, very large compact trusses of fine full flowers of a dark purplish red. 1*s.*
ARETUSA, a magnificent variety, producing fine flowers of a rich crimson-scarlet colour. 1*s.*
ARISTOPHANES, a fine large well-formed flower of a deep violet-rose colour. 1*s.*
BARILLET, large rosy carmine flower, shaded violet; trusses enormous. 1*s.*
BARTHÉLEMY SAINT HILAIRE, very pretty clear salmon rose flowers. 1*s.*
BELLE NANCEIENNE, soft rose centre shaded with salmon-carmine; distinct and free. 1*s*
BRONGNIART, central petals bright scarlet, and outer petals violet-carmine. 1*s.*
CAPTIVATION, bright scarlet shaded with crimson; a large flower borne in immense trusses. 1*s.*
CELLA, soft rosy purple, upper petals shaded with scarlet, quite a novel and distinct flower. 1*s.*
CENTAURE, very large round trusses of bright rose flowers, vigorous habit. 5*s.*
CHELSEA GEM, of compact and free growth, a most profuse bloomer, and an excellent bedder; the foliage is bright green, with a broad marginal variegation of pure white; large trusses of full double flowers of a charming rose-pink colour. 1*s.*; 9*s.* per dozen.
CLEOPÂTRE, flowers shaded salmon, centre orange-salmon; very dwarf and floriferous. 5*s.*
COMTE DE FLANDRE, very effective double flowers delicate rose, shaded with bright red; very floriferous. 1*s.* 6*d.*
COMTESSE DE FLANDRE, charming large double flowers of a beautiful rosy-scarlet colour; very neat and pretty. 1*s.* 6*d.*
COMTE D'HAINAULT, an exceedingly dwarf and pretty variety, producing a profusion of double rosy-purple flowers. 1*s.* 6*d.*
CRATINUS, bright cerise-scarlet, a very fine flower; trusses immense. 1*s.*
DIRECTOR W. SCHULE, large reddish madder flowers. 2*s.* 6*d.*
DR. PHINNEY, a splendid variety, intense scarlet, shaded very deep crimson. 1*s.*
ELATHEUS, a large full flower of a bright crimson colour, shaded with purple. 1*s.*
ESPERANCE, very pretty delicate blush flowers, salmon centre. 2*s.* 6*d.*
EURIPIDES, bright cerise-scarlet, a large flower; very showy and attractive. 1*s.*
GENERAL BRIÈRE DE L'ISLE, well shaped rosy salmon flowers. 2*s.* 6*d.*
GÉNÉRAL DE COURCY, large trusses of very double flowers, brick red in centre shading to salmon, marbled with white. 2*s.* 6*d.*
GIL BLAS, fine compact truss of bright cherry-coloured flowers, brightened with fiery crimson. 1*s.* 6*d.*
GLOIRE DE FRANCE, very large double flowers, centre dark salmon, shading to whitish rose; extra large trusses. 2*s.* 6*d.*
GORDIUS, bright salmon-pink, the colour becoming deeper towards the centre of the flower. 1*s.*
GUSTAVE VETTGE, large trusses of rosy salmon flowers, fringed with white. 2*s.* 6*d.*
HARMONIA, a very large full flower of a light cerise colour, shaded with vermilion. 1*s.*
HOMER, extremely floriferous, flowers of a rich soft magenta-crimson. 1*s.*
HORTENSE LEURQUIN, full rosy lilac flowers; dwarf habit. 2*s.* 6*d.*
JEANNE CANOOT, semi-double flowers, white, shaded with pale lilac. 2*s.* 6*d.*
KHÉDIVE, a fine full flower of a soft rose colour; dwarf and free-blooming. 1*s.* 6*d.*
L'ABBE GRÉGOIRE, dark crimson, marked bright reddish amaranth in the upper petals. 2*s.* 6*d.*
L'ANDALOUSE, large trusses of creamy white flowers, very free. 1*s.* 6*d.*
LA JEANNETTE, dwarf and free; large full flowers of the most pure snowy whiteness. 1*s.* 6*d.*
LA PERLE, enormous trusses of rosy lilac flowers, bordered with deep rose, very fine. 2*s.* 6*d.*
LE CID, fine trusses of very bright crimson flowers; vigorous habit. 5*s.*
LE CYGNE, a pure white variety with perfect double flowers. 1*s.*
LE POITEVIN, fine trusses of brilliant cerise flowers, shaded with magenta. 2*s.* 6*d.*

NEW AND CHOICE DOUBLE-FLOWERED ZONAL PELARGONIUMS—continued.

LE PROPHÈTE, plant very vigorous; fine trusses of bright madder flowers. 5*s.*
LOUIS FIGUIER, large compact trusses, dark red bordered with rose. 2*s.* 6*d.*
LOUIS LEURQUIN, full bright red flowers; dwarf habit. 2*s.* 6*d.*
LYSIAS, large trusses of flowers of a deep salmon colour, flushed with vermilion. 1*s.*
MADAME DE NAUROIS, rosy carmine flowers, maculated with white, light centre. 2*s.* 6*d.*
MADAME GRILLET, soft rose flowers, good truss. 2*s.* 6*d.*
MADAME GUILBERT, large trusses of pure rose flowers. 2*s.* 6*d.*
MADAME MÉNOREAU, pure white, centre bright rose. 2*s.* 6*d.*
MADEMOISELLE DELRIEU, rosy violet flowers; large truss. 2*s.* 6*d.*
MARIE TALLANDIER, of dwarf vigorous habit, fine full pure white flowers. 1*s.*
M. BAROU, reddish orange, lit up with violet. 2*s.* 6*d.*
M. DE LEYBARDIE, rosy violet, the upper petals marked with white. 2*s.* 6*d.*
M. FABRE, orange cerise, shaded violet. 2*s.* 6*d.*
M. J. DELAUX, rosy purple, shaded with carmine, upper petals marked with white. 2*s.* 6*d.*
M. JEAN LIABAUD, large trusses of purplish violet flowers. 2*s.* 6*d.*
MRS. E. G. HILL, pale blush, shaded with delicate lavender; flowers large, trusses immense. 1*s.*
ODYSSEUS, deep magenta-crimson the upper petals marked with scarlet; immense trusses. 1*s.*
PANAMA, large trusses of rosy salmon flowers, the centre being salmon-vermilion. 1*s.*
PAUL DE SAINT VICTOR, enormous trusses of fine large flowers of a carmine-rose colour. 1*s.*
PETER HENDERSON, bright orange-scarlet, base of the petals white; of good habit. 1*s.*
PETIT JEAN, enormous trusses of Solferino coloured flowers, the upper petals fiery red. 1*s.* 6*d.*
PH. GEDULDIG, reddish carmine, shaded in the centre with violet. 2*s.* 6*d.*
PICCO, light pink, a fine large showy semi-double flower. 1*s.*
PRESIDENT DUTAILLY, dark amaranth, bordered maroon. 2*s.* 6*d.*
PRINCESSE CLEMENTINE, very distinct and the dwarfest of this class, with golden foliage and extremely double scarlet-vermilion flowers, very floriferous. 1*s.* 6*d.*
PROUVÉ, very large trusses of bright cerise flowers, darkly blotched on the upper petals. 1*s.* 6*d.*
RAFFAELLO MERCATELLI, reddish salmon, semi-double flowers. 2*s.* 6*d.*
REINE MARIE HENRIETTE, rose coloured flowers of perfect shape; a free grower. 1*s.* 6*d.*
REMARKABLE, rich deep violet-crimson flowers of very fine shape; trusses immense. 1*s.*
RICHARD BRETT, immense trusses of fine full flowers of a very bright orange colour. 1*s.*
ROBERT GEORGE, deep crimson-scarlet, flowers of great size and freely produced. 1*s.*
ROMULUS, dark violet, maculated with red. 2*s.* 6*d.*
SECRETAIRE NICOLAS, orange madder; fine trusses. 2*s.* 6*d.*
SERGENT BLANDAN, very large trusses of rich orange-madder flowers. 2*s.* 6*d.*
SERGENT BOBILLOT, beautiful rosy purple flowers; fine trusses. 2*s.* 6*d.*
SIR GARNET WOLSELEY, enormous trusses of rich salmon-red flowers. 1*s.*
SOLEILLET, rich violet-lake, with bright scarlet marking in the upper petals. 1*s.*
SOPHOCLES, rosy carmine, shaded with scarlet, fine large flowers, borne in immense trusses. 1*s.*
SOUVENIR DE LOUIS VAN HOUTTE, beautiful carmine-rose flowers; very floriferous. 1*s.* 6*d.*
STENYO, remarkably attractive, huge trusses of fine large flowers of a soft rosy carmine colour. 1*s.*
THE BLONDE, salmon, shaded with orange, fine large flowers and immense trusses. 1*s.*
TOSILOS, a fine full flower of a rich magenta-crimson colour, shaded with scarlet. 1*s.*
TRITON, soft rosy pink, lighter in the centre of the flower; trusses large and fine. 1*s.*
TRIOMPHE DE FRANCE, enormous trusses of carmine-amaranth flowers, shading to rose. 2*s.* 6*d.*
TYNDARUS, a large full flower of an exceedingly rich shade of magenta-crimson colour. 1*s.*
VIVIAND MOREL, amaranth, centre deep red. 2*s.* 6*d.*

Selections of other good varieties can be made from Mr. W. B.'s *general collection at* 9*s.*, 12*s.* *and* 18*s.* *per dozen.*

SWEET-SCENTED LEAVED PELARGONIUMS.

Selections made by Mr. W. B. at 18s. and 24s. per dozen, according to sorts.

NEW AND CHOICE VARIEGATED, GOLD AND SILVER TRICOLOUR PELARGONIUMS.

Selections made by Mr. W. B. at 12s., 18s. and 30s. per dozen, according to sorts.

NEW AND CHOICE BRONZE, GOLD AND SHADED YELLOW PELARGONIUMS.

Selections made by Mr. W. B. at 9s., 12s., 18s. and 30s. per dozen, according to sorts.

CYATHEA SMITHII. CYATHEA DEALBATA.

DICKSONIA ANTARCTICA.

Vide next page.

TREE FERNS.

Of these majestic plants the stock is very large. They have stems varying in height from one foot to twelve feet, and having been imported from Australia and New Zealand, they are such as will succeed well in any ordinary greenhouse. Their fine graceful habit and singularly distinct appearance render them peculiarly adapted for the decoration of conservatories. They range in price according to sorts, sizes, and strength of the specimens. It may, however, be as well to remark that they are not merely newly imported trunks, but well established plants with fine heads, many of them having been grown in this country several years. The measurements of some of the plants are given below :—

Prices on application, or an inspection invited.

No.	DICKSONIA ANTARCTICA.	
	Height of Stem.	Height of Head.
1	2 ft. 6 in.	1 ft. 6 in.
2	1 ft. 9 in.	1 ft.
3	5 ft. 2 in.	3 ft. 6 in.
4	3 ft. 10 in.	1 ft.
5	4 ft. 1 in.	2 ft.
6	5 ft. 6 in.	2 ft
7	4 ft. 2 in.	2 ft.
8	7 ft. 4 in.	3 ft.
9	5 ft. 3 in.	3 ft. 6 in.
10	2 ft. 10 in.	1 ft. 6 in.
11	4 ft. 6 in.	2 ft.
12	5 ft.	3 ft. 6 in.
13	1 ft. 8 in.	2 ft.
14	4 ft. 8 in.	3 ft.
15	7 ft. 8 in.	2 ft. 6 in.
16	9 ft. 6 in.	2 ft. 6 in.
17	1 ft. 11 in.	2 ft.
18	5 ft.	4 ft.
19	2 ft.	2 ft.
20	2 ft. 8 in.	2 ft. 6 in.
21	3 ft.	1 ft. 6 in.
22	7 ft. 6 in.	2 ft. 6 in.
23	8 ft. 6 in.	3 ft.
24	5 ft. 4 in.	3 ft. 6 in.
25	5 ft.	2 ft. 6 in.
26	1 ft. 10 in.	2 ft.
27	7 ft. 6 in.	4 ft.
28	5 ft.	2 ft.
29	4 ft. 9 in.	2 ft. 6 in.
30	3 ft.	2 ft. 10 in.
31	5 ft. 6 in.	2 ft.
32	8 ft. 6 in.	3 ft. 6 in.
33	2 ft. 7 in.	1 ft.
34	2 ft.	1 ft. 6 in.
35	2 ft. 4 in.	2 ft.
36	4 ft. 6 in.	3 ft. 6 in.
37	5 ft. 3 in.	2 ft.
38	7 ft. 5 in.	2 ft. 6 in.
39	3 ft. 8 in.	2 ft. 6 in.
40	7 ft. 6 in.	3 ft.
41	3 ft. 6 in.	2 ft.
42	8 ft.	2 ft. 6 in.
43	12 ft. 6 in.	4 ft.
44	10 ft.	3 ft. 6 in.
45	4 ft. 4 in.	3 ft.
46	7 ft. 5 in.	3 ft. 6 in.
47	7 ft. 4 in.	3 ft. 6 in.
48	3 ft. 10 in.	2 ft.
49	4 ft. 4 in.	1 ft. 6 in.
50	7 ft. 2 in.	3 ft.
51	6 ft. 6in.	2 ft. 10 in.

No.	DICKSONIA ANTARCTICA.	
	Height of Stem.	Height of Head.
52	5 ft. 6 in.	2 ft.
53	7 ft.	3 ft. 6 in.
54	3 ft. 10 in.	1 ft. 6 in.
55	6 ft.	2 ft. 6in.
56	3 ft. 5 in.	3 ft.
57	8 ft.	4 ft.
58	6 ft. 2 in.	2 ft. 6 in.
59	4 ft.	2 ft.
60	10 ft.	3 ft. 6 in.
61	4 ft. 5 in.	2 ft. 6 in.
62	7 ft. 9 in.	3 ft. 6 in.
63	1 ft. 9 in.	2 ft. 6 in.
64	4 ft. 6 in.	2 ft.
65	6 ft. 4 in.	4 ft.
66	7 ft. 2 in.	3 ft.
67	7 ft.	3 ft. 6 in.
	CYATHEA DEALBATA.	
68	2 ft. 5 in.	2 ft.
69	2 ft. 2 in.	2 ft.
70	4 ft. 6 in.	3 ft.
71	2 ft. 2 in.	1 ft. 6 in.
72	4 ft. 6 in.	2 ft. 6 in.
73	3 ft. 4 in.	2 ft.
74	2 ft. 8 in.	1 ft. 6 in.
75	4 ft. 10 in.	2 ft. 6 in.
76	3 ft. 3 in.	2 ft.
77	5 ft. 6 in.	3 ft. 6 in.
78	3 ft. 2 in.	3 ft.
79	6 ft. 2 in.	3 ft.
80	4 ft.	2 ft.
81	5 ft. 6 in.	3 ft.
	CYATHEA BURKEI.	
82	8 ft.	2 ft. 6 in.
83	7 ft. 4 in.	3 ft.
84	6 ft. 2 in.	3 ft.
85	6 ft.	3 ft.
86	5 ft. 8 in.	4 ft.
87	5 ft. 8 in.	3 ft. 6 in.
88	8 ft. 6 in.	3 ft. 6 in.
89	5 ft.	3 ft.
90	8 ft.	3 ft.
91	7 ft.	3 ft. 6 in.
	CYATHEA DREGEI.	
92	8 ft.	3 ft. 6 in.
93	4 ft. 7 in.	2 ft.
94	6 ft.	4 ft.

CHOICE STOVE FERNS.

MR. WILLIAM BULL'S general collection of these elegant decorative plants is of considerable extent, and comprises kinds that are moderate in price, as well as many that are extremely rare and unique.

Selections for the Stove can be supplied at 18s., 30s. and 42s. per dozen.

ADIANTUM ANEITENSE.

A very elegant free-growing species of Maiden-hair Fern, introduced from the Island of Aneiteum. It has a creeping rhizome clothed with dark coloured scales, and divided deltoid fronds. The numerous segments of which the fronds are made up are rhomboidal, nearly sessile, firm in texture, with a glabrous surface, subglaucous beneath, and shallowly lobed along the upper and outer edges, where the roundish reniform sori are borne in the centre of the lobes. It is a distinct and ornamental evergreen Stove Fern, and was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the Great Show of the Royal Horticultural Society, held at Kensington in 1880. 3*s*. 6*d*. and 5*s*.

ADIANTUM AMABILE, 1*s*. 6*d*.
ASSIMILE CRISTATUM, *vide* page 9.
BAUSEI, 3*s*. 6*d*.
BELLUM, 3*s*. 6*d*.
CARDIOCHLÆNA, 3*s*. 6*d*.
CILIATUM, 3*s*. 6*d*.
CONCINNUM, 1*s*. 6*d*. and 2*s*. 6*d*.
—— LATUM, 2*s*. 6*d*. and 3*s*. 6*d*.
CURVATUM, 3*s*. 6*d*.
ADIANTUM DOLABRIFORMIS, 3*s*. 6*d*.
FARLEYENSE, 2*s*. 6*d*., 3*s*. 6*d*. & 5*s*.
—— ALCICORNE, 5*s*.
FULVUM, 2*s*. 6*d*. and 3*s*. 6*d*.
GHIESBREGHTII (SCUTUM), 3*s*. 6*d*.
LATHOMII, 3*s*. 6*d*.
LEORANDII, 3*s*. 6*d*.
LUNULATUM, 3*s*. 6*d*.
MACROPHYLLUM, 3*s*. 6*d*.
PENTADACTYLON, 3*s*. 6*d*.

ADIANTUM OBLIQUUM MINUS.

An elegant dwarf evergreen Stove Fern from the United States of Colombia. It has a creeping rhizome, thickly furnished with pinnate fronds, which have blackish stipes, and a lamina composed of shortly-stalked pinnæ, curved upwards at the point, which is acuminate. In the sterile fronds the pinnæ are inciso-dentate, the fertile ones bear close set, but distinct oblong sori. 10*s*. 6*d*.

ADIANTUM PERUVIANUM, 3*s*. 6*d*. and 5*s*.
RHODOPHYLLUM, 5*s*.
RUBELLUM, 3*s*. 6*d*.
SANCTÆ CATHERINÆ, 3*s*. 6*d*.
SCUTUM, *vide* GHIESBREGHTII.
SPECIOSUM, 3*s*. 6*d*.
TENERUM, 2*s*. 6*d*.
TETRAPHYLLUM ORACILE, 7*s*. 6*d*.
TINCTUM, 3*s*. 6*d*.
TRAPEZIFORME, 3*s*. 6*d*.
VEITCHII, 3*s*. 6*d*.
VICTORIÆ, 3*s*. 6*d*.
ANEMEDICTYON PHYLLITIDIS, 1*s*. 6*d*. and 2*s*. 6*d*.
PHYLLITIDIS TESSELLATA, 5*s*.
ANGIOPTERIS EVECTA.
ANTIGRAMMA BRASILIENSIS, 7*s*. 6*d*. and 10*s*. 6*d*.
ASPIDIUM TRIFOLIATUM, 2*s*. 6*d*. and 3*s*. 6*d*.
ASPLENIUM ALATUM, 3*s*. 6*d*.
BELANGERI, 2*s*. 6*d*.
CICUTARIUM, 2*s*. 6*d*.
FERNANDEZIANUM, 3*s*. 6*d*.
HOOKERIANUM, 3*s*. 6*d*.
PROLONGATUM, 3*s*. 6*d*. and 5*s*.
SHEPHERDII, 2*s*. 6*d*. and 3*s*. 6*d*.
VIVIPARUM, 3*s*. 6*d*.
BLECHNUM BRASILIENSE, 3*s*. 6*d*.
INTERMEDIUM, 3*s*. 6*d*.
POLYPODIOIDES, 2*s*. 6*d*. and 3*s*. 6*d*.

CHEILANTHES CHLOROPHYLLA.

A free-growing cool Stove Fern, imported from Brazil. The fronds are ovate lanceolate tripinnatifid, the pinnæ distant lanceolate, the pinnules lanceolate, and the lobes entire linear oblong. The stipes are dark chestnut-brown and polished. 5*s*. and 7*s*. 6*d*.

CHEILANTHES ELEGANS, 2*s*. 6*d*. and 3*s*. 6*d*.
CIBOTIUM SCHIEDEI, 5*s*. and 7*s*. 6*d*.
CYATHEA (CIBOTIUM) PRINCEPS, *vide* page 123.
SPINULOSA, *vide* page 120.

DAVALLIA FIJIENSIS.

A charmingly elegant evergreen Fern, free in growth, firm and durable in texture, and bright green in colour, introduced from the Fiji Islands. The fronds grow two or three feet in height, and have a deltoid outline, the points of the fronds and of the pinnæ being gracefully deflexed; they are compoundly divided, the whole frond being split up into lanceolate pinnules and pinnulets, and finally cut into narrow linear bifid divisions. This was one of the New Plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition, held at Ghent, and at the Great Show of the Royal Horticultural Society, held at Kensington in 1880. 5*s*.

DAVALLIA FIJIENSIS PLUMOSA.

This is certainly one of the most charming forms of a remarkably ornamental species. It has creeping rhizomes, from which spring up at intervals the gracefully-drooping, feathery plumose fronds growing on stalks a foot or more in length. It will be a grand subject for all decorative purposes, especially useful for cutting, and a noble Fern for exhibition. In speaking of the best novelties, the *Gardeners' Chronicle* (Jan. 7th, 1882, page 10), remarks: "The *Davallia fijiensis plumosa* is, perhaps, one of the most elegant of all known Ferns." It has received a First Class Certificate from the Floral Committee of the Royal Horticultural Society. 7*s.* 6*d.*

DAVALLIA BULLATA, 2*s.* 6*d.*
CHÆROPHYLLA, 3*s.* 6*d.*
FÆNICULATA, 21*s.*
HEMIPTERA, 5*s.*
LORRAINII, 10*s.* 6*d.* and 15*s.*
MARIESII, 3*s.* 6*d.*
—— CRISTATA, 3*s.* 6*d.*
MOOREANA, 2*s.* 6*d.* and 3*s.* 6*d.*
NOVA ZEALANDIÆ, 2*s.* 6*d.*
PENTAPHYLLA, 3*s.* 6*d.*
POLYANTHA, 3*s.* 6*d.*
PYXIDATA, 3*s.* 6*d.*
SOLIDA, 3*s.* 6*d.*
TENUIFOLIA, 3*s.* 6*d.*
—— VEITCHII, 5*s.*
TYERMANNI (HUMATA), 3*s.* 6*d.*
DIPLAZIUM ARNOTTII, 7*s.* 6*d.*
DORYOPTERIS PALMATA, 2*s.* 6*d.*
SAGGITTÆFOLIA, 3*s.* 6*d.*
ELAPHOGLOSSUM GLABRATUM, 7*s.* 6*d.*
HERMINIERI, 15*s.* and 1 guinea.
GLEICHENIAS, *vide* page 120.
GONIOPHLEBIUM FRAXINIFOLIUM, 5*s.*
OLAUCOPHYLLUM, 5*s.*
SUBAURICULATUM, 3*s.* 6*d.*
GYMNOGRAMMA CALOMELANOS, 2*s.* 6*d.* & 3*s.* 6*d.*
CHRYSOPHYLLA, 2*s.* 6*d.* and 3*s.* 6*d.*
DECOMPOSITA, 3*s.* 6*d.*
LAUCHEANA, 3*s.* 6*d.*
—— GIGANTEA, 5*s.*
MERTENSII DOBROYDENSIS, 5*s.*
PERUVIANA ARGYROPHYLLA, 3*s.* 6*d.*
SCHIZOPHYLLA, 1*s.* 6*d.* and 2*s.* 6*d.*
—— GLORIOSA, 15*s.*
WETENHALLIANA, 2*s.* 6*d.* and 3*s.* 6*d.*
GYMNOPTERIS QUERCIFOLIA, 3*s.* 6*d.*
GYMNOTHECA RADDIANA, 2 and 3 guineas
HEMIONITIS PALMATA, 2*s.* 6*d.* and 3*s.* 6*d.*
HYMENODIUM CRINITUM, 5*s.* and 7*s.* 6*d.*
LASTREA JENMANI, *vide* page 11.
QUINQUANGULARIS, 3*s.* 6*d.*
RICHARDSII MULTIFIDA, 3*s.* 6*d.*
LOMARIA GIBBA, 1*s.* 6*d.* and 2*s.* 6*d.*
HETEROPHYLLA
LYGODIUM SCANDENS, 3*s.* 6*d.*
MENISCIUM RETICULATUM, 5*s.*
MICROLEPIA HIRTA CRISTATA, 3*s.* 6*d.*
NEPHRODIUM TRUNCATUM, 7*s.* 6*d.*
NEPHROLEPIS BAUSEI, 5*s.*
DAVALLIOIDES FURCANS, 3*s.* 6*d.*
DUFFII, 2*s.* 6*d.* and 3*s.* 6*d.*
ENSIFOLIA, 5*s.*
PECTINATA, 3*s.* 6*d.*
PHLEBODIUM OLAUCUM, 3*s.* 6*d.* and 5*s.*
PLATYCERIUM GRANDE
STEMMARIA, 10*s.* 6*d.* and 15*s.*
PLEOCNEMIA LEUZEANA, 5*s.* and 7*s.* 6*d.*
PLEOPELTIS XIPHIAS, 5*s.*
POLYSTICHUM LENTUM, 5*s.*
VIVIPARUM, 3*s.* 6*d.* and 5*s.*
POLYPODIUM PECTINATUM, 3*s.* 6*d.*
PLUMOSUM, 5*s.*
VENOSUM, 3*s.* 6*d.*
PTERIS HASTATA, 1*s.* 6*d.*
INTERNATA, 2*s.* 6*d.*
TRICOLOR, 3*s.* 6*d.*
of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*

CHOICE GREENHOUSE FERNS.

Selections of good kinds can be supplied from Mr. W. B.'s general collection at 18s., 30s. and 42s. per dozen.

ADIANTUM CAPILLUS-VENERIS MAGNIFICUM, 3*s.* 6*d.*
CAPILLUS-VENERIS PACOTTI, 1*s.* 6*d.* and 2*s.* 6*d.*
CUNEATUM, 1*s.* 6*d.* and 2*s.* 6*d.*
—— GRANDICEPS, 3*s.* 6*d.*
DECORUM, 3*s.* 6*d.*
FORMOSUM, 1*s.* 6*d.*
GRACILLIMUM, 2*s.* 6*d.* and 3*s.* 6*d.*
MUNDULUM, 3*s.* 6*d.*
ADIANTUM PEDATUM, 1*s.* 6*d.* and 2*s.* 6*d.*
WILLIAMSII, 3*s.* 6*d.*
ALSOPHILA AUSTRALIS, 2*s.* 6*d.* and 3*s.* 6*d.*
CAPENSIS, 10*s.* 6*d.* and 15*s.*
REBECCÆ, *vide* page 121.
ASPLENIUM BULBIFERUM, 1*s.* 6*d.* and 2*s.* 6*d.*
FALCATUM, 7*s.* 6*d.*
CIBOTIUM REGALE, 3*s.* 6*d.* and 5*s.*
CYATHEA BURKEI, *vide* page 117.

ADIANTUM CUNEATUM ELEGANS.

This is an elegant variety of the old and favourite *Adiantum cuneatum*. Less dense than the typical form and less gossamer-like than the variety *gracillimum*, it is about intermediate between the two, perfectly distinct and equally effective as a decorative plant, added to which it is hardier, stands better when cut and produces a much larger quantity of fronds. The pinnæ, which are triangular ovate, have a distinct stalk, and the whole frond has a light and airy appearance, owing to the small and narrowly wedge-shaped pinnules being rather widely set on the hair-like divisions of the fronds. 3*s.* 6*d.* each.

CYATHEA DEALBATA.

The Silver Fern of New Zealand, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.* For large plants, *vide* page 117.

CYATHEA DREGEI.

A very fine South African greenhouse Fern, with bipinnate fronds of stoutish texture, and having the pinnules lanceolate, with oblong-ovate falcate segments, bluntish at the point, and the sori in the lower half immersed in rufous wool. 3*s.* 6*d.* and 5*s.* For large plants, *vide* page 117.

CYATHEA SPINULOSA.

A fine Tree Fern, found throughout India and in Japan. The stipes are dark brown, strongly aculeated, the rachis being muricated. The fronds are large, glabrous, and bipinnate, the lobes of the pinnules oblong acute and serrulate. An ornamental and desirable species. 10*s.* 6*d.*

CYATHEA MEDULLARIS, 3*s.* 6*d.* and 5*s.*
(CIBOTIUM) PRINCEPS, 3*s.* 6*d.* and 5*s.*
CYRTOMIUM CARYOTIDEUM, 2*s.* 6*d.* and 3*s.* 6*d.*
FALCATUM, 2*s.* 6*d.*
FORTUNEI, 2*s.* 6*d.*
DAVALLIA DISSECTA, 2*s.* 6*d.* and 3*s.* 6*d.*
of sorts, 3*s.* 6*d.* and 5*s.*
DICKSONIA ANTARCTICA, 2*s.* 6*d.* and 3*s.* 6*d.*
For large plants, *vide* page 117.
(BALANTIUM) CULCITA, 5*s.*
SQUARROSA, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
DIDYMOCHLÆNA TRUNCATULA, 3*s.* 6*d.*
DORYOPTERIS PALMATA, *vide* page 119.

DOODIA ASPERA MULTIFIDA.

A handsome crested Fern, of neat dwarf evergreen habit, with prettily arched fronds rendered drooping by the dense tassel at the apex; the young fronds are prettily tinted with pink. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the Provincial Show of the Royal Horticultural Society, held at Preston. 3*s.* 6*d.*

GLEICHENIA DICARPA, 5*s.* and 7*s.* 6*d.*
DICARPA LONGIPINNATA, 10*s.* 6*d.* and 15*s.*
DICHOTOMA, 5*s.* and 7*s.* 6*d.*
FLABELLATA, 10*s.* 6*d.*
MENDELII, 1 guinea.
MICROPHYLLA, 10*s.* 6*d.*
RUPESTRIS GLAUCESCENS, 10*s.* 6*d.*
SEMIVESTITA, 5*s.* and 7*s.* 6*d.*
SPELUNCÆ, 1 guinea.
HYMENOPHYLLUM DEMISSUM, 5*s.* and 7*s.* 6*d.*
LASTREA ARISTATA VARIEGATA, 1*s.* 6*d.* and 2*s.* 6*d.*
GLABELLA, 2*s.* 6*d.* and 3*s.* 6*d.*
LOMARIA CILIATA, 3*s.* 6*d.*
CYCADÆFOLIA, 5*s.* and 7*s.* 6*d.*
GIBBA, *vide* page 119.
DALGAIRNSIÆ, 1½ and 2 guineas.
DISCOLOR BIPINNATIFIDA.
ZAMIÆFOLIA, 3*s.* 6*d.* and 5*s.*
NEPHRODIUM MOLLE CRISTATUM, 3*s.* 6*d.*
NEPHRODIUM MOLLE RAMOSUM, 3*s.* 6*d.*
ONYCHIUM JAPONICUM, 1*s.* 6*d.*
OSMUNDA JAPONICA CORYMBIFERUM, 5*s.* & 7*s.* 6*d.*
PALUSTRIS, 3*s.* 6*d.*
PLATYCERIUM ALCICORNE, 3*s.* 6*d.*
ALCICORNE MAJUS, 7*s.* 6*d.*
POLYPODIUM TRICHODES (LASTREA TENERICAULIS), 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
PTERIS ARGYREIA, 1*s.* 6*d.* and 2*s.* 6*d.*
CRETICA ALBO-LINEATA, 1*s.* 6*d.*
—— MAYII, 3*s.* 6*d.*
SERRULATA CRISTATA, 2*s.* 6*d.*
—— —— VARIEGATA, 3*s.* 6*d.*
—— FIMBRIATA, 5*s.*
—— LEYI, 2*s.* 6*d.*
TREMULA, 1*s.* 6*d.* and 2*s.* 6*d.*
—— GRANDICEPS, *vide* page 11.
TRICOLOR, *vide* page 119.
TODEA AFRICANA, 2*s.* 6*d.* and 3*s.* 6*d.*

TODEA (LEPTOPTERIS) HYMENOPHYLLOIDES.

This pretty New Zealand Filmy Fern, commonly called *Todea pellucida*, can be supplied in nice plants at 3*s.* 6*d.* and 5*s.*

ALSOPHILA REBECCÆ.

ALSOPHILA REBECCÆ.

An elegant Tree Fern introduced from Queensland. The stem is very slender; the fronds are elliptic, bipinnate, the larger pinnæ bearing on each side numerous pinnules, which are stalked, linear acuminate, with an unequal subcordate base and an inciso-crenate margin. The texture of the frond is firm, the surface glabrous; the rachis clothed on the upper surface with black fibrillose scales. It is very distinct from all other Australian Ferns. 3*s*. 6*d*. and 5*s*.

TODEA (LEPTOPTERIS) SUPERBA.

Any attempt at description must fall far short of conveying an adequate notion of the exquisite beauty of this lovely Fern, which is unquestionably one of the most handsome yet known. It should be seen to be justly appreciated. The fronds which are fifteen to eighteen inches in length, are of a bright green, of transparent texture and of a lanceolate outline, spreading, beautifully arching and feathered down to the very base; the pinnæ are crowded and cut into narrow segments, which, instead of lying flat, as in *Todea hymenophylloides*, are turned upwards, giving the fronds a frilled surface, and producing an effect distinct from that of any Fern in cultivation. This is probably the most beautiful of all the dwarf-growing New Zealand Ferns. 3*s.* 6*d.* and 5*s.* Fine strong plants, 10*s.* 6*d.*, 15*s.* and 1 guinea.

TRICHOMANES RADICANS.

(THE KILLARNEY OR IRISH BRISTLE FERN).

This is a British species, but it must, as far as culture is concerned, be included among the greenhouse kinds, as it is almost impossible to succeed with it if treated as an ordinary hardy Fern. 7*s.* 6*d.* and 10*s.* 6*d.*

WOODWARDIA ORIENTALIS, 2*s.* 6*d.* and 3*s.* 6*d.*

NEW HARDY FERNS.

LASTREA PROLIFICA.

A most interesting hardy evergreen Fern, introduced from Japan, and described in the *Gardeners' Chronicle*, where a letter of Mr. Lafosse was quoted in which the plant is highly eulogised for its beauty. It has triangular, bipinnate, coriaceous, shining green fronds, with the pinnules narrow, often pointed, usually with a lobe or two at the base, but in different plants and parts of the same plant extremely variable in their actual form and character. The sori are large and cover the narrow segments, and these sori are themselves covered by large persistent indusia, which are red in the centre and lead-coloured at the margin. 2*s.* 6*d.*, 3*s.* 6*d.* & 5*s.*

POLYSTICHUM POLYBLEPHARUM.

A fine hardy evergreen Fern from Japan. The fronds are of moderate size, ovate-lanceolate, bipinnate, with the lower pinnæ deflexed, the pinnules marginate, trapezio-ovate or oblong, with a few coarse deep teeth. The lower anterior pinnules are considerably larger than the rest, narrow oblong, and deeply inciso-lobate. The sori are numerous, and covered with thick rufescent indusia. 2*s.* 6*d.*, 3*s.* 6*d.* & 5*s.*

CHOICE HARDY FERNS.

Selections of good kinds can be supplied at 18s., 30s. and 42s. per dozen.

SELAGINELLA VICTORIÆ. For description and price, *vide* page 125.

SELAGINELLAS (LYCOPODIUMS.)

G, greenhouse; *H*, hardy; *S*, stove.

	s.	d.
S **AFRICANA**	2	6
S **ALBO-SPICA**	3	6
S **AMŒNA**, *vide* below		
S **APUS (APODA)**	1	6
S **ATROVIRIDIS**	2	6
S **BROWNII**	2	6
S **CANALICULATA**, *vide* page 125.		
S **CAULESCENS GRACILIS**, *vide* page 125.		
S **COGNATA**, *vide* page 125.		
S **CONVOLUTA** (PARADOXA)	2	6
S **CUSPIDATA**	2	6
S **EMILIANA**	3	6
S **FILICINA** (DICHROUS)	2	6
S **FLAGELLIFERA**, *vide* page 125.		
S **GALEOTTII** (SCHOTTII)	2	6
S **GRANDIS**	3*s.* 6*d.* &	5 0
S **INÆQUALIFOLIA**	1*s.* 6*d.* &	2 6
G **INVOLVENS VARIEGATA**, *vide* page 124.		
G **KRAUSSIANA** (DENTICULATA)		0 9
G —— **AUREA**	1*s.* 6*d.* &	2 6
G —— **VARIEGATA**		2 6
S **LÆVIGATA** (CÆSIA ARBOREA)		3 6
S **LEPIDOPHYLLA**	3*s.* 6*d.* &	5 0
S **LOBBII**		2 6
S **LYALLII**		3 6
S **MARTENSII**		1 6
S —— **ALBO-VARIEGATA**		2 6
S **POULTERI**		2 6
S **RUBRICAULIS**		2 6
S **SERPENS** (MUTABILIS and VARIABILIS)		1 6
S **SETOSA**		2 6
S **TASSELLATA**, *vide* page 12.		
S **VOGELLII VARIEGATA**		5 0
S **UNCINATA** (CÆSIA)		1 6
S **WALLICHII**		3 6
G **WILDENOVII** (PUBESCENS)		2 6

Selection of good kinds can be supplied at 18s. per dozen.

SELAGINELLA AMŒNA.

A beautiful Club-Moss, belonging to the caulescent group. It grows about a foot high, the erect stem being furnished with small scattered leaves; the upper portion is triangular and pinnately branched, the branches themselves being bipinnate, and the whole plant of a bright and cheerful green. The upper part of the stem and the branches have spreading distant acuminate leaves, with smaller intermediaries. It has been introduced from Mexico. 2*s.* 6*d.* and 3*s.* 6*d.*



SELAGINELLA INVOLVENS VARIEGATA.

SELAGINELLA INVOLVENS VARIEGATA.

A dwarf dense-growing variegated form of greenhouse Club-Moss, introduced from Japan; some of the branchlets are creamy white, and these, being mixed in freely with the green branchlets, produce an elegant variegation. The plant forms a pretty dwarf tuft, consisting of an overlapping series of branches, surrounding the central axis. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the Royal Horticultural Society's Exhibitions, in 1880, 1881, and 1882. *3s. 6d.* and *5s.*

SELAGINELLA CANALICULATA.

A remarkable handsome species from the Islands of the South Pacific. It is of scandent habit, the stems rooting freely from the base, tinted with pale brownish red, and furnished with scattered ovate-oblong unequal-sided leaves: the branches are tripinnate; the larger leaves are distant semi-ovate, while the leaves of the alternate divisions are close set and ovate-oblong acute. 3*s.* 6*d.* & 5*s.*

SELAGINELLA CAULESCENS GRACILIS.

A remarkably neat and pretty Indian Club-Moss. It has creeping rhizomes from which the erect arching stems spring up; these are distinctly branched, the branches ovate with about six or seven divisions, each of which is three or four times parted. Its bright green colour and elegant dwarf growth combine to give a most pleasing character. 5*s.*

SELAGINELLA COGNATA.

A very fine species, of sub-climbing habit. It has stoutish erect rooting stems, which are furnished with obliquely-ovate spreading leaves, set on at about half an inch apart. The leaves become gradually smaller on the successive series of branchlets, the small intermediate ones converging with the point upcurved, which gives the surface a somewhat bristly appearance. It has been introduced from the Isles of the South Pacific Ocean. 5*s.*

SELAGINELLA FLAGELLIFERA.

A very elegant species of a bright cheerful green colour, introduced from the Fiji Islands. The leaves on the main rachis are spreading, broadly cordate, with a stout midrib and entire margins. The fructification is terminal on the branchlets, the spikelets tetragonal, from a quarter to half an inch long. From the free manner in which this species produces long flagelliform rooting stems or runners, it is particularly adapted for rockwork or basket-culture. 7*s.* 6*d.*

SELAGINELLA VICTORIÆ.

An elegant sub-scandent species, introduced from the South Sea Islands. It has erect stems, which produce alternate lateral branches of an ovate outline, flat and closely pinnate. The colour is a dark green, the spikelets and young growth being of a paler hue, having a long terminal pinnulet to each branch. For Illustration, *vide* page 123. 3*s.* 6*d.*

PALMS, CYCLANTHS & CYCADS,

Including ENCEPHALARTOS, MACROZAMIA, &c.

The Palms constitute the most noble family in the vegetable kingdom, and afford sufficient diversity of aspect to allow of selections being made from them for the greenhouse, stove, or conservatory, to either of which Palms impart a richer tropical character than any other plants. Some of the miniature dwarf-growing kinds are, from their light and graceful forms, admirably adapted for table decoration, for vases, and for almost every purpose in which ornamentation is desired. The more hardy and larger kinds can be used for sub-tropical gardening, to which they impart a most luxuriant grandeur, evidence of which has been given in Battersea Park, and in other places where Palms have been thus used.

Selections of Stove Palms, 6, 9 and 12 guineas per dozen.

Selections for the Greenhouse, at 6, 9 and 12 guineas per dozen.

Larger specimens, from 2, 3, 4 and 5 to 10 guineas each.

*Those marked with an asterisk * are kinds that will succeed in a greenhouse.*

ACANTHOPHŒNIX CRINITA (ARECA CRINITA) ..... 10*s.* 6*d.* and 15*s.*

ACANTHORRHIZA ACULEATA (CHAMÆROPS STAURACANTHA) ..... 15*s.* and 1 guinea

***ARCHONTOPHŒNIX** ALEXANDRÆ (PTYCHOSPERMA ALEXANDRÆ) ..... 2*s.* 6*d.*, 3*s.* 6*d.* & 5*s.*

* CUNNINGHAMIANA (SEAFORTHIA ELEGANS, PTYCHOSPERMA CUNNINGHAMIANA) a most useful conservatory or cool greenhouse plant, possessing a highly decorative character; scarcely anything can equal the effect of a large plant of this noble Palm.
In all sizes..... 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.* to 1, 1½ and 2 guineas

ARECA ALICÆ, a North-east Australian Palm, found in Trinity Bay by Mr. Walter Hill, and commemorates the late Grand Duchess of Hesse—Princess Alice. The leaves are pinnatisect, the pinnæ-like segments sessile. Its comparatively dwarf habit will render this pinnate Palm, a valuable one for decorative purposes ..... 1 guinea

AUREA, *vide* DICTYOSPERMA AUREUM.

* BAUERI *vide* RHOPALOSTYLIS BAUERI.

CRINITA, *vide* ACANTHOPHŒNIX CRINITA.

ARECA ERYTHROPODA, *vide* CYRTOSTACHYS RENDA

LUTESCENS, *vide* CHRYSALIDOCARPUS LUTESCENS

MADAGASCARIENSIS ..... 2*s.* 6*d.*, 3*s.* 6*d.* & 5*s.*

MONOSTACHYA, *vide* BACULARIA MONOSTACHYA

RUBRA, *vide* DICTYOSPERMA RUBRUM

SAPIDA, *vide* RHOPALOSTYLIS SAPIDA

TRIANDRA ..... 10*s.* 6*d.* and 15*s.*

VERSCHAFFELTII, *vide* HYOPHORBE VERSCHAFFELTII

ARENGA SACCHARIFERA "Gomuti Palm" ..... 10*s.* 6*d.* and 15*s.*

* WIGHTII ..... 1 guinea

ASTROCARYUM MALYBO (A. ARGENTEUM) ..... 1, 1½ and 2 guineas

BACULARIA MONOSTACHYA, "Walking Stick Palm," (ARECA MONOSTACHYA, LINOSPADIX MONOSTACHYA) ..... 2*s.* 6*d.*, 3*s.* 6*d.* & 5*s.*

BOWENIA SPECTABILIS SERRULATA, a distinct and remarkable Australian Plant, Bowenia being the only known Cycad with bipinnate fronds. It has a short thick caudex, from the crowns of which are developed its large and handsome leaves, which differ materially from the typal and only other known Bowenia in having the margins distinctly toothed or serrated. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition at Carlisle, and the First Prize at the International Horticultural Exhibition at Ghent ..... 5*s.* and 7*s.* 6*d.*

CALAMUS EILIARIS ..... 1, 1½ and 2 guineas.

(DÆMONOROPS) FISSUS ..... 10*s.* 6*d.*, 15*s.* & 21*s.*

(——) MELANOCHÆTES ..... 10*s.* 6*d.*, 15*s.* & 21*s.*

MICRANTHUS ..... 7*s.* 6*d.* and 10*s.* 6*d.*

(DÆMONOROPS) PALEMBANICUS, one of the most elegant of Palms, exceedingly appropriate for table decoration and other ornamental purposes. The leaves are broadly ovate, pinnate, consisting of many narrow elongated segments, and are supported by leaf-stalks bearing numerous deflexed spines, which are thickened at the base. The young leaves are of a bright cinnamon-brown, and the contrast between this warm colour and the deep green of the matured leaves renders the plants exceedingly beautiful at the time they are in course of development. It is a native of Java. 10*s.* 6*d.*, 15*s.* and 21*s.*

(——) PERIACANTHUS ..... 10*s.* 6*d.*, 15*s.* and 21*s.*

(——) PLUMOSUS ..... 10*s.* 6*d.*, 15*s.* and 21*s.*

TRINERVIS, a thoroughly distinct-looking stove Palm from the East Indies. Its leaf-stalks are thorny and clothed with brown scale-like tomentum, the petiolar sheath being continued up the stem, and ending in a fringe of pointed brown scales. The leaves are pinnate, with alternate leaflets, which are sessile, lanceolate, with an acuminate apex, and having three prominent nerves, hairy on the upper surface ..... 3 guineas.

CALYPTROGYNE SWARTZII "Mountain Thatch Palm" (CALYPTRONOMA SWARTZII) 7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*

TERES, a useful and ornamental stove Palm, imported from British Guiana. It has smooth terete green petioles, and spreading or drooping leaves, which in the young plants consist of two pairs of linear-oblong tapered leaflets about two inches wide, bright green, and having the principal ribs raised on both surfaces ..... 1 and 1½ guinea.

CALYPTRONOMA SWARTZII, *vide* CALYPTROGYNE SWARTZII

CARLUDOVICA DRUDEI, a noble and decorative stove Cyclanth, introduced from the United States of Colombia. In habit it somewhat resembles a Fan Palm, with handsome and effective deep green lustrous leaves. The flowers are borne on a stalked erect spadix of cylindrical form and of ivory-white colour, and resemble a bottle brush by reason of the long stamens which project horizontally from the female flowers..... 10*s.* 6*d.* and 15*s.*

PALMATA ..... 10*s.* 6*d.* and 15*s.*

PLUMIERI, a remarkably interesting plant. It has an erect waving caudex, with alternate leaves. The leaf blades are bipartite, the divisions lanceolate, plicate, with the ribs raised on the upper surface, bright green above, paler beneath. The pendulous spadices are four inches long, axillary, pedunculate, and covered with twisted threads 10*s.* 6*d.*

WALLISII, a Palm-like stove plant. It has erect semi-terete petioles, which support the spreading ovate blade of the leaf, which is two-lobed and plicate. Each division of the leaf is about a foot long and six or eight inches broad. Flowers white, remarkably sweet-scented. Introduced from the United States of Colombia ..... 7*s.* 6*d.* and 10*s.* 6*d.*

CARYOTA URENS "Wine Palm" ..... 7*s.* 6*d.* and 10*s.* 6*d.*

CATAKIDOZAMIA HOPEI .....

DENISONI, *vide* LEPIDOZAMIA

CERATOZAMIA FUSCO-VIRIDIS, a noble species, introduced from Mexico, and belonging to the Cycads. The leaves are broadly pinnate, and of arching habit, the pinnæ deep green, sessile, lanceolate, and tapering to a longish point. The young leaves are of a rich bronzy-chocolate colour, gradually changing to olive-green, and ultimately developing into deep green ..... 3 and 4 guineas.

CEROXYLON NIVEUM, *vide* DIPLOTHEMIUM CAUDESCENS

CHAMÆDOREA ELEGANTISSIMA ..... 7*s.* 6*d.* and 10*s.* 6*d.*

FORMOSA ..... 7*s.* 6*d.* and 10*s.* 6*d.*

CHAMÆDOREA GRAMINIFOLIA .. 10*s.* 6*d.* and 15*s.*

* POLITA, a neat-habited greenhouse Palm. The stems are quite smooth, as also are the petioles, which are terete, the leaves being bifid, or when a stage more advanced breaking up into two pairs of green pinnæ, with the terminal leaflet larger than the others. It has been imported from Mexico. 10*s.* 6*d.*

***CHAMÆROPS** EXCELSA, *vide* TRACHYCARPUS EXCELSUS

* FORTUNEI, *vide* TRACHYCARPUS FORTUNEI

* HUMILIS, this useful decorative Palm can be supplied in all sizes, from 5*s.*, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 1 guinea to 2, 3 and 4 guineas each.

* —— GRACILIS ..... 15*s.* and 1 guinea.

* —— ROBUSTA ..... 15*s.* and 1 guinea.

* —— TOMENTOSA ..... 15*s.* and 1 guinea.

STAURACANTHA, *vide* ACANTHORRHIZA ACULEATA

CHRYSALIDOCARPUS LUTESCENS (ARECA LUTESCENS, HYOPHORBE INDICA, H. COMMERSONIANA), in all sizes ..... 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.* to 1 guinea.

***COCOS** AUSTRALIS (DIPLOTHEMIUM CAMPESTRE), 5*s.* and 7*s.* 6*d.*

* CHILENSIS, *vide* JUBÆA SPECTABILIS

INSIGNIS (GLAZIOVA INSIGNIS), 7*s.* 6*d.* and 10*s.* 6*d.*

* PLUMOSA ..... 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

***COCOS** WEDDELLIANA (GLAZIOVA ELEGANTISSIMA, LEOPOLDINA PULCHRA), perhaps the most elegant of all the smaller Palms, of which so many charming species are now to be found in cultivation. Its slender erect stem is not of rapid growth, but is freely furnished with its gracefully arching leaves, made up of innumerable long narrow pinnæ or segments, of a rich green colour. In all sizes ..... 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.* to 1 guinea.

***CORYPHA** AUSTRALIS, *vide* LIVISTONA AUSTRALIS

DECORA, *vide* page 10.

CYCAS ARMSTRONGII .....

CIRCINALIS ..... 1½ and 2 guineas.

MEDIA, a noble form of Cycad introduced from intertropical New Holland. The trunk is both stout and tall, cylindrical, and tolerably even in outline, the surface closely dotted by the scar-like marks which indicate the places whence leaf-stalks have been removed. This stem produces a grand head of leaves, which are of a large size, and somewhat variable in form and character in different specimens. Trunks in various sizes. Prices on application.

NORMANBYANA ..... 10*s.* 6*d.* and 15*s.*

PLUMA .....

REVOLUTA, in all sizes, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 1 guinea; fine specimens, 3, 4 and 5 guineas each.

RUMPHII .....

SIAMENSIS .....

CYCLANTHUS DISCOLOR ..... 1 guinea.

CYPHOKENTIA GRACILIS, *vide* KENTIOPSIS OLIVÆFORMIS

MACROCARPA, *vide* KENTIOPSIS MACROCARPA

CYRTOSTACHYS RENDA (ARECA ERYTHROPODA, PTYCHOSPERMA COCCINEA)..

DÆMONOROPS, *vide* CALAMUS

DESMONCUS MAJOR ..... 15*s.* and 1 guinea.

DICTYOSPERMA AUREUM (ARECA AUREA) a fine and graceful Palm, with yellowish stems ..... 10*s.* 6*d.* and 15*s.*

RUBRUM (ARECA RUBRA) ..... 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

DIOON EDULE .....

DIPLOTHEMIUM CAMPESTRE, *vide* COCOS AUSTRALIS

CAUDESCENS (CEROXYLON NIVEUM) ..... 5*s.* and 7*s.* 6*d.*

DRYMOPHLŒUS SINGAPORENSIS (PTYCHOSPERMA SINGAPORENSIS). Truly a "most elegant" Palm. It has slender stems, and rich green leaves on smooth green petioles. The leaves are elegantly drooping in habit and ovate in form, consisting of numerous narrow leaflets, tapering to a long slender point. It has been introduced from Singapore.

*ENCEPHALARTOS ALTENSTEINII .....
* (ZAMIA) BRACHYPHYLLUS .....
* CAFFRA .....
* (ZAMIA) CYCADÆFOLIUS .....
* FRIDERICI-GUILIELMI, this is a very distinct-looking South African species; the leaves are oblong-obtuse, arching and conduplicate; the petiole and rachis are terete and somewhat flattened on the upper surface, destitute of spines but covered with woolly down, the segments closely crowded, nearly opposite, linear-oblong, and of glaucous hue. At first sight this distinct Cycad would give the impression of being an intermediate species between *Dioon edule* and *Cycas revoluta* .....

*ENCEPHALARTOS GHELLINCKII (GRACILIS)
* HILDEBRANDII, this fine Cycadaceous plant has been introduced from Eastern Africa.
* HORRIDUS .....
* —— MULTIFLEXUS .....
* (ZAMIA) LEHMANNI .....
* (——) —— GLAUCUS ....
* (——) —— SPINOSUS ....
* (——) VILLOSUS .....
* (——) —— AMPLIATUS ..
* (——) —— DENTICULATUS
* (——) —— GRACILIS ....
* (——) —— VROOMII .... 4 and 5 guineas.

EUTERPE EDULIS "ASSAI PALM" (OREODOXA SANCONA) 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

GEONOMA CARDERI ..... 15*s.* and 1 guinea

GEONOMA GRACILIS ..... 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.* to 10*s.* 6*d.*
LATIFOLIA ..... 3*s.* 6*d.* and 5*s.*
PRINCEPS ..... 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
SPECIOSA ..... 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
SPIXIANA ..... 7*s.* 6*d.* and 10*s.* 6*d.*

GLAZIOVA ELEGANTISSIMA, *vide* COCOS WEDDELLIANA
INSIGNIS, *vide* COCOS INSIGNIS

GRISEBACHIA BELMOREANA, *vide* HOWEA BELMOREANA
FORSTERIANA, *vide* HOWEA FORSTERIANA

*HEDYSCEPE CANTERBURYANA "Umbrella Palm" (KENTIA CANTERBURYANA) 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

HETEROSPATHE ELATA (METROXYLON ELATUM), a very elegant smooth-stemmed Palm from Java, remarkable for the length of the tapered segments of its pinnato fronds. The leaflets are half an inch broad, with somewhat wider intervals between them, bright green on both the surfaces, narrowing upwards into a long slender tapering point. The plant has a naturally graceful spreading habit, and ranks among the most ornamental of the pinnate-leaved series ..... 10*s.* 6*d.*, 15*s.* & 1 guinea.

*HOWEA BELMOREANA, "Curley Palm," (KENTIA BELMOREANA, GRISEBACHIA BELMOREANA), in all sizes ..... 2*s.* 6*d.*, 3*s.* 6*d.* 5*s.* to 1 guinea.
* FORSTERIANA, "Flat or Thatch-Leaf Palm," (KENTIA FORSTERIANA, GRISEBACHIA FORSTERIANA) ..... 2*s.* 6*d.*, 3*s.* 6*d.* & 5*s.*

HYDRIASTELE WENDLANDIANA (KENTIA WENDLANDIANA), a noble Palm, belonging to the pinnate-leaved series, introduced from Queensland. The leaves have numerous unequal segments, usually toothed at the apex. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition at Ghent.

HYOPHORBE COMMERSONIANA, *vide* CHRYSALIDOCARPUS LUTESCENS
INDICA, *vide* CHRYSALIDOCARPUS LUTESCENS
(ARECA) VERSCHAFFELTII ..... 10*s.* 6*d.*, 15*s.* & 1 guinea

*JUBÆA SPECTABILIS, "Coquito Nut Palm," (COCOS CHILENSIS, MOLINIA CHILENSIS) ..... 7*s.* 6*d.* and 10*s.* 6*d.*

*KENTIA AUSTRALIS .....
* BELMOREANA, *vide* HOWEA BELMOREANA
* CANTERBURYANA, *vide* HEDYSCEPE CANTERBURYANA
* FORSTERIANA, *vide* HOWEA FORSTERIANA
GRACILIS, *vide* KENTIOPSIS OLIVÆFORMIS
LINDENI, *vide* KENTIOPSIS MACROCARPA
LUCIANI .....
MACARTHURII, *vide* PTYCHOSPERMA MACARTHURII
MONOSTACHYA, *vide* ARECA MONOSTACHYA
* RUPICOLA .....
SAPIDA, *vide* RHOPALOSTYLIS SAPIDA
WENDLANDIANA, *vide* HYDRIASTELE WENDLANDIANA

KENTIOPSIS MACROCARPA (CYPHOKENTIA MACROCARPA, KENTIA LINDENI) ..
OLIVÆFORMIS (KENTIA GRACILIS, CYPHOKENTIA GRACILIS) .....
LATANIA AUREA, *vide* L. VERSCHAFFELTII
* BORBONICA, *vide* LIVISTONA CHINENSIS
* COMMERSONI (L. RUBRA) ..... 1 and 1½ guinea
* VERSCHAFFELTI (L. AUREA) ..... 15*s.* and 1 guinea
LEOPOLDINA PULCHRA, *vide* COCOS WEDDELLIANA
LEPIDOZAMIA PEROFFSKYANA (MACROZAMIA DENISONI) .....
LICUALA GRANDIS (PRITCHARDIA GRANDIS). As a new introduction, scarcely any plant has made a greater sensation than this remarkable Palm. When exhibited by Mr. W. B. at the International Horticultural Exhibition, held at Brussels, it won the First Prize for a new Palm not in commerce. At the same time another specimen was also shown in the six New Plants with which Mr. W. B. gained the First Prize. Again at the International Horticultural Exhibition, held at Ghent, it was one of the twelve New Plants with which Mr. W. B. won the First Prize. It was discovered in the South Sea Islands by one of Mr. W. B.'s Plant Collectors, and takes rank amongst the most distinct and attractive Palms ever introduced ..... 4 and 5 guineas.
PELTATA ..... 5*s.* and 7*s.* 6*d.*
LINOSPADIX MONOSTACHYA, *vide* BACULARIA MONOSTACHYA
LIVISTONA ALTISSIMA ..... 10*s.* 6*d.*, 15*s.* & 1 guinea
* AUSTRALIS (CORYPHA AUSTRALIS) ..... 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d*, to 10*s.* 6*d.*
\+ CHINENSIS (LATANIA BORBONICA, L. SINENSIS, L. MAURITIANA) in all sizes, from 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 1 guinea, to 2, 3, 4 and 5 guineas each.
HOOGENDORNII, a fine Stove Palm, of spreading habit; the leaves, which are nearly three feet broad, are palmately divided, the segments being broad, and giving the leaves a bold and distinctive character ..... 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
* MAURITIANA, *vide* L. CHINENSIS
ROTUNDIFOLIA (SUBGLOBOSA) .....
* SINENSIS, *vide* L. CHINENSIS
LOXOCOCCUS RUPICOLA (PTYCHOSPERMA RUPICOLA) ..... 1 and 1½ guinea
***MACROZAMIA** CORALLIPES .....
* CYLINDRICA, a distinct and well-marked Cycad, introduced from Queensland. It has a long-necked stem, and dark green coriaceous leaves; the pinnæ are glossy on the surface, each being marked at the base with a large ivory white patch, which strongly contrasts with the dark green mid-rib which lies between the two rows of ivory markings.
* DENISONI, *vide* LEPIDOZAMIA PEROFFSKYANA
* FRASERI .....
* MACKENZII, a handsome and ornamental Cycad from Queensland. The leaves are ovate in outline, with numerous pairs of narrow tapering segments of a dark green colour, and nine to ten inches in length. The rachis is strongly convex behind, slightly so in front, with the segments of the central portion set on at about half an inch apart, the upper ones being more closely, the lower ones more distantly placed. For Illustration, *vide* page 131 ..... 3, 4 and 5 guineas
* PLUMOSA, this beautiful Cycadaceous plant has been imported from Queensland. From a small ovate stem, the scales of which are woolly, rise the erect spirally-twisted leaves, which have a flattened petiole. These leaves are furnished nearly to the base with narrow linear leaflets, which are set on at intervals of about a quarter of an inch, and are from six to eight inches long. The plant is remarkable for its distinct and elegant character. It has been awarded a First Class Certificate by the Royal Horticultural Society. 2, 3, and 4 guineas
* SPIRALIS .....
MARTINEZIA EROSA ..... 2 and 3 guineas
GRANATENSIS ..... 10*s.* 6*d.* and 15*s.*
MAXIMILIANA REGIA ..... 7*s.* 6*d.* and 10*s.* 6*d.*
METROXYLON ELATUM, *vide* HETEROSPATHE ELATA
***MOLINIA** CHILENSIS, *vide* JUBÆA SPECTABILIS
ŒNOCARPUS BACABA ..... 31*s.* 6*d.*
ORANIA MACROCLADUS ..... 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
OREODOXA, SANCONA, *vide* EUTERPE EDULIS
PHŒNICOPHORIUM SECHELLARUM, *vide* STEVENSONIA GRANDIFOLIA
***PHŒNIX** COMPACTA, a dwarf-growing hybrid, the result of a cross between *P. æquinoctialis* and *P. leonensis;* its dense compact habit of growth will render it extremely useful for decorative purposes ..... 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
* DACTYLIFERA (THE DATE PALM) ..... 10*s.* 6*d.*, 15*s.* & 1 guinea
* HYBRIDA, this elegant Palm is a hybrid between *P. dactylifera* and *P. farinifera*. It has a short stout stem, somewhat similar to *P. dactylifera*, but with the more slender and less rigid fronds of *P. farinifera*. The fruits are not much larger than the last named, and are of a glaucous red colour when mature ..... 1 guinea

PHŒNIX RUPICOLA.

*PHŒNIX INTERMEDIA, an interesting hybrid between *P. sylvestris* and *P. æquinoctialis*. It is of dwarf compact habit, and will be found a useful and effective Palm for the decoration of the greenhouse and conservatory ..... 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.

* RECLINATA..... 3*s*. 6*d*., 5*s*., 7*s*. 6*d*. & 10*s*. 6*d*.

* RUPICOLA, this is one of the most exquisitely graceful among the smaller Palms, and in elegance takes a similar place among Phœnices to that of *Cocos Weddelliana* among Cocoses. It is of acaulescent habit, with wide-spreading arching pinnate leaves, broadly lance-shaped in outline, with long narrow pinnæ, the lower of which become gradually reduced to spines. It comes from India, and is a most valuable acquisition 2*s*. 6*d*. and 3*s*. 6*d*.; fine plants, 21*s*., 31*s*. 6*d*. and 42*s*.

* SYLVESTRIS, a Sugar-yielding Palm ..... 1*s*. 6*d*., 2*s*. 6*d*., 3*s*. 6*d*. & 5*s*.

PHYTELEPHAS MACROCARPA, this Palm yields the Vegetable Ivory of commerce ..... 1 and 1½ guinea

PINANGA MACULATA..7*s*. 6*d*., 10*s*. 6*d*. to 1 guinea.

PINANGA SANDERIANA ..... 1 guinea.

SPECTABILIS, an ornamental Stove Palm, introduced from the East Indies. The leaves have short petioles with long sheathing bases, which in the young state are bilobed, and in the more mature state pinnate, of a dark green colour, mottled with light green, the nerves being prominently raised on the upper surface; the under surface of the leaves have a silvery appearance ..... 21*s*.

PRITCHARDIA AUREA ..... 1½, 2 and 3 guineas

GRANDIS, *vide* LICUALA GRANDIS

PACIFICA ..... 1 and 1½ guinea

*PTYCHOSPERMA ALEXANDRÆ, *vide* ARCHONTOPHŒNIX ALEXANDRÆ

COCCINEA, *vide* CYRTOSTACHYS RENDA

* CUNNINGHAMIANA, *vide* ARCHONTOPHŒNIX CUNNINGHAMIANA

LÆVIGATA ..... 10*s*. 6*d*., 15*s*. & 1 guinea.

MACARTHURII (KENTIA MACARTHURII) ..... 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.

RUPICOLA, *vide* LOXOCOCCUS RUPICOLA

SINGAPORENSIS, *vide* DRYMOPHLŒUS SINGAPORENSIS

REGELIA PRINCEPS, *vide* VERSCHAFFELTIA SPLENDIDA

*RHOPALOSTYLIS BAUERI (ARECA BAUERI, SEAFORTHIA ROBUSTA)..... 5*s*., 7*s*. 6*d*., and 10*s*. 6*d*.

SAPIDA, "NIKAU PALM" (ARECA SAPIDA, KENTIA SAPIDA)..... 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.

*RHAPIS FLABELLIFORMIS ..... 7*s*.6*d*., 10*s*.6*d*.to 1 guinea

ROSCHERIA MELANOCHÆTES (VERSCHAFFELTIA MELANOCHÆTES) .....

SABAL ADANSONI "DWARF PALMETTO" ..... 3*s*. 6*d*. and 5*s*.

GRANATENSIS ..... 3*s*. 6*d*. and 5*s*.

UMBRACULIFERA (BLACKBURNIANA), noble and very distinct ..... 3*s*. 6*d*. and 5*s*.

*SEAFORTHIA ELEGANS, *vide* ARCHONTOPHŒNIX CUNNINGHAMIANA

* ROBUSTA, *vide* RHOPALOSTYLIS BAUERI

STANGERIA PARADOXA..... small plants, 7*s*. 6*d*.; strong specimens, 1½, 2 and 3 guineas

STEVENSONIA GRANDIFOLIA (PHŒNICOPHORIUM SECHELLARUM), ... 1, 1½, 2 to 5 guineas

THRINAX ARGENTEA, "SILVER THATCH PALM" ..... 5*s*. and 7*s*. 6*d*.

THRINAX BARBADENSIS, a very elegant neat-growing Fan Palm. The petiole terminates in a digitately multipartite blade, the numerous segments of which are of a lively green colour. It is, as its name implies, a native of the Island of Barbadoes. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the Great Show of the Royal Horticultural Society, at Kensington ..... 1½ and 2 guineas.

ELEGANS, very handsome for exhibition purposes ..... 5*s*. 7*s*. 6*d*., and 10*s*. 6*d*.

ELEGANTISSIMA, an exceedingly elegant and graceful Palm ..... 15*s*. and 1 guinea.

* PARVIFLORA..... 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.

TRACHYCARPUS EXCELSUS (CHAMÆROPS EXCELSA), in all sizes, from 3*s*. 6*d*., 5*s*., 7*s*. 6*d*., 10*s*. 6*d*. and 15*s*. to 2, 3, 4 and 5 guineas each

FORTUNEI (CHAMÆROPS FORTUNEI), in all sizes, from 3*s*. 6*d*., 5*s*., 7*s*. 6*d*., 10*s*. 6*d*. and 15*s*. to 2, 3, 4 and 5 guineas each

VERSCHAFFELTIA MELANOCHÆTES, *vide* ROSCHERIA MELANOCHÆTES

SPLENDIDA (REGELIA PRINCEPS), a magnificent and very distinct Palm from the Island of Seychelles .....

ZALACCA NITIDA, a handsome Stove Palm from Western Africa. It forms a noble head of handsome pinnate leaves, with a spiny trunk. In the young plants the leaves, which are of a shining rich dark green colour, are only biparted, with broad divisions. It is a highly ornamental species ..... 15*s*.

MACROZAMIA MACKENZII. For description and price, *vide* page 129.

*ZAMIA BRACHYPHYLLUS, *vide* ENCEPHALARTOS BRACHYPHYLLUS
* BREVIFRONS ..... 1½ and 2 guineas
* CYCADÆFOLIA, *vide* ENCEPHALARTOS CYCADÆFOLIUS
* FURFURACEA ..... 2 and 3 guineas
* INTEGRIFOLIA ..... 2 and 3 guineas
* LEHMANNI, *vide* ENCEPHALARTOS LEHMANNI
LINDENI .....
OBLIQUA .....
PRASINA ..... 1½ guinea
* ROEZLII .....
SKINNERI .....
* VILLOSA, *vide* ENCEPHALARTOS VILLOSUS
* VROOMII, *vide* ENCEPHALARTOS VROOMII.

NEW AND CHOICE CALADIUMS.

Mr. WILLIAM BULL'S Selection of Twelve Varieties, 24s., 30s. and 42s.

New and Choice Varieties 5s., 7s. 6d., 10s. 6d. 15s., and 21s. each.

ADOLPHE ADAMS, green, densely speckled with white; rose-coloured mid-ribs. 2*s.* 6*d.* and 3*s.* 6*d.*

ADOLPHE ANDRIEN, a very attractive variety with large richly coloured foliage. 3*s.* 6*d.*

AGRIPPINE DIMITRY, white ground, green margin and veins, pink centre. 3*s.* 6*d.*

AÏDA, transparent ruddy rose tissue with a network of green ribs. 7*s.* 6*d.*

ALBO-LUTEUM, yellowish white with green tint, very long leaves. 5*s.*

ALCIBIADE, crimson-rayed centre, surrounded with pale green and blotched with pure white; green margin. 3*s.* 6*d.*

ALFRED BLEU, green, with white spots and flesh-coloured centre. 2*s.* 6*d.* and 3*s.* 6*d.*

ALFRED MAME, carmine-red, bordered with white and spotted with rose. 7*s.* 6*d.*

ALPHAND, green, spotted with red; crimson centre. 2*s.* 6*d.* and 3*s.* 6*d.*

ALPHONSE KARR, carmine centre and red spots. 3*s.* 6*d.*

ALZIRE, 10*s.* 6*d.*

AMŒNUM, transparent rose, with red ribs, violet-rose veins green margin. 5*s.*

ANNA DE CONDEIXA, rose centre, with clear green margin, and white, yellow and dark green zone. 5*s.*

ANNIBAL, 3*s.* 6*d.*

ARETHUSE, 5*s.*

ARGYRITES, pale green with white spots. 1*s.* 6*d.* & 2*s.* 6*d.*

ARISTIDE, light green; crimson centre. 3*s.* 6*d.* and 5*s.*

ARSINOË, 3*s.* 6*d.* and 5*s.*

ARTEMISE, silvery white with rosy-crimson ribs. 3*s.* 6*d.*

AUBER, green ground, marked with white spots and central pink ones. 3*s.* 6*d.*

AUGUSTE CARPENTIER, carmine-red centre, surrounded with reddish-maroon and margined with golden green; very effective. 7*s.* 6*d.*

AUGUSTE LEMOINIER, soft green centre and rosy-crimson rib and veins. 3*s.* 6*d.*

AUGUSTE REVIÈRE, white centre and rays, and crimson spots. 3*s.* 6*d.*

AURORE BOREALE, dark red, spotted with bronzy-green, reddish carmine ribs. 10*s.* 6*d.*

BARAQUINII, crimson centre, dark green margin. 2*s.* 6*d.* and 3*s.* 6*d.*

BARAQUINII SUPERBUM, 5*s.*

BARILLET, green, bright rosy crimson centre and ribs. 3*s.* 6*d.* and 5*s.*

BARONNE JAMES DE ROTHSCHILD, young leaves of a bright rose colour; the more matured foliage soft rose, with red veins. 7*s.* 6*d.*

BARRAL, bright green, with a fine red centre, and large spots of rose. 3*s*. 6*d*. & 5*s*

BEETHOVEN, ground colour white, intersected and veined with green, centre rib delicate rose. 2*s*. 6*d*. and 3*s*. 6*d*.

BELLEYMEI, white variegated leaves. 2*s*. 6*d*. and 3*s*. 6*d*.

BELLINI, mottled pale green ground, with rosy centre and spots. 2*s*. 6*d*. and 3*s*. 6*d*.

BELLONE, centre carmine-rose, shading off to reddish maroon and metallic brown. 7*s*. 6*d*.

BEROSE. 5*s*.

BICOLOR. 1*s*. 6*d*.

BICOLOR FULGENS. 3*s*. 6*d*.

BICOLOR SPLENDENS. 2*s*. 6*d*. and 3*s*. 6*d*.

BOIELDIEU, like *Bicolor splendens*, but superior. 3*s*. 6*d*.

BOSPHORE. 10*s*. 6*d*.

BRONGNIARTII, 2*s*.6*d*.& 3*s*. 6*d*.

BUREL, dark bluish green veined bright rose, marked with rosy violet and spotted orange-red. 3*s*. 6*d*.

CALYPSO, dark green margin, bright crimson centre and veins and pink spots. 3*s*. 6*d*. & 5*s*.

CANDIDUM, white ground with strongly marked ribs. 5*s*.

CANNÆRTII, leaves flushed with salmon-red, and spotted white. 2*s*. 6*d*. and 3*s*. 6*d*.

CARDINALE, brilliant red, dotted with golden yellow and greenish yellow. 10*s*. 6*d*.

CERES, rich green with rosy salmon centre. 5*s*.

CHANTINII, reddish ground, spotted with white. 2*s*. 6*d*.

CHANTINII FULGENS, rich metallic green, with crimson centre and white spots. 5*s*.

CHARLEMAGNE, large rosy-red leaves, nerves dark red. 15*s*

CHARLES VERDIER, fine green, with blush-pink centre and spots. 2*s*. 6*d*. & 3*s*. 6*d*.

CHELSONI, bright glossy green, suffused with brilliant red, and blotched with crimson. 2*s*. 6*d*. and 3*s*. 6*d*.

CLIO, ground colour deep rose shaded white; green ribs, and narrow green margin. 5*s*.

COMTESSE DE CONDEIXA, white ground shaded rose; carmine red veins; narrow green margin. 5*s*.

COMTESSE DE MAILLÉ, white ground, veined with bright rosy red and green. 5*s*.

COMTESSE DU BERTHIER. 3*s*. 6*d*.

COYPEL. 5*s*.

CYPRIS. 3*s*. 6*d*.

DE CANDOLLE, rich green, rose-coloured spots and creamy white centre rays. 3*s*. 6*d*.

DE HUMBOLDT, glossy green, spotted with scarlet. 3*s*. 6*d*.

DELICATISSIMUM. 15*s*.

DEVINCK, leaves heart-shaped; delicate pink centre ribs, with white spots. 3*s*. 6*d*.

DONIZETTI, rich red centre, green border, rose spots. 3*s*.6*d*.

DR. BOISDUVAL, centre rayed crimson; snow-white blotches on a green ground. 3*s*. 6*d*.

DR. LINDLEY, crimson centre, the green ground marked with rose blotches. 3*s*. 6*d*.

DUC DE CLEVELAND, red centre, surrounded with pea-green; red spots. 3*s*. 6*d*.

DUC DE MORNY, deep green leaf borders with large crimson-rayed centre. 3*s*. 6*d*.

DUC DE NASSAU, brilliant red centre and ribs, white spots. 2*s*. 6*d*. and 3*s*. 6*d*.

DUC DE RATIBOR, green with red mid-ribs and white spots. 2*s*. 6*d*. and 3*s*. 6*d*.

DUCHARTRE, leaf ground white, flushed rose, green veins and red spots. 3*s*. 6*d*.

EDOUARD ANDRE, crimson centre, rose blotches. 3*s*. 6*d*.

EDOUARD MOREAUX, mottled green ground, with lake centre. 3*s*. 6*d*. and 5*s*.

EDOUARD RODRIGUES, deep carmine, margined with light green, and spotted with rose. 3*s*. 6*d*. and 5*s*.

E. G. HENDERSON, green, with transparent rose spots and mottled crimson rays and centre. 3*s*. 6*d*.

ELSA, silvery rose, with red spots; fine. 7*s*. 6*d*.

ELVINA, bright green, blotched with red; grey centre and veins. 3*s*. 6*d*.

EMILIE VERDIER, leaves of a light transparent rose colour, spotted with red. 3*s*. 6*d*.

ETOILE D'ARGENT, green, mid-ribs and veins creamy white, shaded grey. 5*s*.

EUCHARIS, rose centre with violet reflections margined with bright green. 5*s*. & 7*s*.6*d*.

EUTERPE. 5*s*.

FAUST. 7*s*. 6*d*.

FELICIEN DAVID, carmine centre, surrounded white, and veined with red on green ground. 3*s*. 6*d*. and 5*s*.

FERDINAND DE LESSEPS, dark carmine-red ground with violet-rose ribs, and deep green spots. 5*s*.

FLORE. 5*s*.

GAZE DE PARIS, translucid leaves, green ribs. 5*s*.

GERARD DOW, pale yellow ground, carmine mid-rib, deep red veins, narrow green margin. 10*s*. 6*d*.

GOLDEN QUEEN, pale golden yellow. 5*s*.

GLUCK. 7*s*. 6*d*.

GRATIOSUM. 3*s*. 6*d*.

GRETRY, carmine centre, with white spots. 3*s*. 6*d*.

HELEVY, white mid-ribs and crimson blotches. 3*s*. 6*d*.

HEROLD, dark carmine veins, surrounded by light green, blotched pure white. 3*s*. 6*d*.

HOULLETTII, green with white spots. 2*s*. 6*d*. and 3*s*. 6*d*.

IBIS ROSE, a magnificent variety, with beautiful rich rose-coloured foliage. 15*s*.

IMPERATRICE EUGENIE, light green with greyish pink centre, and rose-coloured veins. 2*s*. 6*d*. and 3*s*. 6*d*.

ISADORA LEROY, rich metallic green, with crimson-red centre rays. 3*s*. 6*d*.

ISIS, bright rose, veins violet-carmine. 10*s*. 6*d*. and 15*s*.

JOHN R. BOX, red and greenish maroon ground; carmine-red veins; violet-rose centre. 7*s*.6*d*

JULES DUPLESSIS, bright rose centre, shaded with red and bordered with green. 5*s*.

JULES PUTZEYS, rich green with crimson mid-rib and veins, and red spots; centre mottled grey. 3*s*. 6*d*. and 5*s*.

JUNON. 7*s*. 6*d*.

JUPITER. 3*s*. 6*d*.

KETELEER, spotted white, upon emerald-green; large crimson centre. 3*s*. 6*d*.

LAINGII, reddish carmine centre; the whole of the leaf sprinkled with white. 3*s*. 6*d*.

L'ALBANE. 3*s*. 6*d*.

LAMARTINE, crimson centre white and red spots. 3*s*. 6*d*.

LA PERLE DU BRÉSIL, white, delicately tinted with rose, mid-rib and veins dark green. 3*s*. 6*d*. and 5*s*.

L'AURORE, orange red, carmine veins, creamy white margin. 10*s*. 6*d*.

L'AUTOMNE, creamy white, with bluish maculations. 15*s*.

LAVINIA, bright green with grey centre and veins. 3*s*.6*d*.

LEOPOLD ROBERT, rosy white ground; carmine-red veins shaded with reddish-brown; green margin. 5*s*.

LEPESCHKINEI, leaves marked with rich rose spots; bright red centre. 3*s*. 6*d*.

LEPLAY, leaves marked with white, and beautifully veined with rosy violet. 3*s*. 6*d*.

LE TITIEN, ground network of red and rich green, pure magenta ribs. 7*s*. 6*d*.

LOUISE DUPLESSIS, red rays and veins on a white ground; green margin. 3*s*. 6*d*.

LOWII, *vide* ALOCASIA LOWII.

LUCY, pea-green; crimson centre; white spots. 3*s*. 6*d*.

LUDDEMANNI, deep crimson ribs; the leaf blotched with magenta and white. 3*s*. 6*d*.

LULLII. 3*s*. 6*d*. and 5*s*.

MADAME ALFRED BLEU, deep green, with large white blotches, and broad crimson-scarlet veins. 3*s*. 6*d*. & 5*s*.

MADAME ALFRED MAME, light green, covered with large white spots; rosy carmine centre. 3*s*. 6*d*. & 5*s*.

MADAME DE LA DEVANSAYE, leaves white, shaded rose, and veined with red and green. 3*s*. 6*d*. and 5*s*.

MADAME DOMBRAIN, centre and ribs pale yellowish green, shaded rose, and spotted with white and rose. 3*s*. 6*d*.

MADAME FRITZ KŒCHLIN, white ground, violet-rose ribs, green veins. 3*s*. 6*d*.

MADAME HEINE, silvery white, stained and edged with pale green; distinct. 3*s*. 6*d*.

MADAME HOULLET, large leaves, with clustering blush-white blotches. 3*s*. 6*d*.

MADAME HUNNEBELLE, leaves veined with garnet on white ground, and margined with green. 3*s*. 6*d*. & 5*s*.

MADAME JULES MENOREAU, white centre, tinted rose, veined rich bright rose, margined green. 5*s*. & 7*s*. 6*d*.

MADAME JULES PICOT, translucid rosy violet leaf. 15*s*.

MADAME LAFORGE, centre and ribs reddish crimson, with green margin. 3*s*. 6*d*.

MADAME LEMOINIER, pale rose with darker ribs; veins and centre encircled with creamy white. 5*s*.

MADAME MARJOLIN SCHEFFER, white foliage, charmingly veined and netted with rosy lake. 3*s*. 6*d*.

MADAME MITJANA, transparent reddish-crimson rose centre. 10*s*. 6*d*.

MADAME T. DE VIGIER, rosy white, carmine nerves. 15*s*.

MADAME WILLAUME, delicate salmon-rose-colonred transparent leaves. 5*s*.

MARCHANDII, 5*s*.

MARQUIS DE CAUX, red centre and veins, with rose blotches on margins. 3*s*. 6*d*.

MARS, clouded crimson centre, the whole leaf spotted with crimson. 3*s*. 6*d*.

MARTERSTYGINUM, crimson centre and white spots. 2*s*. 6*d*. and 3*s*. 6*d*.

MAXIME DUVAL, fine broad crimson centre and ribs, green margin. 3*s*. 6*d*.

MAX KOLB, light green ground with palo centre; distinct. 2*s*. 6*d*. and 3*s*. 6*d*.

MERCADANTE, pale copper-coloured centre and veins, bordered with green. 3*s*. 6*d*.

MEYERBEER, white leaf ground, green veins and red mid-ribs. 2*s*. 6*d*. and 3*s*. 6*d*.

MINERVE, silvery white mid-rib and rays, surrounded with greyish white; green margin, with white spots. 5*s*.

MITHRIDATE, crimson-lake with darker ribs, and dark bronze-green margin. 5*s*.

MONSIEUR A. HARDY, rich reddish carmine veins on white ground, tinted with rose and spotted with green. 5*s*.

MONSIEUR D'HALLOY, delicate rose, bright rose centre, carmine and green veins. 7*s*. 6*d*.

MONSIEUR J. LINDEN, fine large whitish leaf, with metallic reflections, coral-rose veins and reticulated green border. 5*s*.

MOZART, rose centre and veins on green ground. 3*s*. 6*d*.

MRS. LAING, white ground; deep rose centre and veins; green margin. 5*s*. and 7*s*. 6*d*.

NAPOLÉON III, flamed crimson centre, with forked rays, and carmine-red spots. 3*s*. 6*d*.

ONSLOW, deep rosy crimson centre with broad green margin, spotted with rose. 3*s*. 6*d*.

ORNATUM, golden yellow ground; carmine ribs encircled with rosy lake; red-violet veins. 5*s*.

PAUL VERONESE, pinkish white centre, deep scarlet ribs and green margin. 3*s*. 6*d*. & 5*s*.

PETROPOLIS, 5*s*.

PETSCHKAUI, 5*s*.

PHILIPPE HERBERT, deep mottled crimson rays and clear green margin, spotted with crimson. 2*s*. 6*d*.

PHILIPPE SCHULDT, 5*s*.

PICTUM, green, blotched and spotted with white. 3*s*. 6*d*.

PRINCE ALBERT EDWARD, dark emerald green, rich crimson radiating mid-rib, white spots. 2*s*. 6*d*. & 3*s*. 6*d*.

PRINCE OF WALES, large golden yellow leaves. 5*s*.

PRINCESS ALEXANDRA, rosy salmon leaf, green centre rib, bordered with magenta-crimson; green margin with light pink chain. 3*s*. 6*d*.

PRINCESS OF TECK, bright orange-yellow, veins suffused with deep red. 5*s*. and 7*s*. 6*d*.

PRINCESS OF WALES, golden yellow, spotted with crimson. 5*s*.

PRINCESS ROYAL, leaves of a golden ground colour, with crimson centre. 5*s*.

PROSERPINE, 3*s*. 6*d*.

PYRRHUS, centre and ribs deep crimson, pea-green margin. 3*s*. 6*d*. and 5*s*.

QUADRICOLOR, centre of leaf pale yellowish green, ribs white, edged rosy crimson, and margined green. 3*s*. 6*d*.

RAMEAU, centre and ribs deep reddish crimson, surface covered with white blotches, shaded red. 3*s*. 6*d*. & 5*s*.

RAOUL PUGNO, very transparent, pale flesh colour, margin dark green. 7*s*. 6*d*.

RAULINII, rich red centre and veins, finely spotted with white. 3*s*. 6*d*.

REGALE, silvery grey centre, rosy red ribs, vermilion-red spots. 2*s*. 6*d*. and 3*s*. 6*d*.

REINE MARIE DE PORTUGAL, violet-rose centre with red veins, dark maroon zone green border. 5*s*. & 7*s*. 6*d*.

REINE VICTORIA, green veins and margins, spotted with white and rich crimson. 2*s*. 6*d*. and 3*s*. 6*d*.

ROSSINI, pale centre, pink mid-ribs, red blotches. 3*s*. 6*d*.

ROUILLARD, green margin, pale green centre, mid-rib and rays violet-plum; whole of leaf spotted crimson. 3*s*. 6*d*.

RUBENS, golden green ground, shaded bright red and veined with dark brown. 5*s*.

RUBRUM METALLICUM, violet red, rose centre, shaded violet, margin copper red. 15*s*.

SALVATOR ROSA, bright red centre tinted with rosy violet; light green margin. 5*s*.

SANCHONIATHON, crimson centre; deep crimson ribs and pea-green margin. 3*s*. 6*d*.

SANGUINOLENTUM, green with white mid-rib and red spots. 3*s*. 6*d*.

SIEBOLDII, rich green, with fiery red crimson-rayed centre and claret-red spots. 3*s*. 6*d*.

SIRIUS, centre scarlet-red, spotted with rosy red and golden green. 7*s*. 6*d*.

NEW AND CHOICE CALADIUMS—continued.

SIR WALTER SCOTT, 5*s.*
SOFIA, 10*s.* 6*d.*
SOUVENIR DE LILLE, translucid delicate rose leaves, nerves bright rose. 15*s.*
SOUVENIR DE MADAME BERNARD, bright red centre, dotted with golden yellow, green and white; light green border. 7*s.* 6*d.*
SOUVENIR DE MADAME E. ANDRE, green marbled with white, veined with rosy crimson. 3*s.* 6*d.* and 5*s.*
SOUVENIR DES TOUCHES, carmine shaded violet; red veins, rose spots surrounded with white. 7*s.* 6*d.* & 10*s.* 6*d.*
SOUVENIR DU DOCTEUR BLEU, reddish scarlet centre; pale green border shaded with rich red. 10*s.* 6*d.*
SPONTINI, pea-green, with white spots and rosy pink ribs and veins. 5*s.* and 7*s.* 6*d.*
TRICOLOR, grey-green with red-lake centre and carmine mid-ribs. 5*s.* and 7*s.* 6*d.*
TRIOMPHE DE L'EXPOSITION, crimson centre, red ribs, green border. 3*s.* 6*d.*
URANUS, 3*s.* 6*d.*
VAN DYCK, transparent rosy-lake, pale rose centre, grey green margin. 5*s.*
VELLEDA, 3*s.* 6*d.*
VERDI, crimson-lake centre, with small green zone and apple-green margin. 5*s.*
VESTA, greenish white veins, surrounded with crimson; leaf spotted rose. 3*s.* 6*d.*
VICOMTESSE DE LA ROQUE-ORDAN, red mid-rib and rays bordered white; green margin. 3*s.* 6*d.*
VILLE DE MULHOUSE, greenish white, shaded rose; rich green centre. 5*s.*
VIRGILE, 5*s.*
VIRGINALE, shining white, veined dark bluish green; a grand variety. 5*s.* and 7*s.* 6*d.*

BEGONIAS.

HANDSOME-FLOWERED, TUBEROUS-ROOTED SECTION.

ALFONSO, a fine flower; colour cinnamon, shaded with salmon. 1*s.* 6*d.*
AURELIA, a very fine large flower of a cinnamon-rose colour; very distinct. 1*s.* 6*d.*
BERTHA, a splendid flower with broad petals, of a soft salmon-pink colour. 3*s.* 6*d.*
BRILLIANT, rich bright orange, a dazzling colour; flowers large and fine; very showy. 2*s.* 6*d.*
CALYPSO, a fine flower with very broad petals of a bright rose colour, shaded with magenta. 2*s.* 6*d.*
CARDINAL, a magnificent variety, producing large flowers of a deep rich magenta-rose colour. 2*s.* 6*d.*
CAROLINE, deep rosy pink, a very fine showy flower with broad petals. 1*s.* 6*d.*
CHELSEA GIANT, light carmine-scarlet; a huge flower. 3*s.* 6*d.*
CLEMENCE DENIZARD, bright rosy carmine flowers, very full and double. 3*s.* 6*d.*
CLEOPATRA, rosy lake, shaded with magenta; a very large flower with fine broad petals. 2*s.* 6*d.*
CLIMAX, deep rich rosy carmine; the two outer petals extremely broad; a beautiful variety. 1*s.* 6*d.*
CORONET, rich rosy carmine; a large flower with broad petals. 2*s.* 6*d.*
CORSAIR, rosy salmon; a most profuse blooming variety. 1*s.* 6*d.*
DAPHNE, a fine large flower of a pretty pink colour, with purple shade. 3*s.* 6*d.*
DAVISII, a very dwarf growing species, freely producing attractive bright scarlet flowers. 1*s.*
DEFIANCE, a showy variety, producing fine large flowers of a light orange-scarlet colour. 3*s.* 6*d.*
DELICATA, a charming variety, with beautiful blush-white flowers. 1*s.* 6*d.*
DRAGON, a beautiful flower, with fine long petals; colour rich bright rose; very effective. 2*s.* 6*d.*
EMBLEM, a large flower with broad petals, of a deep rose colour, shaded with magenta. 1*s.* 6*d.*
ENSIGN, bright pink; a beautiful shade of colour; flowers large; a very elegant variety. 1*s.* 6*d.*
ETHEL, a beautiful flower of a light salmon-pink colour. 3*s.* 6*d.*
FIREFLY, an exceedingly attractive variety, producing fine flowers of a bright scarlet colour. 3*s.* 6*d.*
FLAMBEAU, bright crimson, shaded with rose, fine round flower. 3*s.* 6*d.*
FLAMMETTA, bright orange-scarlet; a remarkably large and fine flower. 2*s.* 6*d.*
FRŒBELLI, a splendid species from Ecuador, producing brilliant scarlet flowers. 1*s.*
GEM, light cream colour, the reverse of petals light pink; extremely distinct and attractive. 2*s.* 6*d.*
HERMINE, light orange-cinnamon, a very distinct and attractive shade of colour. 1*s.* 6*d.*
ICARUS, a very fine large flower of a bright salmon colour. 2*s.* 6*d.*
IMPERIALIS, splendid flower, dark rosy crimson. 5*s.*
LUCINDA, a large and fine flower, with remarkably long petals of a deep rose colour. 2*s.* 6*d.*
MABEL, delicate salmon-pink; a fine flower of good shape. 3*s.* 6*d.*
MAGNET, beautiful light pink, the reverse of the petals deep pink; a charming variety. 1*s.* 6*d.*
MARATHON, deep crimson; a very fine large flower. 2*s.* 6*d.*
MARTHA, soft delicate rose-pink; a beautiful flower. 3*s.* 6*d.*
MAZEPPA, very light cream colour, the reverse of the petals tinted with orange-pink. 1*s.* 6*d.*
MINIATA, a fine showy variety, producing flowers of a bright rosy carmine colour. 1*s.* 6*d.*
MODIOLA, bright rose, shaded with salmon; a very large flower with fine broad petals. 2*s.* 6*d.*
MRS. H. COPPIN, very clear bright yellow. 2*s.* 6*d.*
OBERON, bright crimson, shaded with orange-scarlet; a splendid variety. 2*s.* 6*d.*
ORESTES, deep rosy carmine; a magnificent flower with fine large petals. 2*s.* 6*d.*
PEARCEI, flowers large, bright yellow, and borne on slender stems well above the foliage. 1*s.* 6*d.*
PEARCEI GRANDIFLORA, fine large flowers, of a bright golden-yellow colour. 2*s.* 6*d.*
PHYLLIS, a beautiful variety, with blossoms of a delicate sulphur colour, tinted with pink. 1*s.* 6*d.*

HANDSOME-FLOWERED BEGONIAS.

PINK BEAUTY, fine large bright rosy pink flowers, beautiful shape. *5s.*
REGALIS, a beautiful salmon-rose flower, of good form and substance. *5s.*
RUBESCENS, a fine variety, giving a profusion of large rich salmon-tinted red blossoms. *2s. 6d.*
SERAPH, a fine flower of a soft pink colour; the two outer petals suffused with rose. *1s. 6d.*
SPARKLER, a splendid flower with fine broad petals of a bright crimson colour. *2s. 6d.*
STARLIGHT, a beautiful variety, with large flowers of a pretty shade of blush-pink. *2s. 6d.*
SUNRISE, a magnificent variety, producing large flowers of a bright rosy scarlet colour. *1s. 6d.*
SUNSET, rich crimson; a fine large showy flower. *2s. 6d.*
SURPRISE, a beautiful variety, producing pretty bright pink flowers in great profusion. *1s. 6d.*
TEMPLAR, a fine flower, with broad petals of a rosy pink colour. *2s. 6d.*
TROJAN, an effective variety, freely producing fine flowers of a light rosy pink colour. *1s. 6d.*
VERONA, bright rosy pink; a very pretty variety. *2s. 6d.*
VESTA, pure white; very large flower. *5s.*
VICTORY, a magnificent flower, with broad petals of a dazzling vermilion-scarlet colour. *5s.*
VIVICANS, a very graceful plant, with brilliant orange-scarlet bell-shaped flowers. *1s. 6d.*
WHITE QUEEN, a beautiful variety, producing ivory-white flowers tinted with rose. *1s. 6d.*

Selections of good single-flowering Varieties can be made by Mr. W. B. at 18s., 30s. and 42s. per dozen. Unnamed Seedlings raised from the best varieties, when dormant, 6s. and 9s. per dozen, 2 and 3 guineas per 100.

DOUBLE-FLOWERING BEGONIAS.

Selections of choice double-flowering varieties made at 2, 3, and 4 guineas per dozen.

BEGONIAS.

VARIEGATED-FOLIAGED SECTION.

These are remarkable for their variegated and beautifully coloured ornamental foliage.

ANTONA, dark centre, surrounded with silver-grey and margined with bronze. 3*s.* 6*d.*

BARANA, leaves silver, marked in the centre and round the margin with olive-green. 3*s.* 6*d.*

LEDA, leaf bright silver, marked in centre with bronzy-green, and prettily margined with bronze. 5*s.*

MADAME HENRI GACHE, the finest of the variegated leaved section; the middle of the leaf is of a glistening greyish silver, shaded in a most remarkable manner with bright rosy crimson, the margin being olive green spotted with silver; centre rich olive brown. 2*s.* 6*d.*

SYLVIA, silver-grey leaves, beautifully marked in centre and round the margins with bright-bronzy green venations. 3*s.* 6*d.*

VESTAL, bright green, spotted with silver and margined with bronze; centre bright bronze. 3*s.* 6*d.*

VIRGINIA, silver-grey, dark green venation in centre, the marginal venation of a bronzy-green. 3*s.*6*d.*

ABBÉ DELAHAYE, 2*s.* 6*d.*
ACUMINATA SPLENDIDA, 2*s.* 6*d.*
ADRIEN ROBINE, 2*s.* 6*d.*
ALEXANDRINE OLSOUFIEFF 3*s.* 6*d.*
ANDALOUSIE, 2*s.* 6*d.*
ANNETTE, 2*s.* 6*d.*
ANNICA, 2*s.* 6*d.*
ARCTURUS, 2*s.* 6*d.*
ARGENTEA HIRSUTA, 2*s.* 6*d.*
—— **ZEBRINA**, 3*s.* 6*d.*
ARGUS, 3*s.* 6*d.*
ARIADNE, 3*s.* 6*d.*
CALLIOPE, 2*s.* 6*d.*
CASILDA, 2*s.* 6*d.*
COMTESSE DE THELUSSON, 2*s.* 6*d.*
CORSAIR, 3*s.* 6*d.*
COUNTESS, 3*s.* 6*d.*
CRYSTALLINA, 2*s.* 6*d.*
DESFONTAINES, 3*s.* 6*d.*
DIADEMA, 3*s.* 6*d.*
DIANA, 3*s.* 6*d.*
DUCHESS, 1*s.*
EDOUARD LESTEUR, 3*s.* 6*d.*
ED. PYNAERT, 3*s.* 6*d.*
ELAINE, 3*s.* 6*d.*
EMILE CHATE, 2*s.* 6*d.*
EUGENIA, 2*s.* 6*d.*
FINETTE, 3*s.* 6*d.*
GLOIRE DE MONTEREAU, 2*s.* 6*d.*
GRAZIELLA, 3*s.* 6*d.*
HENRIETTE LUSSEAU, 3*s.* 6*d.*
JULES DEHAUSSY, 3*s.* 6*d.*
—— **DUPLESSIS MAJOR**, 2*s.*6*d.*
LA PERLE DE PARIS, 2*s.* 6*d.*
LEBRUN, 2*s.* 6*d.*
LE SCHAH, 3*s.* 6*d.*
LINNÉ, 5*s.*
MADAME DE CAUVILLE, 2*s.* 6*d.*
—— **D'HALLOY**, 3*s.* 6*d.*
—— **FANNY MASSANGE**, 3*s.* 6*d.*
—— **FRISTOT**, 3*s.* 6*d.*
—— **HACHETTE**, 3*s.* 6*d.*
—— **JULES LECOCQ**, 2*s.* 6*d.*
—— **LEBOUCQ**, 3*s.* 6*d.*
—— **PATÉ**, 3*s.* 6*d.*
—— **RAMBERT**, 3*s.* 6*d.*
—— **TAUBER**, 2*s.* 6*d.*
—— **ZIEGLER**, 3*s.* 6*d.*
MADEMOISELLE A. BLEU, 3*s.* 6*d.*
—— **BERTHE PROUTIERE**, 3*s.* 6*d.*
—— **HENRIETTE GRAUX**, 2*s.* 6*d.*
MALETTA, 2*s.* 6*d.*
MARGARITACEA, 2*s.* 6*d.*
MARIE FREEMAN, 3*s.* 6*d.*
MARMION, 3*s.* 6*d.*
MAYA, 3*s.* 6*d.*
MAZEPPA, 3*s.* 6*d.*
MENTOR, 2*s.* 6*d.*
META, 2*s.* 6*d.*
MONA, 2*s.* 6*d.*
MONGE, 5*s.*
MONSIEUR BIENAIMÉ, 2*s.* 6*d.*
—— **CHRETIEN**, 1*s.* 6*d.*
OTTO FORSTER, 2*s.* 6*d.*
PEARL, 3*s.* 6*d.*
PICTURATA, 2*s.* 6*d.*
PRINCE OF WALES, 2*s.* 6*d.*
PROGNE, 5*s.*
QUADRIZONALIS ORNATA, 2*s.* 6*d.*
ROSALIE, 5*s.*
SATIN BLANC, 2*s.* 6*d.*
SECRETAIRE DELAMARRE, 2*s.* 6*d.*
SERAPH, 3*s.* 6*d.*
STARLIGHT, 5*s.*
THEODORA, 3*s.* 6*d.*
TOURNEFORT, 3*s.* 6*d.*
VICOMTE DE CONDEIXA, 2*s.* 6*d.*
VICTOR BLEU, 2*s.* 6*d.*
VOIE LACTÉE, 2*s.* 6*d.*
ZENOBIE, 3*s.* 6*d.*

BEGONIA BEDDOMEI (ASSAMICA).

A neat-growing species, introduced from Assam. It has short fleshy stems, short pale green softly hairy leaf-stalks, and oblique ovate olive-green leaves, marbled with silvery blotches above, and of a pale purplish pink beneath. The flowers are of a pinkish flesh-colour. 3*s.* 6*d.*

BEGONIA BIJOU.

A hybrid obtained by crossing *B. insignis* with *B. socotrana*. It is of good habit, and produces its flowers all through the year, but principally in the winter. The flowers, which are of medium size, are of a beautiful bright carmine, the centre being white. Very floriferous. 5*s.*

BEGONIA COMPTA.

A pretty ornamental species from Brazil. Its leaves have palish pink footstalks, which are five to six inches long, remarkable for the unequal development of their two halves, the one side being narrowed to the base, and the other developed into a roundish angular lobe. The colour is satiny green with a silvery tinge along the course of the mid-rib; this coloration with the satiny surface being of a very pleasing character. 7*s.* 6*d.*

BEGONIA ALBO-PICTA.

BEGONIA ALBO-PICTA.

A neat and pretty species, introduced from Brazil, distinct in character from all the cultivated kinds whether species or varieties. It is shrubby in habit and of compact growth, having elliptic lanceolate leaves shortly stalked. The leaves are glossy green, freely spotted with bright silvery white, the nebulous markings becoming smaller towards the margins. It has small and elegant foliage and will make a really useful and pretty plant for decorative purposes. 3*s.* 6*d.*

BEGONIA DECORA.

A shrubby decorative variety, with dark green obliquely lanceolate leaves, profusely marked with oblong spots or dots of a silvery-grey colour; somewhat of the character of *B. argyrostigma*, but with the spots more minute. It has been introduced from Brazil. 5*s*.

BEGONIA GLOIRE DE SCEAUX.

A new hybrid winter-flowering bulbous variety raised between *B. socotrana* and *B. subpeltata*. The plant is most proliferous, the flowers being of a beautiful bright rose colour. The glabrous leaves are cordiform, and of a dark metallic green. Flowering as this does from the beginning of January to the end of April, it will be found a very desirable acquisition. 3*s*. 6*d*.

BEGONIA HYBRIDA COCCINEA.

A pretty and desirable hybrid variety, belonging to the winter-flowering section. It is of dwarf compact habit, bearing in the greatest profusion its beautiful bright scarlet flowers, making it admirably adapted for the decoration of greenhouses and conservatories during the dull winter months. 3*s*. 6*d*. and 5*s*.

BEGONIA RUBELLA.

A very ornamental Indian species, with stout decumbent stems; the leaves are numerous and freely covered with deflexed red scales on a pallid ground, which gives to them a reddish appearance. The leaf blades are of a bronzy green with a broad pale green band down the principal costa, and smaller bands of the same along the other main ribs, the whole dotted over with oblong blotches of purplish brown; the under surface is red. 5*s*.

BEGONIA SCEPTRA.

This is a very handsome and distinct species, a native of Brazil. The leaves are obliquely ovate in outline, deeply lobed on one side, the lobes oblong obtuse, the veins sunk, and the raised spaces between marked with large silvery blotches, and numerous smaller dots of silvery grey. The leaf-stalks are red, this colour passing up the ribs of the under surface. 7*s*. 6*d*.

BEGONIA ALBO-PICTA, *vide* page 138.
EGREGIA, *vide* page 9.

BEGONIA IMPERIALIS, 3*s*. 6*d*.
OLBIA, 3*s*. 6*d*.
SMARAGDINA, 3*s*. 6*d*.

The following are useful flowering species and varieties, and highly effective for decoration; the majority of them are winter-blooming; except those priced, 18s. and 30s. per dozen.

ARGYROSTIGMA ELEGANTISSIMA
ASCOTIENSIS
BARBATA VARIEGATA
CARRIERI
—— **VILLOSA**
INGRAMII
KNOWSLEYANA
LYNCHEANA
MANICATA
—— **AUREO-VARIEGATA**, 2*s*. 6*d*.
MARGARITÆ
METALLICA
NITIDA
—— **ALBA**
RUBRO-VENIA
RICHARDSIANA
RICHARDSIANA VASTISSIMA
SEMPERFLORENS ELEGANS, 3*s*. 6*d*.
—— **GIGANTEA CARMINEA**
—— —— **ROSEA**
—— **ROSEA**
SAUNDERSIANA
SOCOTRANA, 3*s*. 6*d*.
SUTHERLANDI
VALIDA
WELTONIENSIS.

ECHEVERIAS.

ECHEVERIA CÆRULESCENS, 2*s*. 6*d*.
GLAUCO-METALLICA, 1*s*. 6*d*. and 2*s*. 6*d*.
GRANDISEPALA, 2*s*. 6*d*.
IMBRICATA, 2*s*. 6*d*.
MUTABILIS, 2*s*. 6*d*.
OVATA, 2*s*. 6*d*.
PRUINOSA, 2*s*. 6*d*.

ECHEVERIA RETUSA GLAUCA, 1*s*. 6*d*. and 2*s*. 6*d*.
ROSEO-PICTA, 5*s*.
SCAPHYLLA, 2*s*. 6*d*.
SCHEIDECKERI, 1*s*. 6*d*.
SECUNDA, 9*d*. each; 6*s*. per dozen.
—— GLAUCA, 9*d*. each; 6*s*. per dozen.
SPATHULATA, 2*s*. 6*d*.

CHRYSANTHEMUMS.

These popular plants have now become so numerous that to give detailed descriptions of each they would of themselves form a catalogue, and by giving descriptions purchasers could form but little idea of the comparative merit of varieties; it has therefore been thought best to give simply a list of names in their various sections. When the selection is left to Mr. W. B., the utmost care will be taken to send only varieties of the greatest merit.

NEW CHRYSANTHEMUMS 1887.

JAPANESE.

ALBA FIMBRIATA 2*s.* 6*d.*
ALPHA. 2*s.* 6*d.*
CAREW UNDERWOOD. 2*s.* 6*d.*
MR. D. B. CHAPMAN. 2*s.* 6*d.*
MR. RALPH BROCKLEBANK. 2*s.*
MISS STEVENS. 2*s.* 6*d.*
MRS. J. WRIGHT. 2*s.* 6*d.*
MRS. NORMAN DAVIS. 2*s.* 6*d.*

SINGLE FLOWERED.

EXQUISITE. 2*s.* 6*d.*

LATE FLOWERING.

GOLDEN GEM. 2*s.*
MRS. J. JONES. 2*s.* 6*d.*

NEW CHRYSANTHEMUMS OF 1886.

Price 18s. per dozen.

JAPANESE.

ALFRED CHANTRIER
ANNIE CLARK
CHARLOTTE DE MONTCABRIER
CHIMÉNE
COMMANDANT DOMINÉ
DARWIN
DON DIÈGUE
DON QUICHOTTE
GIL BLAS
HERNANI
LADY AVENEL
LADY BULLER
LADY MATHESON
L'AIGRETTE
LAMARTINE
LE GRACIEUX
MADAME CHRETIEN
MADAME LA MARQUISE DE MUN
MADAME MARIE CLOS
MADAME ROZAIN
MADLLE. JULIETTE DORDAN
MADLLE. PAUL DUTOUR
MAIDENS' BLUSH
MA MIGNONNE
MARSA
MARTHA HARDING
MIREILLE

JAPANESE.—continued.

M. BRASSAC
M. CAVALIER
M. CHRETIEN
M. D. D. HILLIER
M. H. ELLIOTT
M. J. ALDEBERT
M. MAXIME CORNU
M. THOMAS S. WARE
M. WEICK
M. YVON
ORNEMENTS
PAUL ET SON
PRINCESSE BLANCHE
PRINCE ZILAH
ROBERT OWEN
ROB ROY
ROI DES JAPONAIS
ROZAIN BOUCHARLAT
SALMONEUM PLENUM
SOUV. D'ANGÈLE AMIEL
TAMIRYS
THEODORA
WALTER SCOTT
WILLIAM CLARK

CHINESE.

BRONZE QUEEN OF ENGLAND

POMPON.

BRAHMA
CRÉME
DIANA VERNON
FLAMBEAU TOULOUSAIN
LE CID
LILACEE
MADLLE. ELISE DORDAN
OSIRIS
SANS PAREIL
VICTOR HUGO
ZAIRE

ANEMONE.

E. M. BOLAS
LE CENTAURE
MADAME GHYS

EARLY FLOWERING.

A VILLATTE DES PRUGNES
BLANC PRECOCE
CRIMSON PRECOCITÉ
E. G. HENDERSON & SON
G. WRIGLEY
MADAME HOSTE
M. COSSART
M. HOSTE
M. WILLIAM HOLMES
ROSE D'ETE
W. C. BOYCE
WILLIAM BEALBY

The above new varieties 18s. per dozen.

SINGLE-FLOWERED VARIETIES.

LORD MAYOR
MRS. FRANCIS RICARDO
MRS. W. WOOD
THE FRIARY BEAUTY
TRISTAM
W. E. GLADSTONE

The above New Single-Flowered Varieties, 1s. each.

NEW CHRYSANTHEMUMS OF 1885.

Price 12s. per dozen.

JAPANESE.

AQUIDNECK
BEAUTY OF SWANLEY
BELLE ÉTOILE
BICOLOR
CHRISTMAS EVE
CŒUR FIDÈLE
COQUETTE
COQUETTE DE CASTILLE
CORIOLAN
CULLINGFORDII
DELICATUM
DIADEME
DR. WALCOTT
ENCHANTERESSE
ETOILE FLEURI
FIMBRIATUM
F. L. HARRIS
FLOCON DE NEIGE
GEORGE WALCOTT
GLOIRE DE VALENCE
GLORIOSUM [NANTE
GOLDEN GLOIRE RAYON-GOLD LACE
HON. JOHN WELSH
J. COLLINS
JESSICA
JOHN THORPE
JUPITER
L'ADORABLE
L'AUBE MATINALE
L'EBOURIFFÉE
L'INCROYABLE
LA TRAVIATA
LA TRIOMPHANTE
LE CYGNE
MADAME JOHN LAING
MADLLE. MELANIE FABRE
MAID OF ATHENS
MANHATTAN
MARY SALTER
MINNIE MILLER
MM. THIBAUT et KETELEER
MRS. WM. MENCKE
MRS. VANNAMAN
M. A. VILMORIN
M. FREEMAN

JAPANESE.—continued.

M. GARNIER
M. GHYS
M. J. H. LAING
M. PAUL FABRE
M. RAOUX
M. VINTOUSKI
NINUS
PRESIDENT ARTHUR
—— CLEVELAND
—— GARFIELD
REDUPLICATA
ROSE CELESTE
—— LACE
SAMUEL HENSHAW
SNOWSTORM
SOUVENIR DE HAARLEM
SYRINGA
TUBIFLORUM
WELCOME
WENONAH
W. L. SCHEFFER
WILLIAM ROBINSON

CHINESE.

CAMBRIDGE
CITRON
DUCHESS
FRANCOIS DEBERGUE
GOLDEN PRINCE
GORGEOUS
J. LOVERING
MRS. C. W. WHEELER
MRS. GEO. W. CHILDS
MRS. JAMES R. PITCHER
M. VIVIAND MOREL
MOONLIGHT
PRINCE OF ORANGE
ROBERT WALCOTT
TALFOURD SALTER
TITIEN

ANEMONE FLOWERED.

AGNES HAMILTON
CINCINNATI
WYOMING

POMPONS, &c.

BELLE NAVARRAISE
BLACK DOUGLAS
EXPOSITION DE CHALON
MAID OF KENT
NEATNESS
LACINIATUM ROSEUM
LA FAVORITE
MAGENTA KING
NEW YORK
ORANGE QUILL

EARLY FLOWERING.

BOUQUET ESTIVAL
ÉTÉ FLEURI
FLEUR D'ÉTÉ
LA BIEN-AIMÉE
LAKME
MANDARIN
PETIT MIGNON
POMPONIUM
ROI DES PRÉCOCES
SURPRISE

SINGLE VARIETIES.

CASINO
CRIMSON AND GOLD
HELIANTHUS
IMOGEN
MARIGOLD
MARY ANDERSON
MERRIMAC
MISS ROSE
MRS. A. LE MOULT
PERFECTION
PURE GOLD
QUEEN OF THE YELLOWS
SADIE MARTINOT
SIMS REEVES
TERRA COTTA
THE VIRGIN

The above, price 12s. per dozen.

CHRYSANTHEMUMS—GENERAL COLLECTION.

CHRYSANTHEMUMS—EARLY-FLOWERING.

For New Varieties, vide pages 140 and 141.

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

ANASTASIO
AUREOLE
CASSY
CLAIRE ALOZIO
CURIOSITY
DELPHINE CABOCHE, 9*d.*
EARLY FLORA, 1*s.*
ELDORADO
FIBERTA, 1*s.*
FREDERIC MARRONET
FREDERICK PELÈ
G. WERMIG (Golden Madame Desgranoe), 1*s.*
HÉLOISE MIELLEZ
HENDERSONI
HIPPOLYTE JAMAIN, 9*d.*
INIMITABLE
LAVALLEE, 9*d.*
LE LUXEMBOURG
LUCINDA
LYON
MADAME C. DESGRANGE
MADAME DUFOY
MADAME JOLIVART
MADAME PICOUL
MADELINE DAVIS, 1*s.*
MR. W. PIERCY
M. DUFOY
NANUM
ORANGE YELLOW, 9*d*
PERPETUÉL TOULOUSAIN
PRECOCITÉ
ST. CROUTS
ST. MARY
SALTER'S EARLY BLUSH, 1*s.*
SCARLET GEM
SOUVENIR
SOUVENIR DE M. RAMPONT
VIRGINIA
WHITE ST. CROUTS, 9*d.*
ZENOBIE

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

JAPANESE CHRYSANTHEMUMS.

For New Varieties, vide pages 140 and 141.

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

AGRÉMENTS DE LA NATURE
ALBERT DE NURIOS
ALEXANDRE DUFOUR, 1*s.*
ALPHONSE XII.
AMARANTINA CARMINATA
ANGELE
ANNA DÉLAUX, 1*s.*
ARLEQUIN
AURORE BORÈALE, 1*s.*
BEAUTE DES JARDINS, 1*s.*
BEAUTE DE TOULOUSE
BELLE ALLIANCE, 1*s.*
BELLE GABRIELLE
BELLE PAULE, 1*s.*
BEND OR
BERTIER RENDATLER
BISMARCK
BOULE D'ARGENT, 9*d.*
BOULE D'OR
BOUQUET FAIT
BRISE DU MATIN, 1*s.*
CERES
COLIBRI, 1*s.*
COMTE DE GERMINY
COMTESSE DE BEAUREGARD
DAIJ GAKKO
DIAMOND
DR. AUDIGUIER
DR. MASTERS
DOLORES
DUCHESSE DE GEROLSTEIN
DUCHESS OF ALBANY
DUCHESS OF ALBANY (Delaux), 1*s.*
DUCHESS OF CONNAUGHT
EDOUARD AUDIGUIER, 2*s.*6*d.*
ELAINE
ELISE
EMBLÈME, 1*s.*
ESPÉRANCE
ETHEL
ETOILE DU MIDI
ETOILE TOULOUSAINE
FAIR MAID OF GUERNSEY
FEE RAGEUSE
FERNAND FÉRAL, 1*s.*
FLAMBEAU
FLEUR DES BOIS, 1*s.*
FRANCOIS DELAUX, 9*d.*
FRIZOU, 1*s.*
FULGARE
FULTON
GLOIRE DE TOULOUSE
GLOIRE RAYONNANTE
GOLD THREAD
GRANDIFLORUM
HELVETIE, 1*s.*
HIVER FLEURI
ILE JAPONAISE
ILLUSTRATION
ISODORE FERAL, 1*s.*
JAMES SALTER
JANE SALTER
JAPONAIS, 1*s.*
J. DELAUX
KÆMPFER, 9*d.*
KATAKANA
LA BIENVENUE
LA CHARMEUSE
LA FRISURE
LA NYMPHE
LADY SELBORNE
LAURENCE, 9*d.*
LE NÉGRE
L'INCOMPARABLE, 9*d.*
L'ISLE DES PLAISIRS
L'OR DE FRANCE, 1*s.*
LORD BEACONSFIELD
MADAME BERTIER RENDATLER
MADAME CLEMENCE AUDIGEUR
MADAME DE REYDELLET, 9*d.*
MADAME DE SEVIN, 1*s.*
MADAME EMILE DUFOUR
MADAME FERAL, 1*s.*
MADLLE. ANNA DELAUX
MADLLE. ANTOINETTE BRUNEL, 1*s.*
MADLLE. LACROIX, 1*s.*
MADLLE. LOUISE DE REYDELLET, 1*s.* 6*d.*
MADLLE. TOULOUSE
MAGNUM BONUM
MARGOT
MARQUIS OF LORNE
MARY MAJOR
MASTIC
MIGNON, 9*d.*
M. ASTORG, 1*s.*
M. BLANC
M. BOYER, 9*d.*
M. BRUNET
M. CASTEL
M. CHARLES HUBERT
M. COCHET, 1*s.*
M. COMTE, 1*s.*
M. CROUSSE
M. DELAUX
M. DEVEILLÉ, 9*d.*
M. EUGENE POURQUIÉ
M. HENRI JACOTOT
M. H. FLAUVANT, 1*s.*
M. JOHN LAING, 1*s.*
M. JUAN CRUZ DE EGUILEOR
M. LEMOINE
M. LEON BRUNEL, 1*s.*

CHRYSANTHEMUMS—JAPANESE—continued.

M. P. WOLKENSTEIN
M. RICHARD LARIOS
NUIT D'HIVER
PARASOL
PÈRE DÉLAUX
PETER THE GREAT
PETIT NORBERT
PLUIE D'OR
RED DRAGON
REINE DES BEAUTÉS
REX RUBRORUM
ROSA BONHEUR
ROSEUM SUPERBUM
ROSE SUPREME
R. T. BIGGS
RUBRUM STRIATUM
SARNIA
SOLEIL LEVANT
SOURCE D'OR
SOURCE JAPONAISE
SOUVENIR D'AMSTERDAM, 9*d*
SOUVENIR DE REINE MARIE
SOUVENIR DU JAPON, 1*s*.
STRIATUM PERFECTUM
TENDRESSE
THE COSSACK
THUNBERG
TISIPHONE, 9*d*.
TOKIO
TRICOLOUR
TRIOMPHE DE LA RUE DU CHATELET
VENUS
VILLE D'HYÈRES

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

CHRYSANTHEMUMS—ANEMONE-FLOWERED.

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

ACQUISITION
AGATHA
ATARGULLE
BIJOU
CALLIOPE
DICK TURPIN
E. M. BOLAS, *vide* page 140.
EUGÈNE LAUJAULET
FABIEN DE MADERANAZ, 9*d*.
FAIR MARGARET
FINETTE
FIREFLY
FLEURE DE MARIE
GEORGES SAND
GLUCK
GOLDEN CEDO NULLI
GRACE DARLING
LADY MARGARET
LILAC CEDO NULLI
MADAME BERTHE PIGMY, 1*s*.
MADAME CLOS, 1*s*.
MADAME MONTELS
MADAME THERESE CLOS
MADEMOISELLE CABROL
MARIE STUART
M. CHATE
MISS EYRE
MISS NIGHTINGALE
MR. ASTIE
MRS. PETHERS
MRS. WYNESS
PRINCE OF ANEMONES
PRINCESS LOUISE
PRINCESS MARGUERITE
SIDONIE
SŒUR DOROTHÉE SOUILLE
VIRGINALE

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

CHINESE OR LARGE-FLOWERED CHRYSANTHEMUMS.

For New Varieties, vide pages 140 and 141.

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

ABBE PASSAGLIA
AIMEE FERRIERE
ALFONSO
ALFRED SALTER
ARIADNE
AUREUM MULTIFLORUM
BARBARA
BARON BEUST
BEAUTY
BEETHOVEN
BEVERLEY
BRONZE JARDIN DES PLANTES
CARMEN, 9*d*.
CHERUB
CHEVALIER DOMAGE
CLEOPATRA
DAPHNE
DIANE, 9*d*.
DIDO
DR. LINDLE
DR. ROZAS
DR. SHARPE
DUKE OF EDINBURGH
EMBLEM
EMPRESS OF INDIA
E. SANDERSON
EVE
EXQUISITE
FAUST
FINGAL
GARIBALDI
GAZELLE
GEORGE PEABODY
GEORGE STEVENS
GLOBE WHITE
GLORIA MUNDI
GOLDEN BEVERLEY
GOLDEN CHRISTINE
GOLDEN EMPRESS OF INDIA
GOLDEN GEORGE GLENNY
GOLDEN JOHN SALTER
GOLDEN QUEEN OF ENGLAND
GOLDEN TRILBY
GUERNSEY NUGGET
HERO OF STOKE NEWINGTON
IONA
JARDIN DES PLANTES
JEANNE D'ARC, 1*s*.
JOHN SALTER
JULIE LAGRAVERE
KING OF DENMARK
LADY HARDINGE
LADY SLADE
LADY TALFOURD
LEDA
LE GRAND
L'ÉMIR
LORD DERBY
LORD PALMERSTON
LORD STANLEY
LORD WOLSELEY
LUNA
MABEL WARD
MADAME CHATE
MADAME PAGES, 1*s*.
MARÉCHAL DUROC
MOUNT EDGCUMBE
MOUNT ETNA
M. DUARTE OLIVEIRA, 1*s*.
MR. BRUNLEES
MR. BUNN
MR. COBAY
MR. GEORGE GLENNY
MR. JAMES LAING
MR. W. H. MORGAN
MRS. G. RUNDLE
MRS. HALIBURTON

CHRYSANTHEMUMS—CHINESE LARGE-FLOWERED.—continued.

MRS. HEALE
MRS. HUFFINGTON
MRS. J. CROSSFIELD
MRS. W. SHIPMAN
MULBERRY
NIL DESPERANDUM
NOVELTY
ONDINE
ORANGE ANNIE SALTER
OSSIAN
PATRIE, 9*d.*
PINK PERFECTION
PRINCE ALFRED
PRINCE OF WALES
PRINCESS BEATRICE
PRINCESS IMPERIAL
PRINCESS OF TECK
PRINCESS OF WALES
PROGNE
PURPUREUM ELEGANS
QUEEN OF ENGLAND
REFULGENS
REINE DES BLANCHES, 9*d.*
RIFLEMAN
RIVAL LITTLE HARRY
ROTUNDIFLORUM
ROYAL PURPLE, 1*s.*
SIR BEAUCHAMP SEYMOUR
SIR STAFFORD CAREY
SULPHUREUM SUPERBUM
THE REV. C. BOYS
VILLE DE TOULOUSE, 1*s.*
VIOLET UNIQUE
WHITE EVE
WHITE GLOBE, *vide* GLOBE WHITE
WHITE VENUS
ZEPHYR

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

CHRYSANTHEMUMS.—POMPON, &c.

For New Varieties, vide pages 140 and 141.

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

ADELE PRISSETTE
AIGLE D'OR
AMPHILLA
ANAIS
ANNETTE
ARIOSTO
AURORE
BERROL
BOLIDE
BOULE DE NEIGE, 9*d.*
BRUNETTE, 9*d.*
CARMINATUM ALBUM, 9*d.*
CENDRILLON,
CHAMPS ELYSÉES
CRIMSON PERFECTION
DANAE
DIAMANT, 1*s.*
ELEGANT, 9*d.*
ELISE LAYEILLON, 1*s.*
ERNEST BENARY
ETINCELANT, 1*s.*
FABIOLA
FREMY
GENERAL CANROBERT
GERBE D'OR
GERMAINE CLERMONT
GOLDEN MADLLE. MARTHE
GUILLAUME DELAUX, 1*s.*
HECLA
IRIS
JASON
JERSEY GEM
JULIA ENGLEBACK
LACINIATUM SUPERBUM, 9*d.*
LA DÉSIREE, 1*s.*
LA RENONCULE
LA VIERGE
LOUIS DE MORVAY
LUCIEN CABOCHE
LUCRECE
MADAME DE VATRY
MADAME EUGENE DOMAGE
MADAME RIEUX
MADLLE. DARNAUD
MADLLE. ELISA LAYEILLON
MADLLE. MARTHE
MADLLE. MATHILDE RAYNAUD
MADLLE. POURQUIE
MARABOUT
MARGUERITE VINCENT
MARIE CROZAT
M. BONAMY AINE
M. DELEUIL, 1*s.*
M. FELIX SEIGNOR
M. HOSTE
M. JOSE MARQUES LOUREIRO
M. LUQUET, 9*d.*
M. ULRICH
MUSTAPHA
OLIVAR
ORNATUM
PABLO
PERFECTION, 9*d.*
POLYCARP
POMPON ROSE, 1*s.*
PRESIDENT DECAISNE
PRINCE VICTOR
PRINCESS MATHILDE
PROSERPINE
RAJAH
ROSE D'AMOUR
ROSE DE LA CASTILE
ROSE TREVENNA
ROSINA
SAINT JUSTIA
SAINT MICHAEL
SALAMON
SANGUINEUM
SNOWDROP
SŒUR MELANIÉ
SOIREE D'ETÉ
STAR OF WHYKE, 1*s.*
TOUSSAINT MAURISOT
VARIEGATUM

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

CHRYSANTHEMUMS.—SINGLE-FLOWERING.

For New Varieties, vide pages 140 and 141.

ATTRACTION
BRUNETTE
COACHMAN
DR. KELLOCK
EXQUISITE, *vide* page 140.
GUS. HARRIS
HENRY IRVING
MAGENTA KING
MISS CANNELL
MR. TOOLE
MRS. KELLOCK
MRS. LANGTRY

6d. each, 4s. per dozen, or 28s. per 100.

NEW AND CHOICE FUCHSIAS.

Those marked (*) are double-flowered varieties.

***ADAIR**, short tube and well reflexed sepals of a bright crimson colour; short, double, bluish purple corolla, occasionally flaked rose. 3*s.* 6*d.*

ADINE, white tube and sepals, completely reflexed, rosy magenta corolla. 1*s.*

***ADMIRAL COURBET**, tube and sepals dark red, immense double corolla of a very dark violet colour. 2*s.* 6*d.*

***ADMIRAL MIOT**, tube and sepals bright red, large double plum-coloured corolla; very free and of good habit. 5*s.*

ALICE MARY PEARSON (New), creamy white tube and sepals, the latter tipped with green short carmine crimson corolla, good habit. 3*s.* 6*d.*

***ALPHONSE DAUDET**, bright red recurved sepals and bluish violet corolla. 1*s.*

AMADEO, bright rosy pink tube and sepals; tube very short; bright bluish corolla. 1*s.*

***ANITA**, rosy crimson tube and sepals, the latter being well reflexed; large double corolla of a rich plum colour. 1*s.* 6*d.*

ANNIE EARLE (New), waxy white tube and sepals, deep bright carmine corolla, very pleasing. 3*s.* 6*d.*

***ARAB**, short bright crimson tube and well-reflexed sepals; fine large deep bluish purple double corolla. 5*s.*

ARIA, tube and sepals rosy crimson; corolla of a deep rich purple colour. 1*s.* 6*d.*

***ARPA**, tube and sepals bright carmine; the sepals broad and horizontally reflexed; large double corolla of a violet-red colour. 1*s.* 6*d.*

***AUGUSTE FLAMENG**, large reflexed rosy carmine sepals, large and compact double dark lilac corolla; of good habit. 1*s.*

***AZUREA SUPERBA**, tube and recurved sepals of a bright reddish coral colour; enormous double azure-violet corolla. 1*s.*

BEAUTY OF CLYFFE HALL, a very fine large flower; tube and sepals blush white; corolla rich carmine-pink. 1*s.*

BEAUTY OF LAVINGTON, white tube and petals, corolla bright rosy carmine, shaded with violet. 1*s.*

BLUE KING, bright crimson tube, well-reflexed sepals, and fine blue corolla. 1*s.*

BULGARIE, large brilliant red well-shaped sepals; very large extended corolla of a violet plum colour. 1*s.*

BULRUSH, light crimson tube and sepals; tube long, and sepals horizontally reflexed; light rosy purple corolla. 1*s.*

CAMILLE FLAMMARION, a large flower; with reflexed sepals of a rosy red colour, and well-formed reddish violet corolla. 1*s.*

CECIL GLASS (New), white tube and sepals; pale magenta pink corolla, the petals margined with carmine; fine form. 3*s.* 6*d.*

CISSIE, bright crimson tube and sepals, the latter prettily recurved; fine full corolla of a rich dark purple colour. 1*s.*

***CLARINDA**, huge double white corolla, short tube and broad sepals, dark crimson. 1*s.*

COLONEL BORGNIS-DESBORDES, plant dwarf and very floriferous; large reflexed rosy salmon sepals; globular corolla of a clear violet colour. 1*s.*

***COLONEL DOMINÉ**, clear red reflexed sepals; large imbricated white corolla, lightly suffused with rose. 2*s.* 6*d.*

COLOSSUS, tube and sepals rich bright glossy crimson, corolla well expanded, of immense size, and of a deep purplish plum colour; one of the largest and best. 2*s.* 6*d.*

***CORMORANT**, short tube and fine large rosy-crimson sepals; long semi-double bluish purple corolla. 5*s.*

CREUSA, rich crimson tube, and reflexed sepals; fine large corolla of a rich dark purple-plum colour, shaded at the base. 1*s.*

DIADEM, blush tube and sepals, corolla pale magenta, broadly edged with brilliant carmine, a fine showy variety. 2*s.* 6*d.*

DORCAS, short tube and large rosy carmine sepals immense soft bluish-purple corolla, veined and shaded with rose. 2*s.* 6*d.*

***EDELWEISS**, a fine large flower with full and double white corolla; rich crimson sepals, broad, long and well reflexed. 1*s.*

***ELFIN**, light crimson tube and sepals, the latter elegantly reflexed; rich purple corolla, flaked with rose; very full and double. 1*s.*

EMILY BRIGHT, creamy white tube and sepals; bright carmine corolla, of fine form. 1*s.* 6*d.*

EMPEROR, bright red tube and sepals, the latter long and broad; corolla maroon, shaded purple; a handsome and showy Fuchsia. 1*s.* 6*d.*

***FATMA**, bright crimson tube and reflexed sepals; bluish-purple corolla. 2*s.* 6*d.*

FLAMBEAU, short tube, and well reflexed crimson sepals; very large and full corolla of a dark violet colour, shaded with azure, and striped and spotted with scarlet. 1*s.*

FLOCON DE NEIGE, well reflexed carmine sepals; large creamy white corolla. 1*s.*

***FLORA**, very short tube, and large bright rosy crimson sepals fully reflexed, the large double corolla being bright purple, flaked at the base with rosy carmine. 3*s.* 6*d.*

***FRANCISQUE SARCEY**, corolla bluish violet large reflexed sepals, dark rose on the inside and bright red on the exterior. 1*s.*

***FRAU EMMA TOPFER**, broad well reflexed rosy magenta sepals; double white corolla suffused and veined with rose; very floriferous, and of compact habit. 1*s.*

GANNET, short tube with long bright crimson reflexed sepals; bluish purple corolla, shaded with rosy crimson at the base. 2*s.* 6*d.*

***GARNET**, completely reflexed bright carmine sepals; rich purple double corolla, marked at the base with rose. 1*s.* 6*d.*

GAZELLE, tube and sepals very bright crimson, very long corolla of a dark satiny purple colour; distinct and attractive. 1*s.*

NEW AND CHOICE FUCHSIAS—continued.

GERALD, a very fine flower with rich crimson tube and sepals, the latter completely reflexed; large expanded corolla of a rich purplish crimson colour. 1*s.* 6*d.*

GLORY, tube and sepals very brightly coloured and completely reflexed, the very large violet corolla being beautifully formed and widely expanded. 3*s.* 6*d.*

***GOLIATH**, tube and sepals deep red, enormous reddish purple corolla, surrounded with a row of bright red petals. 1*s.* 6*d.*

HARLEQUIN, a gigantic variegated flower; sepals rich carmine, broad and reflexed; immense bluish purple corolla striped with rosy pink. 3*s.* 6*d.*

HARMONIE, reflexed whitish rose sepals, corolla soft lilac; of good habit. 1*s.*

HARRIET LYE, creamy white tube and sepals, lilac-pink corolla, edged with carmine. 1*s.*

HERON, short tube, and broad rosy carmine sepals; corolla rich bluish purple. 1*s.* 6*d.*

***HOCHE**, rose sepals, completely reflexed; full rosy lilac corolla of good shape; a new colour. 1*s.* 6*d.*

IRMA, bright rosy carmine tube and sepals, the latter being horizontally reflexed, and of extraordinary length, slightly and elegantly curled; long rosy purple corolla. 3*s.* 6*d.*

JAMES WELCH, bright rosy red tube and sepals, the latter beautifully reflexed; corolla pale maroon shaded with bright purple; very handsome. 1*s.* 6*d.*

JASON, fine corolla about 1½ inch long, and of an intense black-purple colour; sepals long and reflexed, of a deep crimson colour. 1*s.*

***JUMNA**, short tube and very broad bright crimson sepals; enormous rich purple double corolla, the base marked with rosy crimson. 5*s.*

JUNO, short tube with large and broad well-reflexed crimson sepals, corolla deep purple marked with rosy pink at base. 3*s.* 6*d.*

***KINGSBURYANA**, free bloomer, producing fine flowers with bright red tube and sepals, and large double white corolla. 1*s.*

***KLÉBER**, sepals horizontally reflexed, rosy white tipped with green; double violet blue corolla. 5*s.*

***LA FRANCE**, large recurved bright red sepals; the large double corolla being of a beautiful cobalt blue; very fine. 1*s.*

LADY HEYTESBURY IMPROVED, an improvement on *Lady Heytesbury*, both in habit and flower. 1*s.*

LAMUS, tube and sepals rich deep scarlet; tube short, and sepals prettily recurved; corolla of a dark satiny purple colour. 1*s.*

L'AVENIR, short tube and recurved sepals, rosy crimson tipped with green; fine expanded tricolor corolla, blue, rose and white. 2*s.* 6*d.*

LITTRÉ, corolla of a dark violet colour, whitish at the base; short tube, and large recurved sepals of a soft rose colour. 1*s.*

LOVELY (New), pure white tube and sepals, brilliant carmine corolla, slightly shaded with magenta; very pleasing. 3*s.* 6*d.*

LYE'S EXCELSIOR, creamy tube and sepals, well reflexed, corolla rich rosy magenta, flushed with carmine; very fine and distinct. 2*s.* 6*d.*

LYE'S PERFECTION, creamy white tube and sepals, the latter delicately suffused with pink and handsomely reflexed; corolla bright carmine; very showy. 1*s.* 6*d.*

LYE'S RIVAL, tube and sepals red; corolla rich violet-purple; very free blooming. 1*s.*

***MADAME GALLI-MARIE**, a very large full double flower, long recurved brilliant rosy red sepals, and alabaster white corolla. 1*s.*

***MADAME JULES CHRÉTIEN**, brilliant crimson tube and sepals; pure snowy white corolla, flaked with carmine. 1*s.*

***MADAME THIBAUT**, carmine tube and recurved sepals, fine large double corolla; carmine bordered with white. 2*s.* 6*d.*

MAGNUM BONUM, a very showy variety, with broad stout brilliant red sepals, and large well-formed rich violet corolla. 1*s.*

***MARCEAU**, cream coloured tube and sepals, the latter well reflexed and tipped with yellowish green; long double corolla of a beautiful rosy amaranth colour, dwarf and very floriferous. 5*s.*

***MARVELLOUS**, tube and sepal deep rose; full, double, bright blue corolla of pretty rosette-like form. 1*s.*

MEMPHIS, tube and sepals of a rich crimson colour, the sepals gracefully reflexed; large and well-expanded rich purple corolla. 1*s.*

MILTIADES, deep crimson tube and sepals; the latter elegantly recurved; corolla of a deep rich purple colour. 1*s.* 6*d.*

***MINERVA**, a splendid flower with large and very full double white corolla, bright carmine tube, and reflexed sepals. 1*s.*

***MINSTREL**, tube and sepals bright rosy crimson; corolla very full and double, ivory white striped with rose at the base. 1*s.*

M. DUFAURE, rosy salmon corolla and elegantly recurved sepals of a yellowish salmon colour, with green tips. 1*s.*

***M. LOMBARD**, tube and sepals rosy carmine, the latter reflexed; fine double white corolla, the petals veined with carmine. 1*s.*

***MONUMENT**, full double corolla of a deep purple colour, striped with rosy carmine; tube and sepals rosy crimson. 1*s.*

MR. F. BRIGHT, tube and sepals deep rosy pink, corolla rose with broad margins of rich bluish-purple. 1*s.* 6*d.*

MR. F. GLASS, tube and sepals bright crimson; corolla purplish-maroon; distinct. 1*s.* 6*d.*

MRS. BRIGHT, waxy white tube and sepals, clear orange-scarlet corolla; a wonderfully free-blooming variety of fine habit. 1*s.*

MRS. F. GLASS, creamy white tube and sepals, fine stout deep pink corolla, shaded with violet. 1*s.* 6*d.*

MRS. GRANT, a beautiful flower, with blush tube and sepals, and orange-rose corolla. 1*s.*

***MRS. E. G. HILL**, flower very large and double, corolla creamy white, dark red sepals well reflexed; of good habit and growth, and probably the finest double white variety existing. 7*s.* 6*d.*

***MRS. SHORT**, the raiser describes this as the finest double white Fuchsia yet sent out; immense white corolla, bright rose tube and sepals. 3*s.* 6*d.*

NEW AND CHOICE FUCHSIAS—continued.

*NANCY, enormous flowers, very broad coral red sepals, corolla very large and double, violet purple with blue reflections. 7s. 6d.

NELLIE, creamy white tube and sepals, pink corolla of good form, suffused with mauve; very distinct. 1s. 6d.

*NESTOR, tube and sepals carmine, the latter reflexed; large, double, much expanded corolla of a rich purplish crimson colour. 1s.

*NOVEAU MASTODONTE, full double corolla dark violet veined with red; sepals reflexed, covering the brilliant red tube. 1s.

PARACHUTE, large and widely expanded corolla of a violet-lake colour marked with red; short, broad, recurved sepals of a reddish scarlet colour. 1s. 6d.

*PATTERN, short tube and broad rosy-crimson sepals; enormous bluish purple double corolla, shaded and flaked with rose. 5s.

PENELOPE, tube and sepals bright red, long and large white corolla of good shape. 2s. 6d.

PERA, short tube and bright coral-red sepals, horizontally reflexed; long bluish purple corolla. 3s. 6d.

*PHENOMENAL, short tube and reflexed sepals of a rich reddish crimson colour; enormous corolla, very full and double, of a beautiful azure-violet colour flaked with red. 1s.

PINK PERFECTION, creamy white tube and sepals, and rich pink and violet corolla, dashed with violet. 1s.

PRESIDENT, tube and well-recurved petals of a bright vermilion; beautiful formed corolla of the richest violet colour. 1s.

*PRÉSIDENT GRÉVY, sepals rosy lake, of fine form and well reflexed; very large double corolla of a peculiar shade of rose; plant dwarf and free. 1s.

PROGRESS, very long bright red sepals and rich violet corolla. 3s. 6d.

*RANGER, short tube and completely recurved rosy-crimson sepals; fine large double light bluish purple corolla, shaded with rose at the base. 5s.

*REAPER, short tube and wide sepals, of a bright rosy carmine colour; short double corolla of a purplish crimson colour. 1s.

*REDWING, short tube and bright red sepals; short and broad double rosy-purple corolla, flaked with carmine. 5s.

ROSE OF CASTILE IMPROVED, a great improvement on the old and favourite variety, of free growth and good habit. 1s. 6d.

*SÉNATEUR BERLET, long brilliant carmine broad sepals well reflexed, enormous double violet corolla of perfect globular shape. 1s.

SURPRISE (New), waxy white tube and sepals, the latter tipped with green, pale bright magenta corolla, fine and free. 3s. 6d.

*SYLVANUS, short tube and long rosy crimson sepals; bluish purple corolla. 3s. 6d.

SYROS, tube and sepals deep rose, sepals broad and horizontally reflexed; corolla of a deep bluish purple colour. 1s.

THOMAS KING, tube and sepals soft coral-red; corolla rich deep purple, sometimes striped with pale red. 1s. 6d.

*TRITON, short tube and long crimson sepals well reflexed, double corolla, bright lavender flaked with bright rosy pink. 3s. 6d.

TULIP, crimson sepals completely reflexed; large and much expanded tulip-shaped rich purple corolla, flaked with rose. 1s.

UTERPE, short tube and broad coral-red recurved sepals, dark plum-coloured corolla, shaded rosy crimson at the base. 2s. 6d.

VENUS VICTRIX IMPROVED, white tube and sepals; dark purple corolla. 1s. 6d.

*VIOLET DE DUC, a full double flower, with expanded corolla of a metallic violet colour, and short reddish reflexed sepals. 1s.

*VOIX DU PEUPLE, large flowers with fine expanded milky white double corolla; sepals well recurved, of a rosy carmine colour. 1s.

*WHITE GIANT, a splendid variety, producing long racemes of flowers, of immense size; one of the largest double white corollas. 1s.

WINIFRED GLASS (New), blush tube and sepals; corolla rich carmine shaded with magenta; very free and pleasing. 3s. 6d.

*WYVERN, short tube and large rosy crimson sepals well-reflexed, long semi-double purple corolla. 2s. 6d.

Selections made from Mr. W. B.'s General Collection at 9s. and 12s. per dozen.

HYBRID FUCHSIAS AND SPECIES.

AMPLIATA, a handsome large scarlet-flowered species, introduced from the Andes. 5s.

BOLIVIANA GRANDIFLORA, bright vermilion, long tube and immense sepals and corolla. 5s.

CANARY BIRD, foliage golden yellow; tube and sepals scarlet; corolla dark purple. 1s. 6d.

CRIMSON BEDDER, a distinct variety with brouzy crimson leaves, the bright colouring of which will make it a useful, novel, and effective bedding plant; the flowers are pale red. 3s. 6d.

DEPENDENS, of free trailing habit and somewhat pendulous growth, dark crimson flowers. 2s. 6d.

GRACILIS VARIEGATA, an elegant variety; leaves broadly margined with white. 1s. 6d.

PROCUMBENS, a distinct and interesting species; the flowers are about three-quarters of an inch long; orange-yellow tube and sepals of a deep violet colour edged with green. 1s. 6d.

SPLENDENS, rich crimson flowers with the ends of the sepals light green. 1s. 6d.

SUNRAY, a beautiful plant, with leaves of a rich bright crimson, white and bronzy green, in about equal parts; the flowers are of fine form; scarlet tube and sepals; light purple corolla. 1s. 6d.

TRIPHYLLA, flowers at every growth in trusses of orange scarlet or Indian-red colour; a very distinct and beautiful species. 5s.

NEW AND CHOICE COLEUS.

ANACRÉON, large leaves, centre creamy white, veined clear red and maroon. 3*s*. 6*d*.
ANTIGONE, velvety maroon leaves, centre and nerves reddish magenta. 3*s*. 6*d*.
ARLEQUIN, leaves maculated and striated with gold, dark red and maroon. 3*s*. 6*d*.
GIL BLAS, leaves punctulated with gold, red and amaranth. 3*s*. 6*d*.
GRANITE, leaves reticulated and marbled with gold, red and purple. 3*s*. 6*d*.
JUVENAL, large leaves, centre reddish magenta, bordered with maroon. 3*s*. 6*d*.
MIDAS, dark red leaves veined with rose, bordered purple maroon. 3*s*. 6*d*.
PLATON, large leaves variegated with red, green, white and carmine. 3*s*. 6*d*.
RÉCAMIER, leaves large, centre dark red, maculated with maroon. 3*s*. 6*d*.
ROQUELAURE, clear gold, maculated and rayed with dark red and maroon. 3*s*. 6*d*.

ALARM, 1*s*.
ALPHONSE BERNOUD, 2*s*. 6*d*.
AMAZEMENT, 1*s*.
AURORA, 1*s*.
BAYARD, 3*s*. 6*d*.
BEAUMARCHAIS, 2*s*. 6*d*.
BEACON, 1*s*. 6*d*.
BUTTERFLY, 1*s*.
CAPTIVATION, 1*s*.
CARNIVAL, 1*s*. 6*d*.
CASCADE, 1*s*. 6*d*.
CELINE CHENU, 2*s*. 6*d*.
CHANCELLOR, 1*s*. 6*d*.
CHELSEA BEAUTY, 1*s*.
CLAIRE DE CHANDENEUX, 1*s*.

NEW AND CHOICE COLEUS—continued.

CLOWN, 1*s.*
COLIGNY, 3*s.* 6*d.*
COMTE DE SERVILLIERS, 3*s.* 6*d.*
COMTESSE A. DE MIREPOIX, 3*s.* 6*d.*
—— AGUADO, 1*s.*
—— DE KERCHOVE, 2*s.* 6*d.*
COMUS, 2*s.* 6*d.*
COUNSELLOR, 1*s.* 6*d.*
CORSAIR, 1*s.*
CRÉBILLON, 2*s.* 6*d.*
CUPID, 1*s.*
DISPLAY, 1*s.*
DOLLY VARDEN, 1*s.*
DUCHESS OF TECK, 1*s.*
ECLIPSE, 1*s.*
ELDORADO, 1*s.*
ELFRIDA, 1*s.*
EMBLEM, 1*s.*
EMILIE CHRÉTIEN, 2*s.* 6*d.*
ERNEST, 1*s.*
ERNST BENARY, 1*s.*
FAME, 1*s.*
FELIX ZAMAN, 2*s.* 6*d.*
FLAMBEAU, 1*s.*
GAIETY, 1*s.*
GEM, 1*s.*
GEORGE BOLAS, 1*s.* 6*d.*
GLITTER, 1*s.*
GLOW, 1*s.*
HARLEQUIN, 1*s.*
HEBE, 1*s.*
HERALD, 1*s.*
JAMES BARNSHAW, 1*s.*
JASON, 1*s.*
JOHN BENARY, 1*s.*
JUBILEE, 1*s.*
JUNO, 1*s.*
LADY BIRD, 1*s.* 6*d.*
LE COUTANCONNAIS, 1*s.*
LIGHTHOUSE, 1*s.* 6*d.*
LINDA, 1*s.* 6*d.*
LORD FALMOUTH, 1*s.*
LOUIS CHRETIEN, 2*s.* 6*d.*
LOUIS KETELEER, 2*s.* 6*d.*
LURLINE, 1*s.*
MADAME CARPENTIER, 2*s.* 6*d.*
MADAME DE LA LARDIÈRE, 2*s.* 6*d.*
MADEMOISELLE LUCIE THOMAS, 1*s.*
—— DE LA ROCHETTERIE, 2/6
—— JEANNE DE NADAILLAC, 3*s.* 6*d.*
MADONNA, 1*s.*
MAGIC, 1*s.*
MAGGIE, 1*s.* 6*d.*
MARINER, 1*s.*
MARQUIS DE NADAILLAC, 3*s.* 6*d.*
MARY BOLAS, 1*s.* 6*d.*
METIS, 2*s.* 6*d.*
MIRABEL, 1*s.* 6*d.*
MODEL, 1*s.* 6*d.*
MON CAPRICE, 2*s.* 6*d.*
M. BOUTARD, 2*s.* 6*d.*
M. CASIMIR PERIER, 1*s.*
M. COLMET D'AAGE, 1*s.*
M. DESBROSSES, 1*s.*
M. P. HOCHET, 1*s.*
M. THIBAUT, 1*s.*
MRS. G. SIMPSON, 1*s.*
MULTICOLOR SPLENDENS, 1*s.*
NIMROD, 1*s.*
NONSUCH, 1*s.*
NYMPH, 1*s.*
PAMELA, 1*s.* 6*d.*
PARAGON, 1*s.*
PEGASUS, 1*s.*
PERICLES, 1*s.*
PLACIDA, 1*s.*
POMPADOUR, 1*s.* 6*d.*
PRESIDENT DE LA ROCHETTERIE, 2*s.* 6*d.*
QUADRICOLOR, 1*s.*
RAINBOW, 1*s.* 6*d.*
ROYAL PURPLE, 1*s.*
ROYALTY, 1*s.*
RUBICON, 1*s.* 6*d.*
RUBY, 1*s.* 6*d.*
RUDE, 3*s.* 6*d.*
SCAPIN, 3*s.* 6*d.*
SENSATION, 1*s.*
SOUVENIR DE ARNHEM, 2*s.* 6*d.*
SOVEREIGN, 1*s.*
SOWTERI, 1*s.*
SPANGLE, 1*s.*
SPARKLER, 1*s.*
SPITFIRE, 1*s.* 6*d.*
STELLA, 1*s.*
SULTANA, 1*s.*
SYBIL, 1*s.*
THALIA, 3*s.* 6*d.*
THEOPHRASTE, 3*s.* 6*d.*
THESSA, 3*s.* 6*d.*
TINTORET, 2*s.* 6*d.*
TURBAN, 1*s.*
WIZARD, 1*s.*
ZELINDA, 1*s.*

NEW AND CHOICE BEDDING AND SOFT-WOODED PLANTS.

ABUTILON, of sorts, *vide* page 70.
AGERATUM, of sorts, 6*s.* per dozen.
ALTERNANTHERA, of sorts, 6*s.* per dozen.
BOUVARDIA ALBA ODORATA, 2*s.* 6*d.*
ALFRED NEUNER, 1*s.* and 1*s.* 6*d.*
CANDIDISSIMA, 1*s.* 6*d.*
CONSPICUA, 2*s.* 6*d.*
DAZZLER, 1*s.*
DAVIDSONI, 1*s.* 6*d.* and 2*s.* 6*d.*
ELEOANS, 1*s.*
FLAVESCENS, 1*s.* 6*d.*
HUMBOLDTII, 2*s.* 6*d.* and 3*s.* 6*d*
—— CORYMBIFLORA, 1*s.* 6*d.*
BOUVARDIA JASMINOIDES, 1*s.* and 1*s.* 6*d.*
JASMINOIDES LONGIPETALA, 1*s.* 6*d.*
LEIANTHA CINNABARINA, 3*s.* 6*d.*
LONOIFLORA FLAMMEA, 1*s.* 6*d.*
MAIDEN'S BLUSH, 1*s.* 6*d.*
PRESIDENT GARFIELD, 1*s.* and 1*s.* 6*d.*
PRIORY BEAUTY, 1*s.* 6*d.*
QUEEN OF ROSES, 1*s.*
ROSEA OCULATA, 1*s.*
UMBELLATA ALBA, 1*s.* 6*d.*
—— CARNEA, 1*s.* 6*d.*
UNIQUE, 2*s.* 6*d.*
VIVICANS, 2*s.* 6*d.*
VREELANDII, 1*s.*

BOUVARDIA ETNA.

A new variety, producing in the freest manner fine round umbels of large double flowers of a reddish vermilion colour. 7*s.* 6*d.*

BOUVARDIA FLAVESCENS FLORE PLENO.

A fine new variety of vigorous habit, giving large corymbs of large double flowers. The tube of the flower is of a sulphur yellow colour, the corolla being yellowish and the lobes large and regular. 10*s.* 6*d.*

DOUBLE BOUVARDIAS.

HOGARTHI FL. PL., a beautiful double-flowered form, of the useful and well-known *B. Hogarthi*, having the same vigour and the same free-flowering qualities as the type. The flowers are of a bright red colour, very double, and prettily imbricated. A most desirable acquisition. 3*s.* 6*d.*

SANG LORRAINE, a free-flowering variety, producing fine corymbs of large double flowers of a brilliant vermilion colour. 1*s.* 6*d.*

TRIOMPHE DE NANCY, a vigorous and floriferous variety, with large compact corymbs of well-formed double flowers of a beautiful orange salmon colour. 1*s.* 6*d.*

V. LEMOINE, the fine imbricated double flowers of this variety are of a fiery scarlet colour, produced in large corymbs in the freest manner, the plant being extremely floriferous. 1*s.* 6*d.*

BOUVARDIA THOMAS MEEHAN.

This new variety is a hybrid between *B. leiantha* and *B. Alfred Neuner*, and freely produces pretty bright red semi-double flowers. 1*s.* 6*d.*

CALADIUM ESCULENTUM.

An effective plant for sub-tropical gardening. 2*s.* 6*d.* and 3*s.* 6*d.*

CANNA IRIDIFLORA EHEMANNI, 3*s.* 6*d.*

CANNAS.

These are striking foliage plants, very effective for sub-tropical gardening and border grouping. 12*s.*, 18*s.* and 30*s.* per dozen.

CHRYSANTHEMUM FRUTESCENS, 1*s.*
FRUTESCENS ALICE CROUSSE, 1*s.* 6*d.*
—— COMTE DE CHAMBORD, 1*s.* 6*d.*
CHRYSANTHEMUM FRUTESCENS ETOILE D'OR, 1*s.* 6*d.*
CARNATIONS, Tree of sorts, 30*s.* and 42*s.* per doz.

DAHLIAS.

Choice Exhibition Varieties, 9*s.*, 12*s.*, 18*s.* and 30*s.* per dozen.
Choice Exhibition Varieties, Fancy Flowers, 9*s.*, 12*s.*, 18*s.* and 30*s.* per dozen.
Dwarf Bedding Varieties, 9*s.* and 12*s.* per dozen.
Bouquet or Pompon Varieties, 9*s.* and 12*s.* per dozen.
Single-Flowered Dahlias, 9*s.*, 12*s.* and 18*s.* per dozen.

ECHEVERIAS, *vide* page 139.

GAILLARDIA ADMIRATION.

A very fine free-blooming variety, producing large reddish crimson flowers bordered with citron-yellow. 2*s.* 6*d.*

HELIOTROPE ALBERT DÉLAUX.

A dwarf-habited variety of free growth, producing profusely fine heads of bloom of a violet colour shaded with rose, deliciously fragrant; the foliage is beautifully marbled with golden yellow; a charming novelty. 5*s.*

HELIOTROPE PRESIDENT GARFIELD, 1*s.*
WHITE LADY, 1*s.*
HELIOTROPIUM INCANUM, 3*s.* 6*d.*
LANTANAS, of sorts, 18*s.* per dozen.

LOBELIA SYPHILITICA.

These are perennial, perfectly hardy and wonderfully effective. The flowers are borne in spikes 12 to 18 inches long; varying from white, through every shade of ruby and purple, to brilliant crimson or scarlet crimson.

AMETHYST, deep purplish-blue
APOLLO, rosy-purple, medium size
ARGUS, bluish-purple, distinct eye
DON JUAN, mauve-purple
EMPRESS, rosy-purple
JASON, rosy-purple, white centre
JUPITER, rosy-purple, medium size
LANCELOT, purplish-rose, white eye
NIZZA, large crimson-purple flowers; very brilliant
ORION, crimson-scarlet
PALLIDA, bluish-lilac, medium size
PURPLE EMPEROR, deep rosy-purple
QUEEN OF WHITES, pure white; fine
REGINA, lilac-purple
RUBY, ruby scarlet
STROMBOLI, magenta; very large
VESTA, magenta, distinct white eye
VESUVIUS, deep crimson-scarlet

The above 2*s.* 6*d.* each; 24*s.* per dozen.



IBERIS SEMPERVIRENS FLORE-PLENO.
This pretty double variety of the well-known perennial Candytuft will be found a most desirable and welcome addition. Its beautiful white flowers are borne in the greatest profusion, and being most persistent, will be found of the greatest value for cut purposes. 2*s.* each.

MIMULUS.

The new and improved varieties of this showy flower are very handsome, many of them blotched or freckled and spotted, on white, sulphur and yellow grounds; the lobes margined with crimson and maroon. Selections at 9*s.*, 12*s.* and 18*s.* per dozen.

MIMULUS GRANDIFLORUS BRILLIANT, freely produces large and finely-formed flowers of an intense bright crimson colour. Awarded a First Class Certificate by the Royal Horticultural Society. 2*s.* 6*d.*

MIMULUS MOSCHATUS.

GRANDIFLORUS, a new and robust hybrid Musk, an excellent bedding plant, freely producing large pure yellow flowers of fine shape. Awarded First Class Certificate by the Floral Committee of the Royal Horticultural Society. 2*s.* 6*d.*

RUBER, this remarkable novelty is a hybrid Musk of very dwarf and compact growth, producing large flowers of a reddish buff colour. 2*s.* 6*d.*

PENTSTEMON FOLIO-VARIEGATIS.

A pretty variety with purple flowers, the foliage being variegated in a most pleasing manner with yellow and cream colour. 3*s.* 6*d.*

PENTSTEMONS.

The modern varieties of Pentstemons are exceedingly attractive as decorative plants, either for flower-beds or borders, their cultivation being of the easiest description, while they are suitable to almost any soil, and their large and showy flowers are given with a remarkable redundancy from June to September. Choice sorts, 12*s.* and 18*s.* per dozen.

PETUNIAS—New Double Varieties.

ARLEQUIN, enormous very double white flowers, blotched with bluish violet; petals fimbriated. 3*s.* 6*d.*
CRATÈRE, large fimbriated crimson purple flowers. 3*s.* 6*d.*
LE BLASON, very double flowers, clear violet veined with purple. 3*s.* 6*d.*
LE TITAN, immense double flowers, lilac with violet veins; the ends of the petals white. 3*s.* 6*d.*
MILTON, enormous flowers, creamy white, sometimes blotched with lilac. 3*s.* 6*d.*
MONT-VALÉRIEN, fine fimbriated flowers, white, reticulated and veined with purple. 3*s.* 6*d.*
OTHELLO, whitish lilac and rose, centre veined with purple. 3*s.* 6*d.*
PRIAM, large fimbriated plum coloured flowers. 3*s.* 6*d.*
PROTÉE, flowers beautifully fimbriated, violet purple shaded with crimson and maculated with white. 3*s.* 6*d.*
RAPHAEL, very double flowers, bluish violet, maculated white. 3*s.* 6*d.*

Choice Selections of Double-flowered kinds, including blotched, fringed and variegated varieties, 18*s.* and 30*s.* per dozen; choice new kinds, 42*s.* per dozen.
Choice Selections of Single-flowered kinds, including striped and blotched varieties, 12*s.* and 18*s.* per dozen.

PHLOXES (HERBACEOUS).

Selections of good and choice kinds at 12*s.* and 18*s.* per dozen.

SALVIA Bethelii, 1*s.*
boliviensis, 1*s.*
cælestina, 1*s.* 6*d.*
Gesneræflora, 1*s.*
M. Issanchou, 1*s.* 6*d.*
patens, 6*d.*
Pitcheri, 1*s.* 6*d.*
SALVIA rutilans, 1*s.* 6*d.*
splendens, 1*s.*
splendens Bruantii, 1*s.*
SAXIFRAGA Wallacei, 1*s.* 6*d.*
SEMPERVIVUM chrysanthum, 2*s.* 6*d.*
Haworthii, 1*s.*
TROPÆOLUM Clarkei, 1*s.* 6*d.*

PLANTS FOR SUB-TROPICAL GARDENS.

These have either ornamental and attractive foliage, or are of graceful habit and growth, such as Bamboos, &c., and are very effective when planted in groups; many of them forming striking objects as single specimens. **Good Selections made at 30s. and 42s. per dozen.**

"The Calceolaria you sent me last year turned out very good, the blooms were large and beautiful."

"The Calceolaria from the seed we had from you are the finest we have ever seen in this locality; they have been much admired; hope you can send the same strain again."

"The Calceolaria has been all that could be desired."

"The Calceolaria seed we received from you has given our customers the greatest satisfaction, and we have much pleasure in recommending it."

"The Calceolaria I had from you proved a first-rate strain."

"The seeds I had from you I am happy to say turned out well, especially the Primula, Calceolaria, and Cineraria."

CALCEOLARIA, HERBACEOUS (Bull's Prize Strain.) *Vide* page 153.

"The Premier mixture of Primula that we had from you last season has turned out to be extremely fine, especially the doubles. Please send us another packet."

"Your Primulas have been a splendid lot, strong in growth, throwing their flowers well above the foliage, a capital strain."

"The Primulas from seed we had from you turned out to be extremely fine."



"I have had some flowers 2½ in. in diameter on your Primulas, and of good substance, and the plants 18 in. across."

"We have much pleasure in informing you that the Primula seed which we had of you has given great satisfaction to our customers."

"My Primulas from your seed were the admiration of everyone who saw them."

PRIMULA SINENSIS FIMBRIATA. For choice varieties, *vide* page 153.

"The Cineraria seed sent me last year has given great satisfaction, the flowers have been rich in colour, remarkably large, and from 2 to 2½ in. in width; they have been greatly admired, and said to be the finest strain seen in this locality."

"The Cineraria seed which you sent me has given great satisfaction; the plants have been admired by all who have seen them."

"Your strain of Cineraria has been exceedingly fine with me this season; the flowers have been rich in colour, varied, and remarkably large."

"The Cineraria seed I had from you was a really good strain."

"The plants from the Cineraria seed you sent us were admired by every one who saw them."

CINERARIA (Bull's Prize Strain.) *Vide* page 153.

Mr. WILLIAM BULL'S SEED CATALOGUE,

Published in January, contains descriptions and prices of all the most desirable novelties in Flower and Vegetable Seeds, and includes descriptions and prices of the best and most popular seeds that can be offered for the Kitchen Garden, Flower Garden, Conservatory, &c., &c.

SEEDS FROM PRIZE STRAINS.

	Per pkt.—s.	d.
ABUTILON, new varieties, extra choice ..	1	0
Auricula, Alpine, very fine strain.. 1*s.* &	1	6
Balsam, Camelia-flowered..	1	0
BARTONIA AUREA, orange	0	3
BEGONIA HYBRIDA GIGANTEA, the flowers, which are produced in great abundance, are of gigantic size, measuring 4 to 5 inches, and of various and attractive colours 1*s.* 6*d.*, 2*s.* 6*d.* &	5	0
Begonia, ornamental foliaged varieties ..	2	6
Calandrinia umbellata, crimson	0	6
CALCEOLARIA, HERBACEOUS, Bull's Prize Strain .. 1*s.* 6*d.*, 2*s.* 6*d.* &	5	0
Calliopsis bicolor, yellow and brown ..	0	3
Candytuft, dark crimson	0	3
—— **Tom Thumb**, white	0	6
CARNATION, Bizarre .. 2*s.* 6*d.* &	5	0
Flaked .. .. .. 2*s.* 6*d.* &	5	0
Self or Fancy .. .. 2*s.* 6*d.* &	5	0
CINERARIA, extra choice mixed 1*s.* 6*d.* &	2	6
—— **hybrida grandiflora nana** 2*s.* 6*d.* &	3	6
Cockscomb, Glasgow prize	1	0
Collinsia bicolor, purple and white ..	0	3
CYCLAMEN PERSICUM, prize strain, finest, mixed colours .. 1*s.* 6*d.* &	2	6
—— —— **giganteum** *(grandiflorum)* ..	2	6
—— —— **Charming Bride**	2	6
DAHLIA, single, choice mixed	1	0
Daisy, double, extra choice mixed ..	0	6
Erysimum arkansanum, yellow	0	3
Eschscholtzia carminea, carmine rose ..	0	6
—— **mandarin**, orange	0	6
Gilia tricolor, white, lilac and purple ..	0	3
—— —— **alba**, white	0	3
GLOXINIA, extra choice hybridised ..	2	6
—— finest spotted	2	6
—— **grandiflora erecta**	2	6
—— —— **pendula**	2	6
Godetia, Duchess of Albany	0	6
—— Lady Albermarle	0	6
Hollyhock, extra choice mixed	1	6
Kaulfussia amelloides, blue	0	3
Larkspur, Dwarf Rocket, finest mixed ..	0	3
LAVATERA ARBOREA VARIEGATA ..	1	0
Leptosiphon densiflorus, purple	0	3
—— —— **albus**, white	0	3
Lobelia erinus speciosa	0	6
—— —— Glow-worm	1	0
—— **pumila, Brighton Gem**	1	0
Lupinus nanus, blue and white	0	3
Mignonette, Golden Queen	1	0
—— **Machet**..	1	0

	Per pkt.—s.	d.
Myosotis alpestris, Victoria (new) ..	1	0
—— **dissitiflora**	1	0
—— **sylvatica**	0	6
Nemophila insignis, blue, with white centre	0	3
PANSY, ASHBURNHAM STRAIN ..	2	6
—— **Borcatton Strain**	2	6
PEAS, SWEET, Duchess of Edinburgh (new)	1	6
—— —— **Imperial Blue** (new)	1	6
—— —— **Isa Eckford** (new)	1	6
—— —— **Orange Prince** (new)	1	6
—— —— **The Queen** (new)	1	6
—— —— CARDINAL	1	0
—— —— INDIGO KING	1	0
—— —— PRINCESS OF WALES	1	0
—— —— **Eckford's mixed**	1	0
PELARGONIUM, Gold and Bronze, from named varieties .. 1*s.* 6*d.* &	2	6
Ivy-leaved, from named varieties ..	2	6
Show, from named varieties	2	6
PETUNIA, choice hybridised	1	0
INIMITABLE FLORE PLENO, very choice, 1*s.* 6*d.* &	2	6
Picotee, Dodwell's Prize Strain 2*s.* 6*d.* &	5	0
Pink, finest laced varieties .. 2*s.* 6*d.* &	5	0
Platystemon californicum, yellow ..	0	3
Polyanthus, choice mixed	0	6
—— **gold laced**	1	0
Primula rosea	1	0
—— SIN. FIMBRIATA FULGENS (new) ..	3	6
—— —— MONT BLANC	2	6
—— —— SPLENDIDA	2	6
—— —— ALBA .. .. 1*s.* 6*d.* &	2	6
—— —— RUBRA .. .. 1*s.* 6*d.* &	2	6
—— —— BULL'S PREMIER MIXTURE, 1*s.* 6*d.* &	2	6
—— —— ALBA OCULATA LUTEA	2	6
—— —— PUNCTATA ELEGANTISSIMA ..	2	6
—— —— STRIATIFLORA	2	6
—— —— VIOLACEA	2	6
—— —— ALBA FLORE PLENO 2*s.* 6*d.* &	3	6
—— —— RUBRA FLORE PLENO 2*s.* 6*d.* &	3	6
—— —— FLORE PLENO PRINCE ARTHUR, 3*s.* 6*d.* &	5	0
PYRETHRUM AUREUM SELAGINOIDES ..	1	0
Stock, East Lothian, crimson	1	0
—— —— purple	1	0
—— —— scarlet	1	0
—— —— white	1	0
Wallflower, Double German, choice mixed	1	0
—— **Harbinger**, fine dark red	0	6
—— **Belvoir Castle**..	0	6

GLADIOLUS.

(HYBRIDS OF GANDAVENSIS.)

There are few flowers more showy and beautiful than the Gladiolus, and the varieties of the *Gandavensis* section are perfectly hardy and easily grown, whilst their erect and stately growth, and long spikes of flowers, developing themselves successively, never fail to win admirers.

To facilitate the cultivation of this highly decorative plant, a few remarks may be necessary to some :—

The best and safest time for planting is from the beginning of April to the end of May, when a continuous bloom may be assured from July to September.

Soil is not much a point for consideration, so long as it is not stiff and consolidated; but it is important that it should be deeply dug previous to planting.

Large bulbs should be planted from 3 to 4 inches, and smaller bulbs 2 inches deep.

During excessively dry weather, copious waterings are recommended.

When any bulbs show signs of growth before the time mentioned above, they should be potted and kept in a cool frame until the proper season for planting out.

CHOICE GLADIOLUS.

This beautiful tribe of plants should be largely planted everywhere, because—

They are perfectly hardy and easily grown.

They are gorgeously beautiful.

Their handsome spikes of flowers are useful for decorating vases and epergnes.

Their flower buds expand and last a long time when cut and placed in water.

They are charming when introduced into borders among Evergreens.

Planted by hundreds among Rhododendrons, they brighten and enliven the beds during the summer and autumn months.

Orders are booked throughout the year at the following prices, and the bulbs supplied in January, February or March.

100	in 12	Choice named varieties	50s.
100	,, 20	Ditto, ditto	80s.
100	,, 50	Ditto, ditto	100s
100	,, 25	New and extra choice named varieties	120s.
50	,, 12	Extra choice named varieties ..	40s.
50	,, 25	New and extra choice named varieties	60s.
24	,, 8	Choice named varieties	15s.
24	,, 12	Extra choice named varieties ..	20s.
24	,, 12	New and extra choice named varieties	30s.
12	,, 12	Ditto, ditto	15s.
12	,, 12	Choice named varieties	9s.
12	,, 6	Ditto, ditto	6s.

GLADIOLUS, Finest Mixed Hybrids.

Various colours, 14*s.* per 100; 2*s.* per dozen.

GLADIOLUS BRENCHLEYENSIS.

This beautiful and showy bright scarlet species is most effective when planted in quantity in beds or borders. Gigantic selected bulbs by the 100 or 1,000 at 1*d.* each.

GLADIOLUS.

Early Flowering Varieties.

Ready for delivery the end of September.

	Per doz.	Per 100.
CARDINALIS, fiery scarlet, with white stripe	2/-	15/-
COLVILLI, purplish lilac	9*d.*	3/6
,, **ALBUS** (The Bride), Produces charming spikes of pure white flowers, specially useful for cutting, easily grown in pots or borders	2/-	15/-
FAIRY, pure white, the three lower petals beautifully blotched with deep rosy crimson, very pretty	5/-	40/-
INSIGNIS, scarlet tinged purple ..	2/-	15/-
QUEEN VICTORIA, deep red, shaded scarlet, white blotch	1/9	12/-
ROSEO MACULATUS, salmon scarlet, flakes white, with dark shading ..	3/-	21/-
ROSY GEM, delicate pink, invaluable for cutting	1/6	10/6

WILLIAM BULL, F.L.S.,

RESPECTFULLY INVITES THE NOBILITY AND GENTRY ABOUT TO FURNISH CONSERVATORIES TO AN INSPECTION OF THE

MAGNIFICENT SPECIMEN ORNAMENTAL PLANTS

IN HIS

WINTER GARDEN,

SOME OF WHICH ARE THE MOST HANDSOME IN EUROPE,

COMPRISING

PALMS, LAPAGERIAS, CYCADS, PHORMIUMS,
ENCEPHALARTOS AND DRACÆNAS,

AND

THE LARGEST AND BEST STOCK IN EUROPE

OF

TREE FERNS,

Well Established, with Handsome and Graceful Heads.

THE COLLECTION OF

CYCADACEOUS PLANTS

Is unequalled in extent, and in the Size and Beauty of the Specimens.

NEW PLANTS

Introduced and sent out for the first time in 1883.

ADIANTUM OBLIQUUM MINUS
ALPINA MUTICA
ANTHURIUM HARRISII PULCHRUM
—— MACROLOBUM
—— SPLENDIDUM
—— TRIUMPHANS
ARALIA LONGIPES
—— ROTUNDA
BEGONIA RUBELLA
CALAMUS TRINERVIS
CALODENDRON CAPENSE
CROTON AUREO-PUNCTATUS
—— CRŒSUS
—— EMINENS
—— RECURVATUS
DIEFFENBACHIA REGINA
—— REX
DRACÆNA DIANA
—— PICTURATA
—— PLACIDA
—— VENOSA
EPACRIS ONOSMÆFLORA FLORE PLENO ALBA
—— —— —— —— NIVALIS
EUCHARIS SANDERII
HELICONIA NITENS
LASTREA PROLIFICA
LAVATERA ARBOREA VARIEGATA
MASDEVALLIA HARRYANA ACANTHIFOLIA
MASDEVALLIA HARRYANA CONCHIFLORA
—— —— REGALIS
PANAX DIFISSUM
—— DUMOSUM
—— VICTORIÆ
PHŒNIX COMPACTA
—— HYBRIDA
—— INTERMEDIA
POLYGONUM MULTIFLORUM
POLYSTICHUM POLYBLEPHARUM
SELAGINELLA CANALICULATA
—— INVOLVENS VARIEGATA
TACCARUM WARMINGIANUM
TILLANDSIA HIEROGLYPHICA.

NEW PLANTS

Introduced and sent out for the first time in 1884.

Abroma sinuosa
Acalpha obovata
Alocasia Sanderiana
Anthurium intermedium
Begonia Beddomei (assamica)
—— hybrida coccinea
—— sceptra
Calamus sikkimensis
Calpioarpum ornatum
Chamædorea polita
Cheilanthes chlorophylla
Croton excurrens
—— ruberrimus
—— sceptre
Cupania grandidens
Cyathea spinulosa
Deyeuxia elegans variegata
Dracæna Claudia
—— madagascariensis
—— Plutus
Elæocarpus grandis
Faradaya papuana
Hæmanthus insignis
Hibiscus chrysanthus
Hoya Cumingiana
Hymenosporum flavum
Impatiens cuspidata
Maranta argentea
—— gratiosa
—— musaica
—— nitida
—— polita
—— speciosa
Marcgravia indica
Masdevallia torta
Mussænda theifera
Panax elegans
—— fissum
Pandanus discolor
Phyllagathis gymnantha
Pleroma marmorata
Pothos flexuosus
Ptychosperma singaporensis
Sarracenia Atkinsoniana
—— excellens
—— exculta
—— exornata
—— formosa
—— illustrata
—— Maddisoniana
—— Mitchelliana
—— rubra acuminata
—— Swaniana
—— Tolliana
—— Wilsoniana
Schismatoglottis decora
Scindapsus argyræus
Selaginella amœna
—— coonata
—— Pervillei
Smilax auriculata
Spathoglottis pacifica
Spiræa astilboides
Trevesia eminens.

NEW PLANTS

Introduced and sent out for the first time in 1885.

Ardisia picta
Arisæma fimbriatum
Begonia albo-picta
Bignonia regalis
Camoënsia maxima
Clerodendron delectum
Crinum Sanderianum
Curculigo densa
Dichæa vaginata
Dracæna excellens
Erythrina vespertilio
Govenia deliciosa
Heliotropium incanum
Hemigraphis colorata
Ixora eminens
—— gemma
Maranta conspicua
Nepenthes Rafflesiana insignis
Odontoglossum vexillarium insigne
Philodendron nobile
Pinanga Sanderiana
Schismatoglottis siamensis
Styrax californica

NEW PLANTS

Introduced and sent out for the first time in 1886.

Anthurium Chelseiense
Aristolochia elegans
Begonia compta
—— decora
Clerodendron Minahassæ
Cotoneaster Fontanesii
Dendrobium Parthenium
Eranthemum macrophyllum
—— velutinum
Eucharis Mastersii
Gymnadenia macrantha
Impatiens Hawkerii
Ixora conspicua
—— speciosa
Palicourea jugosa
Pinanga spectabilis
Selaginella flagellifera
Smilax discolor.
Tecoma amboinensis
Thunia Marshalliana ionophlebia
Zalacca nitida

NEW PLANTS.

Introduced and sent out for the first time in 1887.

Adiantum assimile cristatum
Alocasia grandis
Aphelandra chrysops
Aristolochia ridicula
Begonia egregia
Bougainvillea refulgens
Clerodendron Rumphianum
Corypha decora
Costus mosaicus
Croton Beauty
Croton Newmanii
—— Sunshine
Cypipedium amandum
—— concinnum
—— regale
Hæmanthus abyssinicus
Heliconia brevispatha
Lastrea Jemmani
Maranta iconifera
Nephthytis picturata
Pancratium guianensis
Pothos aroenteus
—— nitens
Pteris tremula grandiceps
Rhododendron albescens
—— graveolens
Selaginella tassellata
Thunia Marshalliana tricolor

MR. WILLIAM BULL'S SEED CATALOGUE,

Published in January, contains descriptions and prices of all the most desirable novelties in Flower Seeds, saved from extra fine carefully selected stocks. Also Ornamental-foliaged Plants, so much used for sub-tropical gardening.

Descriptions and prices of the best and most popular seeds that can be offered for the Kitchen Garden, Flower Garden, Conservatory, &c., &c.

MR. WILLIAM BULL'S BULB CATALOGUE,

Published in September, contains Priced Lists of all the finest Dutch and other Flower Roots, selected from the Stocks of the best Continental Bulb Growers, including Hyacinths, Tulips, Crocus, Narcissi, Liliums, &c., with a choice selection of other Bulbous and Tuberous-rooted Plants.



FOREIGN ORDERS.

Plants, seeds, &c., for transmission abroad, selected and packed with the greatest possible care in Bull's Patent Plant Cases or closed boxes, according to the nature of the goods, and despatched by the best Routes, Mail Steamers, Clipper Ships and Railways to any part of the world.

A REMITTANCE MUST ACCOMPANY ALL FOREIGN ORDERS.

EXPORTING.

Mr. W. B. is continually receiving the most gratifying accounts of the excellent condition in which both the plant and seed orders entrusted to him reach their destinations, and the satisfaction given by the selections made.

Post-office Orders to be made payable at 365, KING'S ROAD, CHELSEA, S.W.
Cheques to be crossed "LONDON JOINT STOCK BANK."
Telegraphic Address: "**WILLIAM BULL, LONDON.**"

Nearly 100,000 Superficial Feet of Glass at Mr. WILLIAM BULL'S Establishment filled with New and Rare Plants.

INDEX.

PAGE

Abroma 14
Abyssinian Banana 61 & 80
Abutilon 70
Acalypha 14
Achimenes 106
Acineta 82
Acmena ovata 50
Acropera 82
Ada 82
Adiantum .. .. 118 & 120
—— assimile cristatum 9
Æchmea 14
Aërides .. .. 82 & 83
Agapanthus .. 50 & 52
Agave 52
Aglaonema 14
Allamanda 14
Alocasia 14
—— grandis 9
—— Sanderiana 13
Alpinia 14
Alsophila .. .. 120 & 121
Althæa, *vide* Hibiscus .. 72
Amaryllis .. 14, 16 & 71
Amasonia 16
Amorphophallus .. 16 & 52
Amygdalus 71
Ananassa 16
Anchomanes 16
Andropogon 16
Angectochilus 83
Anemidictyon 118
Angræcum 83
Anguloa 83
Anthurium 15 to 17 & 19
—— Andreanum 16
—— Chelseiense 15
—— insigne 16
—— intermedium .. 16
—— splendidum 16
Antigonon 19
Aphelandra 19
—— chrysops 9
Aralia .. 19, 52 & 71
Araucaria 52
Ardisia 19
Areca 126
Arenga 126
Arisæma fimbriatum .. 19
Aristolochia .. 18 & 19
—— elegans 18
—— ridicula 9
Arpophyllum 83
Artanthe 19
Artocarpus 19
Asparagus .. .. 51 & 52
—— plumosus 52
—— —— nanus 51
—— tenuissimus 52
—— virgatus 52
Asplenium .. .. 118 & 120
Astrocaryum 126
Ataccia 19
Aucuba 71
Azalea .. 11, 52, 53 & 71
—— balsaminæflora .. 53
—— New Hybrid .. 11
Bambusa 71
Barkeria 83

PAGE

Barleria 19
Batatas 19
Bauhinia 19
Beaumontia 19
Bedding Plants .. 149 to 151
Begonia .. 9, 135 to 139
—— albo picta 138
—— compta 137
—— decora 139
—— egregia 9
—— sceptra 139
—— handsome-flowered 135 & 136
—— variegated foliaged 137 to 139
—— winter-blooming .. 139
Beloperone 19
Berberis 71
Bertolonia 19
Bignonia .. 19, 52 & 71
—— magnifica 19
—— regalis 19
Billbergia 19
Blandfordia .. 52 & 54
Bletia 83
Bomarea 55
Bougainvillea .. 9 & 19
—— refulgens 9
Bouvardia .. .. 149 & 150
Bowenia 126
Brasavola 83
Brassia 83
Broughtonia 83
Brownea 21
Brugmansia 55
Brunsvigia, *vide* Amaryllis
Burbidgea 21
Burchellia 21
Burlingtonia 83
Caladium .. .. 132 to 135
Calamus 126
Calanthe .. .. 83 & 84
Calliphruria 21
Calodendron capense .. 55
Calpicarpum 21
Camarotis 84
Camellia 55
Camoënsia maxima .. 20
Campsidium 21
Canna 150
Capparis 21
Carludovica 126
Catasetum 84
Cattleyà .. .. 84 to 86
Ceratozamia 127
Chamælcladon rubens .. 21
Chamærops 127
Chevalliera 21
Chirita 21
Chrysanthemum, Chinese or Large-flowered . 140, 141, 143 & 144
—— New .. .. 140 & 141
—— frutescens 150
—— Japanese .. 140 to 144
—— Pomfon .. 140 to 144
Chysis 86
Cibotium .. .. 118 & 120
Cienkowskia 21

PAGE

Cinnamomum 21, 71 & 80
Cirrhæa 86
Cissus .. .. 21 & 55
Clematis .. .. 55 & 71
Clerodendron 21
—— delectum 21
—— macrosiphon 21
—— Minahassæ 21
—— Rumphianum .. 9
Cleyera 55
Cocos Weddelliana .. 127
Cœlogyne 87
—— cristata hololeuca (alba) 87
Coffea .. 20, 80 & 81
Colax 87
Coleus .. .. 148 & 149
Comparettia 87
Contoneaster Fontanesii 71
Corypha, *vide* Livistona .. 129
Corypha decora 10
Costus mosaicus 10
Crinum ..21, 23, 55, & 72
—— Augustum 21
Crossandra 23
Croton .. 10, 22 to 25
—— Beauty 10
—— Chelsoni 23
—— elegantissimus .. 22
—— illustris 24
—— insignis 25
—— Newmanii 10
—— ornatus 25
—— ruberrimus 25
—— Sunshine 10
Cryptochilus 87
Cupania 26
Curculigo 26
Curcuma 26
Curmeria 26
Cyanophyllum 26
Cyathea .. .. 117 & 120
—— dealbata .. 117 & 120
—— Dregei .. 117 & 120
Cycas .. .. 55 & 127
Cyclamen .. .. 57 & 72
Cycnoches 87
Cymbidium .. .. 87 & 88
Cyperus 26
Cyphomandra 26
Cypripedium 87, 89 & 90
—— amandum 10
—— concinnum 10
—— hardy varieties .. 72
—— regale 10
Cyrtodeira 26
Cyrtopodium 90
Cyrtosperma 26
Dæmonorops, *vide* Calamus
Dahlia .. .. 57 & 150
Dalechampia 26
Davallia .. 118, 119 & 120
—— fijiensis plumosa .. 119
Davidsonia pruriens 26 & 81
Dendrobium .. 90 & 91
Dendrochilum .. 91 & 92
Desmoncus 127
Deyeuxia elegans variegata 56

INDEX—*continued.*

PAGE

Dichæa vaginata 92
Dicksonia .. .. 117 & 120
—— antarctica .. 117 & 120
Dieffenbachia .. 26 to 28
—— Regina 27
—— Rex 28
—— splendens 26
—— triumphians 27
Dionæa muscipula .. 57
Dioon edule 127
Dioscorea .. .. 27 & 29
Dipladenia 29
—— Brearleyana .. 29
Dipterix 29
Disa 92
Doodia aspera multifida 120
Dorstenia .. .. 29 & 80
Doryanthes 57
Double-flowered Epacris 57 & 58
—— —— Ivy-leaved Pelaroonium 112
—— —— Zonal Pelaroonium 114
Dracæna .. 29, 30 & 57
—— fragrans variegata 29
—— Goldieana 30
—— Lindeni 29
Dracontium 29
Drosera 57
Drymonia 32
Drymophlœus 127
Echeveria 139
Echites 32
Elæocarpus .. 32 & 57
Encephalartos 128
Encholirion 32
Epacris .. .. 57 & 58
—— double .. 57 & 58
Epidendrum 92
Epipremnum mirabile .. 32
Eranthemum 32
—— macrophyllum .. 32
—— velutinum 32
Erythrina .. .. 32 & 57
Erythroxylon Coca 32 & 80
Euadenia eminens .. 32
Eucalyptus 59
—— citriodora 59
—— ficifolia 59
Eucharis .. .. 31 & 32
—— candida 32
—— Mastersii 31
—— Sanderii 32
Eucodonia 106
Euoenia 32
Eulalia 72
Eulophia 92
Euphorbia 32
Eurycles .. .. 32 & 33
Exostemma 32
Faradaya 35
Ferns .. .. 116 to 122
Ficus 34, 35, 59, 80 & 81
—— exsculpta 34
Fittonia 35
Flax, New Zealand .. 61
Franciscea 35
Fraxinus 72
Freesias 59
Fuchsia .. .. 145 to 147

PAGE

Galactodendron .. 35 & 81
Galeandra 92
Garcinia .. .. 35 & 81
Gardenia 35
Geonoma 128
Geranium, *vide* Pelargoniums .. 108
Gesnera 35, 106 & 107
Gladiolus .. .. 72 & 154
Gleichenia 120
Glonera 35
Gloriosa 35
Gloxinia 107
Godwinia oioas 35
Gomphia 35
Gonoora 92
Goniophlebium 119
Goodyera 92
Govenia deliciosa .. 92
Grammatophyllum Ellisii 92
Graptophyllum 35
Greenhouse Plants 50 to 67
Grevillea 59
Griffinia 35
Gymnadenia macrantha .. 92
Gymnogramma 119
Habrothamnus 59
Hæmanthus 35
—— abyssincus 10
Hardy Plants .. 71 to 80
Hartwegia 92
Hedychium 35
Helcia 92
Heliconia .. .. 10 & 35
—— brevispatia 10
Heliotropium 150
Hemigraphis 35
Heterospathe elata .. 128
Hibiscus 35 to 37, 39, 59 & 72
—— syriacus 72
Hippeastrum, *vide* Amaryllis 14, 16 & 71
Hoffmannia 39
Houlletia 92
Hoya 39
Hydranoea .. 59 & 72
Hymenosporum 39
Imantophyllum .. 59 & 60
Impatiens .. .. 38 & 39
—— Hawkerii 38
Ionopsis 92
Ipomœa 39
Iris .. .. 60, 72 & 73
—— German 72
—— Kæmpferi 73
Isoloma 39
Ivy-leaved Pelarooniums 112 & 113, 116 & 117
Ixora .. .. 39 to 41
—— conspicua 39
—— eminens 41
—— gemma 41
—— speciosa 41
—— splendida 40
Jacaranda 41
Jasminum .. .. 41 & 60
Jatropha 41
Juncus zebrinus, *vide* Scirpus
Justicia 41
Kentia 128
Kæmpferia 41

PAGE

Lælia .. .. 92 & 93
Lamprococcus 42
Landolphia 42
Lapageria 60
—— alba 60
—— rosea 60
Laportea 42
Lasiandra 60
Lastrea .. 119, 120 & 122
—— Jenmani 11
Latania, *vide* Livistona .. 129
Lavatera 60
Leptotes 93
Liberian Coffee .. 21 & 81
Lilacs, new double 76, 78 & 79
Lilium .. .. 73 to 75
—— auratum 73
—— longiflorum floribundum 74
—— Neilgherrense .. 74
Limatodis 93
Livistona 129
Lobelia 150
Lomaria .. .. 119 & 120
Luisia 93
Lycaste .. .. 93 & 94
—— Skinneri 94
Lycopodium, *vide* Selaginella .. 123
Mackaya bella 61
Macrozamia 129
Magnolia .. 42, 61 & 75
Manettia 42
Maranta .. .. 11 & 42
—— iconifera 11
Marcgravia 42
—— indica 42
Mascarenhasia 42
Masdevallia .. 94 to 96
—— Harryana acanthifolia .. 94
—— —— conchiflora .. 95
—— —— regalis .. 95
Maxillaria 96
Medicinal and Officinal Plants .. 80 & 81
Medinilla 42
—— amabilis 42
Mesospinidium 96
Microstylis 96
Miltonia 96
Monolophus 42
Monstera 42
Mormodes 96
Musa .. 42, 61, 80 & 81
—— uranoscopas 42
Mussænda 42
Myrtus 61
Nægelia, *vide* Gesnera .. 106
Napoleona 42
Nanodes 96
Nepenthes .. .. 43 & 44
—— Rafflesiana insignis 43
Nephrodium .. 119 & 120
Nephrolepis 119
Nephthytis liberica .. 42
—— picturata 11
Nerine 61
New Plants .. 155 & 156
—— —— announced for the first time .. 3 to 12

INDEX—*continued.*

PAGE

New Greenhouse Plants 50 to 67
—— Hardy Plants 71 to 80
—— Stove Plants 13 to 50
Nidularium 42
Noseoay Pelarooniums .. 112
Odontoolossum .. 96 to 100
—— crispum (Alexandræ) 97
—— vexillarium .. 100
—— —— insione.. .. 99
Officinal and Medicinal Plants .. 80 & 81
Oncidium .. .. 100 to 102
—— macranthum 101
Ophiopooon 61
Orchids .. .. 82 to 105
Oxalis 42
Palicourea juoosa .. 44
Palisota 44
Palms, Cycads, &c. 125 to 131
Palumbina 102
Panax .. .. 44 & 45
—— Victoriæ 45
Pancratium 44, 47 & 61
—— caribbæum 44
—— ouianensis 11
Pandanus 47
Panicum, *vide* Oplismenus 42
Paphinia 102
Parmenteira 47
Passiflora 47, 61, 75, 80 & 81
Paullinia 47
Pavetta 47
Pavonia 47
Pedilanthus 47
Pelaroonium Bronze and Gold 115
—— Cape Hybrids .. 112
—— Chelsea Gem .. 114
—— Double-flowered Zonal .. 114 & 115
—— —— Ivy-leaved 12 & 112
—— Fancy 111
—— Hybrid Perpetual, &c. 112
—— Ivy-leaved .. 112 & 113
—— —— with double flowers 12 & 112
—— Noseoay 112
—— Regal 108
—— Show .. .. 12 & 110
—— Spotted .. 12 & 109
—— Tricolor 115
—— Varieoated 115
—— Zonal .. 112 & 114
Pellionia 47
Pentas 47
Pentstemon 151
Peperomia 47
Peristeria elata 102
Pescatoria 102
Petunia 151
Phaius 102
Phalænopsis 102
Philodendron .. 46 & 47
—— Carderi 46
—— nobile 47
Phlox .. .. 75 & 151
Phœnix .. .. 129 & 130
—— rupicola 130
Pholidota 102
Phormium 61
Phyllaoathis 47

PAGE

Phyllanthus 47
Phyllotœnium 47
Pieris 75
Pilea 47
Pilumna 102
Pinanoa maculata .. 130
—— Sanderiana 130
—— spectabilis 130
Piper .. 47, 75 & 81
Pitcairnia 49
Pittosporum .. 61 & 62
Pleione 103
Pleopeltis xiphias .. 119
Pleurothallis 103
Plumbaoo .. .. 49 & 62
Pooostemon 49
Poinciana 49
Poinsettia 49
Polyoonum.. 75
—— multiflorum .. 75
Polystichum .. 119 & 122
Portlandia 49
Pothos .. 11, 48 & 49
—— argenteus 11
—— flexuosus 48
—— nitens, ... 11
Primula .. .. 62 & 75
Promenæa 103
Psidium 49
Pteris .. .. 119 & 120
—— tremula orandiceps 11
Ptychosperma 130
Puya 49
Ravenala 49
Regal Pelarooniums .. 108
Reidia 49
Renanthera 103
Restrepia 103
Rheum 76
Rhododendron 11, 67 to 69 & 76
—— albescens 11
—— assamicum 67
—— oraveolens 11
—— Hodosoni 68
—— Pink Beauty .. 69
—— Rosy Gem 68
Rodriouezia 103
Rooeira 49
Rondeletia 49
Ronnberoia 49
Rosa 76
Roscoea 49
Rubus .. 49, 62 & 76
Rudoea 49
Ruellia 49
Saccharum 49
Saccolabium 103
Salvia 151
Sanchezia 49
Sanseveira.. 49
Sarcanthus 103
Sarcochilus 103
Sarcopodium 103
Sarracenia .. 62 to 66
Saxifraoa .. .. 76 & 151
Schismatoolottis 49
—— decora 49
Schomburokia 103
Scindapsus, *vide* Pothos.
Soirpus 76
Scuticaria 103
Seaforthia 130
Seeds .. .. 152 & 153

PAGE

Selaoinella 12, 123 to 125
—— amœna 123
—— coonata 125
—— flaoellifera .. 125
—— involvens varieoata 124
—— tassellata 12
Sempervivum 151
Senecio .. .. 66 & 76
Show Pelargoniums 12 & 110
Shrubs, *vide* Hardy Plants 71
Smilax .. .. 49 & 66
—— discolor 49
Sobralia 103
Sonerila 49
Sophronitis 103
Sparmannia 66
Spathiphyllum 49
Spathoolottis 103
Spiræa .. .. 76 & 77
—— astilboides 77
Stadmannia 49
Stanhopea 104
Stephanotis 49
Stove Plants .. 13 to 50
Strelitzia 49
Streptocarpus 49
Styrax 76
Synoonium 50
Syrinoa .. 76, 78 & 79
Taccarum 50
Tacsonia .. .. 50 & 66
Tecoma .. .. 50 & 66
—— amboinensis 50
Terminalia 50
The Dove-Flower .. 102
—— Irish Fern 122
Thrinax 130
Thunberoia 50
Thrixspermum 104
Thunia .. .. 12 & 104
—— Marshalliana tricolor 12
Tillandsia 50
—— hieroolyphica .. 50
—— Lindeniana vera .. 50
Todea .. .. 120 & 122
Tonoa 32
Torenia 50
Tree Ferns .. 116 & 117
Trevesia eminens .. 50
Triohocentrum 104
Trichopilia 104
Trichosma 104
Trioonidium 104
Tropical Fruits .. 80 & 81
Tuberoses 66
Tydæa 108
Uropedium.. 104
Utricularia 50
Vanda .. .. 104 & 105
Vanilla .. 50, 81 & 105
Veronica 67
Viburnum Sieboldii .. 79
Vitis .. 50, 67 & 79
Vriesia 50
Warrea 105
Warscewiczella 105
Weioela .. .. 79 & 80
Wormia 50
Xylophylla 50
Zalacca nitida 130
Zamia 131
Zinoiber .. .. 50 & 81
Zygopetalum 105

ORCHID EXHIBITION.

THE ORCHID EXHIBITION AT

Mr. WILLIAM BULL'S Establishment

FOR

NEW AND RARE PLANTS,

536, KING'S ROAD, CHELSEA, LONDON, S.W.,

WILL OPEN

TO

PATRONS OF THE ESTABLISHMENT

AND

THOSE RECEIVING CARDS OF INVITATION,

TUESDAY, MAY 3rd, 1887,

And continue on view every TUESDAY, THURSDAY and SATURDAY, throughout MAY, JUNE and JULY.

The following are a few short extracts from the Press respecting Last Season's Exhibition:—

"The Times."

"Mr. William Bull's annual Exhibition of flowering Orchids in the King's Road, Chelsea, is now at the height of perfection, and affords much gratification to the numerous visitors. So extensive and varied is the collection here brought together that it is impossible to give an adequate description of such a Floral treasure house. As a whole it presents a scene of Fairy-land, while at every step some novelty or rarity from tropical regions arrests the attention and invites the admiration of the spectator. It is a perfect Flower Show in itself."

"The Court Journal."

"Exhibition of Orchids:—The lovely display of Orchids, in flower, annually provided at Mr. William Bull's Establishment in the King's Road, Chelsea, is again the admiration of everyone, the rare beauty and quaint forms of these charming flowers, which undoubtedly comprise the most beautiful of all nature's floral productions, here combine to form a scene, the like of which for splendour and wealth of colour it is difficult to imagine."

"The Gardeners' Chronicle."

"In his show of Orchids this year, for extent, beauty and variety, Mr. Bull has equalled, if not eclipsed all his former efforts. In the matter of variety and the presence in bloom of a large number of sterling new plants, the display leaves nothing to be desired, for while there appears glorious examples of the finest varieties of Cattleyas, Lælias and Odontoglossums, there is hardly a genus of Orchid to be had in flower at this season which is not represented."

"The Standard."

"Mr. Bull's Show of Orchids is established as an event and a topic of the season. It attracts by its own interest a very large number of those personages who seek beauty wherever it may be found. There is no need at this day to insist that the highest types of grace, colour and form, and all loveliness are shown among the Orchids, which besides offer endless themes for dissertation. The long winter has far retarded growth and bloom this year, but Mr. Bull's Exhibition is literally ablaze with colour."

"Land and Water."

"The Orchid Houses of Mr. William Bull, at King's Road, Chelsea, have fallen within the range of my peregrinations this week. They are a revelation of beauty, indeed! The first peep when the door is opened is delicious—a very paradise of tropical splendour! All down the line on either side exquisite sprays of feathery blossoms spring from their dainty bed of moss and maidenhair, a miniature avenue of Rainbowed loveliness of all shapes, of all colours and all sizes are these Orchids; some mere plumes of fragile white; some spotted and painted, and with long slender horns and legs, the very presentment of just alighted butterflies."

"Journal of Horticulture."

'Mr. William Bull's Orchids.—It is impossible to imagine a more beautiful and tasteful floral display than that provided in Mr. W. Bull's Nursery, King's Road, Chelsea, and, admirable as have been his previous Exhibitions of Orchids, this season's production surpasses them in all points. Those who have a keen remembrance of visits in other years will scarcely think it possible to excel such charming displays, but it is an admitted fact by many who have made the comparison. This year greater numbers of species and varieties are represented, the flowers are more numerous, yet there is a sufficient proportion of graceful fresh green Ferns and Palms to soften the brightest tints and prevent the slightest approach to an undue preponderance of colour."

Price 1/- *No. 233*

A Catalogue of New Plants, &c.

Offered by

WILLIAM BULL, F.L.S.
CHELSEA, S.W.

Entered at Stationers' Hall.